

# Farnham Summary Log 2011

## Systematic List

Note: R = Number of days species recorded / Number of recording days in month.

---

### 0152 Mute Swan *Cygnus olor*

|           |         |   |
|-----------|---------|---|
| January   | R=22/22 | Recorded throughout, 1 found dead on the 1 <sup>st</sup> had a BTO ring ZY1668, this bird was rung on the 18/08/2009 at Catcliffe Flash Rotherham by the Sorby Breck Ringing Group, 18 on the 2 <sup>nd</sup> , 27 <sup>th</sup> , 29 <sup>th</sup> & 31 <sup>st</sup> included birds with Red Darvik Rings VJP,VBH & VXZ. A bird with ring No.ZZ5832 was described as a confiding bird usually associating with a Canada Goose. It was rung as a first year bird at Newburgh Priory, near Coxwold, 30 km away, on August 16 <sup>th</sup> 2008 (I.D.W.). |
| February  | R=17/17 | Recorded throughout, 23 on the 10 <sup>th</sup> , 12 <sup>th</sup> & 14 <sup>th</sup> .   |
| March     | R=22/22 | Recorded throughout, maximum 28 on the 26 <sup>th</sup> .   |
| April     | R=27/27 | Recorded throughout, 21 on the 2 <sup>nd</sup> .  |
| May       | R=24/25 | Pair present throughout + 7 on the 7 <sup>th</sup> , 5 adults + 7 cygnets on the 26 <sup>th</sup> .   |
| June      | R=17/17 | Pair with 7 cygnets present throughout, + 3 N lake on the 21 <sup>st</sup> .  |
| July      | R=19/19 | Pair with 7 cygnets till 16 <sup>th</sup> then 6 cygnets till month end + 3 adults on N lake.   |
| August    | R=21/21 | Pair + 6 juveniles throughout on south lake & a pair on north lake.   |
| September | R=21/21 | Pair + 6 juveniles throughout, 4 adults + 6 juveniles on the 21 <sup>st</sup> .   |
| October   | R=23/23 | Pair + 6 juveniles present throughout South Lake + 3 adults & 1 juvenile on the 22 <sup>nd</sup> on North Lake.   |
| November  | R=15/15 | Present throughout, maximum 4 adults + 6 juveniles S lake - 4 adults on N lake on the 28 <sup>th</sup> .  |
| December  | R=22/22 | Present throughout, 8 adults + 8 juveniles on S lake & 1 adult on N lake on the 22 <sup>nd</sup> , 12 adults + 7 juveniles on the 31 <sup>st</sup> .  |

---

### 0154 Whooper Swan *Cygnus cygnus*

|         |        |  |
|---------|--------|--|
| March   | R=1/22 | 12 on N lake on the 28 <sup>th</sup> flew off N at 9.30 a.m.   |
| April   | R=7/27 | 1 on the 7 <sup>th</sup> , 8 <sup>th</sup> , 9 <sup>th</sup> , 10 <sup>th</sup> , 11 <sup>th</sup> , 12 <sup>th</sup> & 13 <sup>th</sup> . |
| October | R=1/23 | 1 flew over S on the 23 <sup>rd</sup> .  |

---

### 0158 Pink-footed Goose *Anser brachyrhynchus*

|          |         |  |
|----------|---------|--|
| January  | R=7/22  | 1 on the 17 <sup>th</sup> & 18 <sup>th</sup> , On the 24 <sup>th</sup> 43 flew over & 42 dropped into field, at 4.20 p.m. 300 flew over (C.Slator), 2 on the 26 <sup>th</sup> , 27 <sup>th</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> .             |
| February | R=2/17  | c150 flew over W on the 9 <sup>th</sup> , 4 on the 10 <sup>th</sup> .  |
| March    | R=8/22  | c60 flew N on the 3 <sup>rd</sup> , 1 on the 22 <sup>nd</sup> , c160 flew N on the 23 <sup>rd</sup> , 1 on the 24 <sup>th</sup> , 26 <sup>th</sup> , 28 <sup>th</sup> , 29 <sup>th</sup> & 31 <sup>st</sup> .  |
| April    | R=11/27 | 1 on the 1 <sup>st</sup> , 2 <sup>nd</sup> , 3 <sup>rd</sup> & 5 <sup>th</sup> , 35 flew over N on the 10 <sup>th</sup> , 2 on the 25 <sup>th</sup> , 26 <sup>th</sup> , 27 <sup>th</sup> , 28 <sup>th</sup> , 29 <sup>th</sup> & 30 <sup>th</sup> . |
| May      | R=7/25  | 1 in back field + c180 over N on the 1 <sup>st</sup> , 1 on the 2 <sup>nd</sup> , 1 + 34 over NW on the 3 <sup>rd</sup> , 74 over NW on the 4 <sup>th</sup> , 1 on the 6 <sup>th</sup> , 8 <sup>th</sup> & 9 <sup>th</sup> .                         |
| October  | R=1/23  | 20 flew over from W then flew S on the 15 <sup>th</sup> .  |
| November | R=1/15  | 45 from E flew W on the 28 <sup>th</sup> .   |

---

### 0159 White-fronted Goose *Anser albifrons*

December R=1/22 1 juvenile on the 17<sup>th</sup> (I.D.W.).

---

### 0161 Greylag Goose *Anser anser*

January R=20/22 Present throughout, 4 skeins 64-22-14 & 35 flew over on the 8<sup>th</sup>, maximum c300 on the 22<sup>nd</sup>.  
February R=16/17 Present throughout, maximum 74 on the 10<sup>th</sup>.  
March R=22/22 Present throughout, maximum 68 on the 3<sup>rd</sup>.  
April R=27/27 Present throughout, 14 on the 7<sup>th</sup>, 6 goslings on the 18<sup>th</sup>, 10 goslings on 30<sup>th</sup>.  
May R=25/25 Present throughout, 28 on the 26<sup>th</sup>.  
June R=17/17 Recorded throughout, c30 on the 4<sup>th</sup>.  
July R=19/19 Present throughout.  
August R=21/21 Present throughout, maximum 28 on the 22<sup>nd</sup>.  
September R=21/21 Present throughout, maximum 370+ on the 30<sup>th</sup>.  
October R=22/23 Present throughout, 300+ on the 1<sup>st</sup>, c350 flew over on the 22<sup>nd</sup>.  
November R=11/15 Recorded throughout, 15 flew over on the 12<sup>th</sup>, 12 on the 14<sup>th</sup>.  
December R=11/22 Present throughout, 14 flew over a.m. & c500 flew over S p.m. on the 10<sup>th</sup>.

---

### 0163 Snow Goose *Anser caerulescens*

February R=17/17 1 on the 20<sup>th</sup>, 24<sup>th</sup> & 26<sup>th</sup>. Flew in with Greylag Goose.

---

### 0166 Greater Canada Goose *Branta canadensis*

January R=22/22 Present throughout, maximum 140 on 29<sup>th</sup>.  
February R=17/17 Present throughout, maximum 72 on the 28<sup>th</sup>.  
March R=22/22 Present throughout, maximum 51 on the 2<sup>nd</sup>.  
April R=27/27 Present throughout, maximum 72 on the 7<sup>th</sup>, 2 goslings on the 26<sup>th</sup>.  
May R=25/25 Present throughout, 2 pair + 15 goslings on the 4<sup>th</sup>, maximum 56 on the 26<sup>th</sup>.  
June R=17/17 Present throughout, 25 goslings on the 4<sup>th</sup>.  
July R=19/19 Present throughout.  
August R=21/21 Present throughout, maximum 240 on the 15<sup>th</sup>.  
September R=21/21 Present throughout, maximum 275 on the 21<sup>st</sup>.  
October R=20/23 Present throughout, maximum c200 on the 1<sup>st</sup>.  
November R=14/15 Present throughout, maximum 66 on the 17<sup>th</sup>.  
December R=20/22 Present throughout, maximum 44 on the 24<sup>th</sup>.

---

### 0167 Barnacle Goose *Branta leucopsis*

May R=1/25 2 on the 3<sup>rd</sup>.

---

### 0170 Egyptian Goose *Alopochen aegyptiacus*

March R=2/22 1 on the 13<sup>th</sup>, 1 flew over on the 23<sup>rd</sup>.

---

### 0173 Common Shelduck *Tadorna tadorna*

|          |        |  |
|----------|--------|--|
| January  | R=1/22 | 3 on the 29 <sup>th</sup> .  |
| February | R=4/17 | 4 on the 7 <sup>th</sup> , 1 on the 14 <sup>th</sup> , 2 on the 15 <sup>th</sup> & 16 <sup>th</sup> .  |
| March    | R=3/22 | 2 on the 13 <sup>th</sup> , 2 over on the 28 <sup>th</sup> , 1 on the 29 <sup>th</sup> .   |
| April    | R=9/27 | 2 on the 7 <sup>th</sup> , male & female on the 14 <sup>th</sup> , 15 <sup>th</sup> , 16 <sup>th</sup> & 18 <sup>th</sup> , 1 on the 19 <sup>th</sup> , 2 flew over on the 20 <sup>th</sup> & 21 <sup>st</sup> , 1 on the 24 <sup>th</sup> . |
| May      | R=9/25 | 2 on the 1 <sup>st</sup> , 3 on the 2 <sup>nd</sup> , 2 on the 4 <sup>th</sup> & 5 <sup>th</sup> , 1 on 13 <sup>th</sup> , 25 <sup>th</sup> , 26 <sup>th</sup> , 27 <sup>th</sup> & 28 <sup>th</sup> .                                       |
| June     | R=3/17 | 1 on the 4 <sup>th</sup> , 5 <sup>th</sup> & 16 <sup>th</sup> .  |
| October  | R=1/23 | 1 flew over on the 23 <sup>rd</sup> .  |
| November | R=1/15 | 2 on the 24 <sup>th</sup> .  |

---

### 0179 Eurasian Wigeon *Anas penelope*

|           |         |  |
|-----------|---------|--|
| January   | R=5/22  | 2 on the 1 <sup>st</sup> , 1 on the 18 <sup>th</sup> , 2 on the 25 <sup>th</sup> & 29 <sup>th</sup> & 1 on the 31 <sup>st</sup> .  |
| February  | R=2/17  | 1 on the 8 <sup>th</sup> & 26 <sup>th</sup> .  |
| March     | R=3/22  | 5 on the 3 <sup>rd</sup> , 1 on the 6 <sup>th</sup> & 2 on the 9 <sup>th</sup> .   |
| September | R=12/21 | 1 on the 1 <sup>st</sup> , 2 on the 13 <sup>th</sup> , 1 on the 14 <sup>th</sup> & 15 <sup>th</sup> , 33 flew over on the 17 <sup>th</sup> , 1 on the 18 <sup>th</sup> , 4 on the 23 <sup>rd</sup> , 10 on the 24 <sup>th</sup> 1 on the 25 <sup>th</sup> & 26 <sup>th</sup> , 4 on the 29 <sup>th</sup> , 5 on the 30 <sup>th</sup> . |
| October   | R=23/23 | Present throughout, 140 flew over on the 1 <sup>st</sup> , 100+ on the 16 <sup>th</sup> .  |
| November  | R=15/15 | Present throughout, maximum 81 on the 23 <sup>rd</sup> .   |
| December  | R=22/22 | Present throughout, maximum 72 on the 10 <sup>th</sup> .   |

---

### 0182 Gadwall *Anas strepera*

|           |         |  |
|-----------|---------|--|
| January   | R=20/22 | Present throughout, maximum 21 on the 23 <sup>rd</sup> .   |
| February  | R=17/17 | Present throughout, maximum 40 on the 7 <sup>th</sup> .  |
| March     | R=20/22 | Recorded throughout, maximum 26 on the 7 <sup>th</sup> .   |
| April     | R=15/27 | Present throughout, maximum 4 on the 2 <sup>nd</sup> , 13 <sup>th</sup> , & 25 <sup>th</sup> .                             |
| May       | R=17/25 | Present throughout, 2 males + 1 female on the 15 <sup>th</sup> .   |
| June      | R=16/17 | Present throughout, 2 ducklings on the 2 <sup>nd</sup> , pair + 2 ducklings & pair + 3 ducklings on the 18 <sup>th</sup> . |
| July      | R=18/19 | Present throughout, maximum 6 on the 16 <sup>th</sup> .  |
| August    | R=15/21 | Present throughout, maximum 6 on the 28 <sup>th</sup> .  |
| September | R=21/21 | Present throughout, maximum 15 on the 23 <sup>rd</sup> .   |
| October   | R=23/23 | Present throughout, maximum 30 on the 29 <sup>th</sup> & 31 <sup>st</sup> .  |
| November  | R=15/15 | Present throughout, maximum 41 on the 3 <sup>rd</sup> , 17 <sup>th</sup> & 23 <sup>rd</sup> .                              |
| December  | R=22/22 | Present throughout, maximum 40 on the 5 <sup>th</sup> & 10 <sup>th</sup> .   |

---

### 0184 Eurasian Teal *Anas crecca*

|          |         |   |
|----------|---------|---|
| January  | R=20/22 | Recorded throughout, maximum 31 on the 1 <sup>st</sup> .  |
| February | R=16/16 | Present throughout, maximum 10 on the 12 <sup>th</sup> , 16 <sup>th</sup> & 20 <sup>th</sup> .  |
| March    | R=22/22 | Present throughout, maximum 10 on the 2 <sup>nd</sup> & 4 <sup>th</sup> .   |
| April    | R=12/27 | Male & female on 12 dates from 1 <sup>st</sup> till 17 <sup>th</sup> , maximum 3 on the 4 <sup>th</sup> .                                   |
| May      | R=1/25  | A male on the 15 <sup>th</sup> .  |
| July     | R=1/19  | 3 on the 28 <sup>th</sup> .   |
| August   | R=5/21  | 6 on the 12 <sup>th</sup> , 1 on the 21 <sup>st</sup> , 5 on the 25 <sup>th</sup> , 1 on the 29 <sup>th</sup> & 2 on the 30 <sup>th</sup> . |

|           |         |  |
|-----------|---------|--|
| September | R=12/21 | Recorded throughout, maximum 5 on the 26 <sup>th</sup> . |
| October   | R=22/23 | Present throughout, maximum 18 on the 14 <sup>th</sup> . |
| November  | R=15/15 | Present throughout, maximum 48 on the 12 <sup>th</sup> . |
| December  | R=19/22 | Present throughout, maximum 26 on the 10 <sup>th</sup> . |

---

### 0186 Mallard *Anas platyrhynchos*

|           |         |   |
|-----------|---------|---|
| January   | R=22/22 | Present throughout, maximum 83 on the 10 <sup>th</sup> .  |
| February  | R=16/17 | Present throughout, maximum 49 on the 7 <sup>th</sup> .   |
| March     | R=21/22 | Present throughout, maximum 24 on the 21 <sup>st</sup> .  |
| April     | R=27/27 | Present throughout, female with 8 ducklings on the 16 <sup>th</sup> , female with 7 ducklings on the 19 <sup>th</sup> & 24 <sup>th</sup> .                |
| May       | R=23/25 | Present throughout, 8 new ducklings on the 6 <sup>th</sup> , 9 on the 19 <sup>th</sup> & 6 on the 24 <sup>th</sup> , Maximum 20 on the 26 <sup>th</sup> . |
| June      | R=17/17 | Present throughout, c8 ducklings on the 27 <sup>th</sup> .  |
| July      | R=19/19 | Present throughout, female with 3 new ducklings on the 4 <sup>th</sup> .  |
| August    | R=21/21 | Present throughout, maximum 75+ on the 9 <sup>th</sup> .  |
| September | R=21/21 | Present throughout, maximum 112 on the 17 <sup>th</sup> .   |
| October   | R=22/23 | Present throughout, maximum 56 on the 17 <sup>th</sup> .  |
| November  | R=13/15 | Present throughout, maximum 59 on the 23 <sup>rd</sup> .  |
| December  | R=22/22 | Present throughout, maximum 65 on the 20 <sup>th</sup> .  |

---

### 0189 Northern Pintail *Anas acuta*

|          |        |   |
|----------|--------|---|
| May      | R=1/25 | A female on N lake on the 23 <sup>rd</sup> . (I.D.W.)   |
| October  | R=6/23 | 1 flew over on the 1 <sup>st</sup> , 23 over N & 2 on S lake on the 9 <sup>th</sup> , 1 flew over on the 17 <sup>th</sup> , 5 flew over on the 14 <sup>th</sup> , 5 on the 16 <sup>th</sup> , 1 female & 1 juvenile on the 29 <sup>th</sup> . |
| November | R=2/15 | 3 juveniles on the 1 <sup>st</sup> , 2 juveniles on the 5 <sup>th</sup> .   |
| December | R=1/22 | 1 female on the 13 <sup>th</sup> .  |

---

### 0191 Garganey *Anas querquedula*

|       |        |  |
|-------|--------|--|
| April | R=1/27 | A male & female present till 3.30 p.m. on 21 <sup>st</sup> . (I.D.W./ P. & K. L./J.E.A.) |
|-------|--------|--|

---

### 0194 Northern Shoveler *Anas clypeata*

|           |        |   |
|-----------|--------|---|
| March     | R=3/22 | 2 Males & 1 female on the 16 <sup>th</sup> , 1 male on the 19 <sup>th</sup> & 29 <sup>th</sup> .              |
| April     | R=2/27 | 2 males & 1 female on the 10 <sup>th</sup> , 1 male on the 11 <sup>th</sup> .                                 |
| July      | R=2/19 | A male on the 7 <sup>th</sup> & 28 <sup>th</sup> .  |
| August    | R=1/21 | 4 on the 25 <sup>th</sup> .   |
| September | R=1/21 | 2 flew over 24 <sup>th</sup> .  |
| October   | R=3/23 | A female on the 13 <sup>th</sup> , 1 juvenile on the 20 <sup>th</sup> , 1 flew over on the 23 <sup>rd</sup> . |
| November  | R=3/15 | 1 on the 4 <sup>th</sup> , 3 on the 10 <sup>th</sup> & 30 <sup>th</sup> .                                     |
| December  | R=1/22 | 1 on the 19 <sup>th</sup> .   |

---

### 0198 Common Pochard *Aythya ferina*

|          |         |   |
|----------|---------|---|
| January  | R=12/22 | Present on 12 dates from the 1 <sup>st</sup> till the 19 <sup>th</sup> , maximum 21 on the 11 <sup>th</sup> .           |
| February | R=5/17  | 2 on the 5 <sup>th</sup> , 4 on the 6 <sup>th</sup> , 1 on the 12 <sup>th</sup> , 20 <sup>th</sup> & 26 <sup>th</sup> . |

|           |         |   |
|-----------|---------|---|
| March     | R=14/22 | Present on 14 dates between the 3 <sup>rd</sup> & 25 <sup>th</sup> , maximum 9 on the 4 <sup>th</sup> .         |
| July      | R=3/19  | A female on the 9 <sup>th</sup> , a male on the 28 <sup>th</sup> , 4 on the 29 <sup>th</sup> .                  |
| September | R=5/19  | 1 on the 9 <sup>th</sup> , 10 <sup>th</sup> , 11 <sup>th</sup> , 12 <sup>th</sup> & 29 <sup>th</sup> .          |
| October   | R=5/23  | 5 on the 1 <sup>st</sup> , 1 on the 14 <sup>th</sup> , 15 <sup>th</sup> , 23 <sup>rd</sup> & 28 <sup>th</sup> . |
| November  | R=5/15  | 1 on the 6 <sup>th</sup> , 17 <sup>th</sup> , 18 <sup>th</sup> & 23 <sup>rd</sup> , 2 on the 30 <sup>th</sup> . |
| December  | R=19/22 | Present throughout, maximum 9 on the 12 <sup>th</sup> .   |

---

### 0203 Tufted Duck *Aythya fuligula*

|           |         |   |
|-----------|---------|---|
| January   | R=20/22 | Present throughout, maximum 69 on the 19 <sup>th</sup> .  |
| February  | R=17/17 | Present throughout, maximum 50 on the 14 <sup>th</sup> .  |
| March     | R=22/22 | Present throughout, maximum 38 on the 21 <sup>st</sup> .  |
| April     | R=27/27 | Present throughout, maximum 40 on the 15 <sup>th</sup> .  |
| May       | R=24/25 | Present throughout, maximum 42 on the 26 <sup>th</sup> .  |
| June      | R=17/17 | Present throughout, female with c18 ducklings & female with c10 ducklings on the 26 <sup>th</sup> . |
| July      | R=19/19 | Present throughout, c40 on the 1 <sup>st</sup> .  |
| August    | R=21/21 | Present throughout, maximum 60 on the 26 <sup>th</sup> .  |
| September | R=21/21 | Present throughout, maximum c170 on the 26 <sup>th</sup> .  |
| October   | R=23/23 | Present throughout, maximum 88 on the 14 <sup>th</sup> .  |
| November  | R=14/15 | Present throughout, maximum 100 on the 23 <sup>rd</sup> .   |
| December  | R=21/22 | Present throughout, maximum 90 on the 31 <sup>st</sup> .  |

---

### 0204 Scaup *Aythya marila*

|          |         |   |
|----------|---------|---|
| December | R=13/22 | A Male daily from the 8 <sup>th</sup> till the 21 <sup>st</sup> (J.E.A. et al). |
|----------|---------|---|

---

### 0213 Common Scoter *Melanitta nigra*

|         |        |  |
|---------|--------|--|
| August  | R=1/21 | 2 Males & 1 female on North lake on the 13 <sup>th</sup> (I.D.W.) still present at 2.30 p.m. (J.E.A.). |
| October | R=1/23 | A female on South Lake on the 3 <sup>rd</sup> .  |

---

### 0218 Common Goldeneye *Bucephala clangula*

|          |         |  |
|----------|---------|--|
| January  | R=22/22 | Present throughout, maximum 15 on the 31 <sup>st</sup> .                                     |
| February | R=17/17 | Present throughout, maximum 15 on the 21 <sup>st</sup> & 24 <sup>th</sup> .                  |
| March    | R=17/22 | Present throughout, maximum 40 on the 6 <sup>th</sup> .                                      |
| April    | R=2/27  | 2 flew over on the 22 <sup>nd</sup> , 1 on the 24 <sup>th</sup> .                            |
| October  | R=3/23  | 1 on the 4 <sup>th</sup> , 1 flew over on the 14 <sup>th</sup> , 2 on the 19 <sup>th</sup> . |
| November | R=12/15 | Present throughout, maximum 14 on the 6 <sup>th</sup> .                                      |
| December | R=20/22 | Present throughout, maximum 17 on the 10 <sup>th</sup> & 21 <sup>st</sup> .                  |

---

### 0220 Smew *Mergellus albellus*

|          |        |  |
|----------|--------|--|
| November | R=1/15 | A redhead flushed from S end of S lake on the 28 <sup>th</sup> (I.D.W.). |
|----------|--------|--|

---

**0223 Goosander** *Mergus merganser*

|           |        |   |
|-----------|--------|---|
| January   | R=4/22 | 1 on the 1 <sup>st</sup> , male & female on the 11 <sup>th</sup> , 2 males & 2 females on the 17 <sup>th</sup> & a female flew over on the 22 <sup>nd</sup> . |
| February  | R=4/17 | 1 on the 7 <sup>th</sup> , 12 <sup>th</sup> , & 13 <sup>th</sup> , 2 on the 20 <sup>th</sup> .  |
| September | R=1/21 | 6 juveniles on the 11 <sup>th</sup> .   |
| October   | R=1/23 | 2 flew over on the 13 <sup>th</sup> .   |
| November  | R=2/15 | 2 on the 12 <sup>th</sup> , 1 flew over on the 17 <sup>th</sup> .   |
| December  | R=3/22 | 3 males & 1 female on the 7 <sup>th</sup> , 2 flew over on the 17 <sup>th</sup> & 27 <sup>th</sup> .  |

---

**0358 Red-legged Partridge** *Alectoris rufa*

|         |        |  |
|---------|--------|--|
| March   | R=1/22 | 2 on the 28 <sup>th</sup> .  |
| April   | R=1/27 | 1 to 2 birds recorded on 11 scattered dates throughout.  |
| May     | R=5/25 | 2 on the 2 <sup>nd</sup> , 2 on the 11 <sup>th</sup> , 1 on the 15 <sup>th</sup> , 2 on the 19 <sup>th</sup> & 1 on the 26 <sup>th</sup> . |
| June    | R=6/17 | Recorded on 6 scattered dates throughout, c14 very small chicks on the 23 <sup>rd</sup> .  |
| August  | R=1/21 | 2 on the 1 <sup>st</sup> .   |
| October | R=1/23 | 1 on the 9 <sup>th</sup> .   |

---

**0394 Common Pheasant** *Phasianus colchicus*

|           |         |  |
|-----------|---------|--|
| January   | R=15/22 | Recorded throughout, maximum 6 on the 25 <sup>th</sup> .   |
| February  | R=13/17 | 1 to 4 birds recorded throughout.  |
| March     | R=20/22 | Recorded throughout, maximum 2 on 5 dates.   |
| April     | R=25/27 | 1 to 2 birds recorded throughout.  |
| May       | R=14/25 | Recorded throughout.   |
| June      | R=7/17  | Recorded on the 6 <sup>th</sup> , 8 <sup>th</sup> , 12 <sup>th</sup> , 16 <sup>th</sup> , 21 <sup>st</sup> , 23 <sup>rd</sup> & 26 <sup>th</sup> . |
| July      | R=5/19  | 1 to 2 birds on 5 scattered dates throughout.  |
| August    | R=3/21  | 1 on the 3 <sup>rd</sup> , 6 <sup>th</sup> & 30 <sup>th</sup> .  |
| September | R=12/21 | 1 to 4 birds on 12 scattered dates throughout.   |
| October   | R=23/23 | 1 to 6 birds recorded throughout.  |
| November  | R=14/15 | Recorded throughout, 6 on the 23 <sup>rd</sup> .   |
| December  | R=22/22 | Recorded throughout, maximum 7 on the 22 <sup>nd</sup> .   |

---

**0007 Little Grebe** *Tachybaptus rufficollis*

|           |         |   |
|-----------|---------|---|
| January   | R=16/22 | Present throughout.   |
| February  | R=14/17 | Present throughout, maximum 2 on 7 dates  |
| March     | R=21/22 | Present throughout, maximum 4 on the 12 <sup>th</sup> , 19 <sup>th</sup> & 21 <sup>st</sup> .   |
| April     | R=27/27 | Present throughout, 3 pair on the 2 <sup>nd</sup> .   |
| May       | R=21/25 | Present throughout, pair + 1 juvenile on the 11 <sup>th</sup> & 13 <sup>th</sup> .  |
| June      | R=14/17 | Present throughout, 2 on the 6 <sup>th</sup> & 12 <sup>th</sup> .   |
| July      | R=18/19 | Present throughout, pair with chicks on the 6 <sup>th</sup> , pair nest building on the 21 <sup>st</sup> .  |
| August    | R=21/21 | Present throughout, pair with nest on the 6 <sup>th</sup> , new chicks on the 12 <sup>th</sup> , 2 pair on the 15 <sup>th</sup> & 17 <sup>th</sup> + 1 with 2 chicks, 1 chick on 20 <sup>th</sup> , no chicks seen after this date. |
| September | R=21/21 | Present throughout. maximum 8 on the 21 <sup>st</sup> .   |
| October   | R=23/23 | Present throughout, 9 on the 15 <sup>th</sup> .   |
| November  | R=15/15 | Present throughout, 8 on the 28 <sup>th</sup> .   |

December R=22/22 Present throughout, maximum 7 on the 6<sup>th</sup>.

---

**0009 Great Crested Grebe *Podiceps cristatus***

January R=9/22 Present on 9 dates between the 13<sup>th</sup> & 31<sup>st</sup>.  
February R=14/17 Present throughout, 6 on the 16<sup>th</sup>, 24<sup>th</sup> & 28<sup>th</sup>.  
March R=22/22 Present throughout, maximum 11 on the 23<sup>rd</sup>, 26<sup>th</sup> & 28<sup>th</sup>.  
April R=27/27 Present throughout, 11 on the 4<sup>th</sup>, 4 pair N lake & 1 pair S lake on the 18<sup>th</sup>.  
May R=25/25 Present throughout, 2 S lake & 5 N lake on the 8<sup>th</sup>, 2 pair S lake on the 13<sup>th</sup>.  
June R=17/17 Present throughout, 2 S lake & 6 N lake on the 15<sup>th</sup>, pair with 2 young chickson the 16<sup>th</sup>, 3 pair + 2 chicks N lake & 1 pair S lake on the 27<sup>th</sup> & 29<sup>th</sup>.  
July R=19/19 Present throughout, pair with 3 juveniles N lake & pair S lake on the 24<sup>th</sup>.  
August R=19/21 Present throughout, pair + 3 juveniles on North lake & a pair on South lake on the 19<sup>th</sup>, no sign of nesting pair on S lake on the 17<sup>th</sup>.  
September R=14/21 Present throughout, 1 juvenile reported on the 1<sup>st</sup>, 4<sup>th</sup> & 7<sup>th</sup>, maximum 4 on the 12<sup>th</sup>, 14<sup>th</sup>, 15<sup>th</sup> & 17<sup>th</sup>.  
October R=15/23 Present throughout, maximum 3 on the 1<sup>st</sup>.  
November R=8/15 Recorded on 8 scattered dates throughout, 2 on the 3<sup>rd</sup>, 6<sup>th</sup> & 28<sup>th</sup>.  
December R=17/22 Recorded throughout, maximum 3 on the 5<sup>th</sup>.

---

**0072 Great Cormorant *Phalacrocorax carbo***

January R=15/22 Present on 15 dates between the 11<sup>th</sup> & 31<sup>st</sup> maximum 7 on the 17<sup>th</sup>.  
February R=17/17 Present throughout, maximum 19 on the 2<sup>nd</sup> & 5<sup>th</sup>.  
March R=20/22 Present throughout, maximum 6 on the 23<sup>rd</sup>.  
April R=26/27 Present throughout, maximum 10 on the 18<sup>th</sup>.  
May R=21/25 Present throughout, 4 on the 26<sup>th</sup>.  
June R=17/17 1 to 6 birds present throughout, on 8<sup>th</sup> a bird with Darvik ring CIF which was rung at Abberton Reservoir Essex & present at Farnham 18<sup>th</sup> & 31<sup>st</sup> July 2010.  
July R=19/19 1 to 9 birds present throughout.  
August R=20/21 Present throughout, maximum 14 on the 30<sup>th</sup>.  
September R=21/21 Present throughout, maximum 10 on the 26<sup>th</sup> & 30<sup>th</sup>.  
October R=23/23 Present throughout, maximum 15 on the 6<sup>th</sup>.  
November R=14/15 Present throughout, maximum 17 on the 24<sup>th</sup> & 30<sup>th</sup>.  
December R=22/22 Present throughout, maximum 18 on the 3<sup>rd</sup>.

---

**0119 Little Egret *Egretta garzetta***

July R=1/19 1 on island 4 on the 3<sup>rd</sup> eventually flew off high N at 10 45 a.m. (R.B./L.L./J.E.A./P.B.)  
August R=2/21 1 flew round before departing N on the 6<sup>th</sup> (J.E.A.), 1 on back spit chased off by Coot on the 11<sup>th</sup>.

---

**0122 Grey Heron *Ardea cinerea***

January R=1/22 1 on the 16<sup>th</sup>.  
February R=4/17 1 on the 12<sup>th</sup>, 13<sup>th</sup>, 20<sup>th</sup> & 26<sup>th</sup>.  
March R=4/22 1 on 7<sup>th</sup>, 12<sup>th</sup>, 14<sup>th</sup> & 20<sup>th</sup>.

|           |         |  |
|-----------|---------|--|
| April     | R=5/27  | 1 on 3 <sup>rd</sup> , 9 <sup>th</sup> , 10 <sup>th</sup> , 11 <sup>th</sup> , 16 <sup>th</sup> & 17 <sup>th</sup> .   |
| May       | R=5/25  | 2 on the 1 <sup>st</sup> , 1 on the 3 <sup>rd</sup> & 4 <sup>th</sup> , 4 on the 6 <sup>th</sup> & 1 on the 8 <sup>th</sup> .  |
| June      | R=12/17 | Recorded throughout, 2 juveniles on the 23 <sup>rd</sup> , 2 on the 30 <sup>th</sup> .   |
| July      | R=9/19  | A juv on the 1 <sup>st</sup> , 2 on the 3 <sup>rd</sup> & 6 <sup>th</sup> , 1 on the 9 <sup>th</sup> , 10 <sup>th</sup> , 16 <sup>th</sup> , 17 <sup>th</sup> , & 28 <sup>th</sup> , 2 on the 30 <sup>th</sup> . |
| August    | R=10/21 | 1 to 2 birds recorded on 10 dates throughout.  |
| September | R=11/21 | Recorded on 11 scattered dates throughout, 3 on the 7 <sup>th</sup> .  |
| October   | R=5/23  | 1 on the 4 <sup>th</sup> , 3 on the 5 <sup>th</sup> , 1 on the 6 <sup>th</sup> & 8 <sup>th</sup> , 1+ 2 over on the 13 <sup>th</sup> .   |

---

### 0239 Red Kite *Milvus milvus*

|           |         |  |
|-----------|---------|--|
| January   | R=15/22 | Recorded throughout, 7 on the 17 <sup>th</sup> , 5 sitting in 1 tree on the 27 <sup>th</sup> .   |
| February  | R=9/17  | Recorded on 9 dates throughout, 10 to the N on the 14 <sup>th</sup> . (RB/JEA/SC)  |
| March     | R=11/22 | Recorded on 11 dates throughout, 5 on the 12 <sup>th</sup> .   |
| April     | R=13/27 | Recorded throughout, 4 on the 2 <sup>nd</sup> .  |
| May       | R=7/25  | 3 on 1 <sup>st</sup> , 1 on the 3 <sup>rd</sup> , 6 <sup>th</sup> , 8 <sup>th</sup> , 19 <sup>th</sup> , 26 <sup>th</sup> & 30 <sup>th</sup> . |
| June      | R=9/17  | 1 to 3 birds on 9 scattered dates throughout.  |
| July      | R=11/19 | Recorded throughout, 3 on the 10 <sup>th</sup> .   |
| August    | R=12/21 | 1 to 3 birds recorded on 12 scattered dates throughout.  |
| September | R=19/21 | Recorded throughout, maximum 5 on the 11 <sup>th</sup> & 17 <sup>th</sup> .  |
| October   | R=16/23 | Recorded throughout, 1 & c12 going to roost in Walkingham Warren Wood on the 31 <sup>st</sup> .  |
| November  | R=8/15  | Recorded on 8 dates throughout, 5 on the 6 <sup>th</sup> .   |
| December  | R=13/22 | Recorded on 13 dates throughout, 3 on the 17 <sup>th</sup> & 31 <sup>st</sup> .  |

### 0260 Marsh Harrier *Circus aeruginosus*

|           |        |   |
|-----------|--------|---|
| September | R=1/21 | A cream crown flew S at 8.05 a.m. on the 30 <sup>th</sup> (I.D.W.). |
|-----------|--------|---|

---

### Note:- \*0263 Montagu's Harrier *Circus pygargus*

The records committee decided that the bird reported on October 10<sup>th</sup> 2010, from the description provided, that Pallid Harrier *Circus macrourus* could not be ruled out.

---

### 0269 Eurasian Sparrowhawk *Accipiter nisus*

|           |         |  |
|-----------|---------|--|
| January   | R=16/22 | Recorded on throughout, 2 males on the 8 <sup>th</sup> & 2 on the 24 <sup>th</sup> .   |
| February  | R=10/17 | Recorded on 10 dates from the 2 <sup>nd</sup> to the 21 <sup>st</sup> , 2 on the 6 <sup>th</sup> .   |
| March     | R=8/22  | 1 to 3 birds recorded on 8 scattered dates throughout.   |
| April     | R=14/27 | Recorded throughout, 4 on the 10 <sup>th</sup> & 3 on the 24 <sup>th</sup> .   |
| May       | R=11/25 | Recorded on 11 scattered dates throughout, 3 on the 3 <sup>rd</sup> .  |
| June      | R=4/17  | 1 on the 5 <sup>th</sup> , 18 <sup>th</sup> , 19 <sup>th</sup> & 30 <sup>th</sup> .  |
| July      | R=8/19  | 1 on the 1 <sup>st</sup> & 16 <sup>th</sup> , 2 on the 17 <sup>th</sup> , 1 on the 21 <sup>st</sup> , 23 <sup>rd</sup> , 24 <sup>th</sup> & 30 <sup>th</sup> , 2 on the 31 <sup>st</sup> .   |
| August    | R=12/21 | Recorded on 12 scattered dates throughout, 1 taking Wood Pigeon on the 1 <sup>st</sup> , 1 with prey on the 6 <sup>th</sup> , 7 <sup>th</sup> & 11 <sup>th</sup> , 1 juvenile male found dead (very emaciated) on the 18 <sup>th</sup> . |
| September | R=17/21 | Recorded throughout, 3 on the 10 <sup>th</sup> .   |
| October   | R=17/23 | Recorded throughout, 3 on the 19 <sup>th</sup> .   |
| November  | R=12/15 | Single birds recorded on 12 dates throughout.  |
| December  | R=13/22 | Single birds recorded on 13 dates throughout.  |



---

### 0287 Common Buzzard *Buteo buteo*

|           |         |  |
|-----------|---------|--|
| January   | R=14/22 | Recorded on 14 dates throughout, 9 on the 16 <sup>th</sup> .   |
| February  | R=14/17 | Recorded throughout, 7 on the 24 <sup>th</sup> .   |
| March     | R=18/22 | Recorded throughout, 8 on the 5 <sup>th</sup> & 6 <sup>th</sup> .  |
| April     | R=25/27 | Recorded throughout, 8 on the 2 <sup>nd</sup> , pair displaying over Coneygarth on 25 <sup>th</sup> .  |
| May       | R=17/25 | Recorded throughout, 3 on the 11 <sup>th</sup> , 26 <sup>th</sup> & 28 <sup>th</sup> , 1 carrying prey to Gibbet Wood on the 19 <sup>th</sup> .  |
| June      | R=15/17 | Recorded throughout, 6 on the 5 <sup>th</sup> , 1 carrying prey on the 30 <sup>th</sup> . A buzzard over Coneygarth on the 5 <sup>th</sup> was thought to be a possible Honey Buzzard but the light was poor so could not give any details flew high W. (L.L./R.B./J.E.A.) |
| July      | R=17/19 | Recorded throughout, 1 carrying prey on the 4 <sup>th</sup> , 2 juveniles over Gibbet Wood & 2 over Coneygarth on the 24 <sup>th</sup> .   |
| August    | R=19/21 | Recorded throughout, 6 on the 13 <sup>th</sup> & 21 <sup>st</sup> .  |
| September | R=19/21 | Recorded throughout, on the 18 <sup>th</sup> 15 drifted in from SW then drifted S, 2 to the N & 2 on pylons at the same time (19 total), birds also seen N, E & W during day in 3's & 4's.   |
| October   | R=19/23 | Recorded throughout, 9 on the 16 <sup>th</sup> , 8 on the 29 <sup>th</sup> .   |
| November  | R=8/15  | 12 on the 6 <sup>th</sup> , 4 on the 12 <sup>th</sup> , 2 on the 17 <sup>th</sup> , 1 on the 21 <sup>st</sup> & 23 <sup>rd</sup> , 2 on the 24 <sup>th</sup> , 3 on the 29 <sup>th</sup> & 1 on the 30 <sup>th</sup> .   |
| December  | R=17/22 | Recorded throughout, 4 on the 20 <sup>th</sup> , 27 <sup>th</sup> & 31 <sup>st</sup> .   |

---

### 0301 Osprey *Pandion haliaetus*

|           |        |  |
|-----------|--------|--|
| September | R=1/21 | A moulting adult flew S at 8.15 a.m. on the 23 <sup>rd</sup> (I.D.W.). |
|-----------|--------|--|

---

### 0304 Common Kestrel *Falco tinnunculus*

|           |         |   |
|-----------|---------|---|
| January   | R=14/22 | Recorded on 14 dates throughout, 2 on the 1 <sup>st</sup> & 27 <sup>th</sup> .  |
| February  | R=11/17 | Recorded on 11 dates throughout, 2 on the 2 <sup>nd</sup> .   |
| March     | R=5/22  | Single birds recorded on 5 dates throughout.  |
| April     | R=12/27 | Recorded on 12 scattered dates throughout, 2 on the 2 <sup>nd</sup> , 17 <sup>th</sup> & 30 <sup>th</sup> .                       |
| May       | R=10/25 | Recorded on 10 scattered dates between the 1 <sup>st</sup> & 22 <sup>nd</sup> .   |
| June      | R=5/17  | 1 on the 4 <sup>th</sup> & 16 <sup>th</sup> , 2 on the 18 <sup>th</sup> , 1 on the 19 <sup>th</sup> & 2 on the 27 <sup>th</sup> . |
| July      | R=11/19 | 1 to 2 birds on 11 scattered dates throughout.  |
| August    | R=10/21 | 1 to 2 birds recorded on 10 scattered dates throughout.   |
| September | R=11/21 | Recorded throughout, 2 on 18 <sup>th</sup> .  |
| October   | R=14/23 | Singles recorded on 14 dates throughout.  |
| November  | R=6/15  | 1 to 2 birds recorded on 6 scattered dates throughout.  |
| December  | R=5/22  | 1 on the 16 <sup>th</sup> , 20 <sup>th</sup> , 21 <sup>st</sup> , 25 <sup>th</sup> & 27 <sup>th</sup> .                           |

---

### 0309 Merlin *Falco columbarius*

|          |        |  |
|----------|--------|--|
| February | R=1/17 | A male flew across back field on the 5 <sup>th</sup> . (J.E.A. / B.F.D.)                     |
| October  | R=1/23 | 1 flew low over lake & landed briefly on feeding station post on the 23 <sup>rd</sup> (R.B.) |
| December | R=1/22 | A male flew down east side on the 3 <sup>rd</sup> (I.D.W.)                                   |

---

### 0310 Hobby *Falco subbuteo*

|        |        |   |
|--------|--------|---|
| April  | R=1/27 | An adult chasing Sand Martins on the 30 <sup>th</sup> . (J.E.A. /B.F.D./M.S.)   |
| May    | R=3/25 | 1 chasing Sand Martins on the 1 <sup>st</sup> (R.B./J.E.A./M.S.), 1 landed on tree east bank on the 5 <sup>th</sup> (B.D./R.B./L.L./M.S.), 1 in front of hide on the 15 <sup>th</sup> (R.B./L.L./J.E.A et al)   |
| June   | R=2/17 | 1 on the 11 <sup>th</sup> (J.E.A.) & 1 on the 18 <sup>th</sup> (J.E.A./B.F.D et al).  |
| July   | R=4/19 | 1 on the 3 <sup>rd</sup> (R.B./L.L./J.E.A./P.B.), an adult female in dead tree on the 22 <sup>nd</sup> later on Sand Martin Wall for 5 minutes, then over lake with Dragonfly Prey, flew off N.W. (R.B.), adult female on the 23 <sup>rd</sup> (J.E.A./B.F.D.), adult female on the 25 <sup>th</sup> (R.B./J.E.A./S.C.) |
| August | R=1/21 | 1 seen 4 times in the morning on the 28 <sup>th</sup> . (R.B./L.L./J.E.A.)  |

---

### 0320 Peregrine Falcon *Falco peregrinus*

|           |        |  |
|-----------|--------|--|
| January   | R=3/22 | 1 on the 2 <sup>nd</sup> , 15 <sup>th</sup> , & 30 <sup>th</sup> .   |
| February  | R=4/17 | 1 on the 6 <sup>th</sup> (R.B./L.L./J.E.A.), Juv on pylon on the 10 <sup>th</sup> (R.B./J.E.A.) 1 on pylon on the 23 <sup>rd</sup> & 28 <sup>th</sup> (R.B./J.E.A.). |
| September | R=5/21 | 1 on the 10 <sup>th</sup> , 1 to the S with small falcon sp, 1 with prey on the 25 <sup>th</sup> , 1 on the 26 <sup>th</sup> & 29 <sup>th</sup> .                    |
| October   | R=4/23 | 1 on the pylon 2 on the 14 <sup>th</sup> , 18 <sup>th</sup> , 19 <sup>th</sup> & 20 <sup>th</sup> .  |
| December  | R=3/22 | 1 on the 6 <sup>th</sup> , 11 <sup>th</sup> & 28 <sup>th</sup> .   |

---

### 0407 Water Rail *Rallus aquaticus*

|          |        |  |
|----------|--------|--|
| December | R=2/22 | 1 on the 11 <sup>th</sup> (L.L./R.B./J.E.A.) & 1 adult on the 27 <sup>th</sup> (D.H.). |
|----------|--------|--|

---

### 0424 Moorhen *Gallinula chloropus*

|           |         |  |
|-----------|---------|--|
| January   | R=21/22 | Present throughout month, maximum 12 on the 11 <sup>th</sup> .   |
| February  | R=17/17 | Present throughout month.  |
| March     | R=22/22 | Present throughout.  |
| April     | R=27/27 | Present throughout month.  |
| May       | R=24/25 | Present throughout, 1 chick seen on the 6 <sup>th</sup> , 5 chicks 7 <sup>th</sup> & 7 on the 11 <sup>th</sup> . |
| June      | R=17/17 | Present throughout.  |
| July      | R=19/19 | Present throughout, 2 chicks on the 31 <sup>st</sup> .   |
| August    | R=21/21 | Present throughout.  |
| September | R=21/21 | Present throughout, maximum 16+ on the 26 <sup>th</sup> .  |
| October   | R=23/23 | Present throughout.  |
| November  | R=15/15 | Present throughout, 8 on the 23 <sup>rd</sup> .  |
| December  | R=21/22 | Present throughout, maximum 10 on the 20 <sup>th</sup> .   |

---

### 0429 Common Coot *Fulica atra*

|          |         |  |
|----------|---------|--|
| January  | R=22/22 | Present throughout month, maximum 72 on the 11 <sup>th</sup> . |
| February | R=17/17 | Present throughout, maximum 114 on the 24 <sup>th</sup> .      |
| March    | R=22/22 | Present throughout, maximum 62 on the 21 <sup>st</sup> .       |
| April    | R=27/27 | Present throughout month.                                      |
| May      | R=24/25 | Present throughout.  |

|           |         |   |
|-----------|---------|---|
| June      | R=17/17 | Present throughout.                                       |
| July      | R=19/19 | Present throughout.                                       |
| August    | R=21/21 | Present throughout, maximum 27 on the 26 <sup>th</sup> .  |
| September | R=21/21 | Present throughout, maximum 70+ on the 26 <sup>th</sup> . |
| October   | R=23/23 | Present throughout, 71 on the 13 <sup>th</sup> .          |
| November  | R=15/15 | Present throughout, 130 on the 23 <sup>rd</sup> .         |
| December  | R=22/22 | Present throughout, maximum 136 on the 17 <sup>th</sup> . |

---

#### 0450 Oystercatcher *Haematopus ostralegus*

|          |         |   |
|----------|---------|---|
| February | R=16/17 | 2 on the 2 <sup>nd</sup> then present till month end, maximum 9 on the 12 <sup>th</sup> .   |
| March    | R=22/22 | Recorded throughout, maximum 10 on the 6 <sup>th</sup> , 7 <sup>th</sup> , 20 <sup>th</sup> , 21 <sup>st</sup> & 28 <sup>th</sup> .                 |
| April    | R=26/27 | Present throughout, 10 on the 11 <sup>th</sup> .  |
| May      | R=24/25 | Present throughout, 3 pair on the 8 <sup>th</sup> , 3 juvs on the 10 <sup>th</sup> , pair with 3 juvs & a pair with 1 juv on the 19 <sup>th</sup> . |
| June     | R=17/17 | Present throughout, 10 on the 15 <sup>th</sup> .  |
| July     | R=19/19 | Present throughout, maximum 7 on the 19 <sup>th</sup> .   |
| August   | R=6/21  | 1 on the 1 <sup>st</sup> , 6 <sup>th</sup> , 7 <sup>th</sup> & 8 <sup>th</sup> , 4 on the 9 <sup>th</sup> & 1 on the 12 <sup>th</sup> .             |
| November | R=1/15  | 1 on the 6 <sup>th</sup> .  |
| December | R=1/22  | 1 flew over on the 10 <sup>th</sup> .   |

---

#### 0469 Little Ringed Plover *Charadrius dubius*

|           |         |  |
|-----------|---------|--|
| March     | R=3/22  | 1 on the 23 <sup>rd</sup> & 24 <sup>th</sup> & 3 on the 28 <sup>th</sup> .   |
| April     | R=25/27 | Present throughout, 2 on island 3 & 4 on island 5 on the 13 <sup>th</sup> , 3 birds displaying on the 17 <sup>th</sup> . |
| May       | R=23/25 | Recorded throughout, displaying on the 17 <sup>th</sup> , 5 on the 22 <sup>nd</sup> .                                    |
| June      | R=14/17 | Recorded throughout, 3 on the 16 <sup>th</sup> & 26 <sup>th</sup> .  |
| September | R=2/21  | A juvenile on the 1 <sup>st</sup> & 2 <sup>nd</sup> .  |

---

#### 0470 Ringed Plover *Charadrius hiaticula*

|           |         |  |
|-----------|---------|--|
| March     | R=2/22  | 1 on the 23 <sup>rd</sup> & 24 <sup>th</sup> .   |
| April     | R=8/27  | 2 on the 19 <sup>th</sup> , 21 <sup>st</sup> , 23 <sup>rd</sup> , 25 <sup>th</sup> , 26 <sup>th</sup> , 27 <sup>th</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> . |
| May       | R=10/25 | Recorded on 10 scattered dates throughout, 4 on the 29 <sup>th</sup> .   |
| September | R=1/21  | 1 flew over on the 10 <sup>th</sup> .  |
| October   | R=3/23  | A juvenile on the 9 <sup>th</sup> , 10 <sup>th</sup> & 11 <sup>th</sup> .  |

---

#### 0485 European Golden Plover *Pluvialis apricaria*

|           |        |   |
|-----------|--------|---|
| September | R=2/21 | 26 flew over on the 24 <sup>th</sup> , 1 on the 25 <sup>th</sup> .            |
| October   | R=1/23 | 2 flew over on the 29 <sup>th</sup> .   |
| November  | R=1/15 | c400 flew over S on the 24 <sup>th</sup> .                                    |
| December  | R=2/22 | 35 flew over S on the 3 <sup>rd</sup> , 7 flew over on the 28 <sup>th</sup> . |

---

#### 0486 Grey Plover *Pluvialis squatarola*

|     |        |  |
|-----|--------|--|
| May | R=1/25 | 1 in transient plumage on the 5 <sup>th</sup> . (J.E.A.) |
|-----|--------|--|

---

**0493 Northern Lapwing *Vanellus vanellus***

|           |         |   |
|-----------|---------|---|
| January   | R=9/22  | Present on dates between the 9 <sup>th</sup> & 26 <sup>th</sup> , maximum c400 flew over on 17 <sup>th</sup> .  |
| February  | R=13/17 | Recorded throughout, maximum c150 flew over on the 5 <sup>th</sup> , 120 on the 10 <sup>th</sup> .              |
| March     | R=14/22 | Recorded throughout, maximum c200 on the 4 <sup>th</sup> .  |
| April     | R=22/27 | Present throughout, maximum 4 on the 2 <sup>nd</sup> .  |
| May       | R=17/25 | Present throughout, 4 on the 12 & 5 flew over on the 28 <sup>th</sup> .   |
| June      | R=13/17 | Present throughout, c60 on the 26 <sup>th</sup> .   |
| July      | R=19/19 | Present throughout, c400 on the 28 <sup>th</sup> .  |
| August    | R=21/21 | Present throughout, maximum 300+ on the 8 <sup>th</sup> .   |
| September | R=18/21 | Present throughout, maximum 280 on the 4 <sup>th</sup> .  |
| October   | R=13/23 | Present throughout, 100+ on the 4 <sup>th</sup> , c250 flew over on the 17 <sup>th</sup> .                      |
| November  | R=8/15  | Recorded on 8 dates throughout, maximum 80+ on the 17 <sup>th</sup> , 130 flew over on the 24 <sup>th</sup> .   |
| December  | R=14/22 | Present throughout, maximum 53 on the 27 <sup>th</sup> , c150 over on the 11 <sup>th</sup> & 24 <sup>th</sup> . |

---

**0497 Sanderling *Calidris alba***

|      |        |   |
|------|--------|---|
| May  | R=1/25 | 1 present all day on the 12 <sup>th</sup> was rung R.leg Red & White, L.leg had a Green Tag + Green Ring, the bird was rung in Iceland 17/05/2008 & recorded there every year since, 12/05/2011 Farnham and back in Iceland 22/05/2011. |
| June | R=1/17 | 2 on the 5 <sup>th</sup> still present at 3.30 p.m. (L.L./R.B./J.E.A.)  |

---

**0501 Little Stint *Calidris minuta***

|        |        |  |
|--------|--------|--|
| August | R=1/21 | 1 juvenile on island 3 from 10.45 a.m. till 3.30 p.m. on the 27 <sup>th</sup> (J.E.A./B.F.D./I.D.W.) |
|--------|--------|--|

---

**0512 Dunlin *Calidris alpina***

|         |        |  |
|---------|--------|--|
| March   | R=2/22 | 1 on the 15 <sup>th</sup> & 28 <sup>th</sup> .   |
| May     | R=5/25 | 3 on the 9 <sup>th</sup> , 12 on island 5 on the 18 <sup>th</sup> (B.Derb.), 2 on the 22 <sup>nd</sup> , 3 on the 28 <sup>th</sup> & 1 on the 29 <sup>th</sup> . |
| October | R=2/23 | 1 on the 10 <sup>th</sup> & 2 on the 11 <sup>th</sup> .  |

---

**0517 Ruff *Philomachus pugnax***

|           |        |  |
|-----------|--------|--|
| August    | R=1/21 | 4 flew round islands on the 13 <sup>th</sup> (J.E.A.). |
| September | R=1/21 | 1 flew over on the 24 <sup>th</sup> .                  |

---

**0518 Jack Snipe *Lymnocyptes minimus***

|         |        |   |
|---------|--------|---|
| October | R=4/23 | 1 on the 9 <sup>th</sup> , 11 <sup>th</sup> , 13 <sup>th</sup> & 23 <sup>rd</sup> . |
|---------|--------|---|

---

**0519 Common Snipe *Gallinago gallinago***

|          |        |   |
|----------|--------|---|
| January  | R=6/22 | 2 on the 15 <sup>th</sup> , 3 on the 16 <sup>th</sup> , 5 on the 17 <sup>th</sup> , 3 on the 19 <sup>th</sup> , 25 <sup>th</sup> & 26 <sup>th</sup> . |
| February | R=3/17 | 1 on the 2 <sup>nd</sup> , 3 on the 6 <sup>th</sup> & 13 <sup>th</sup> .  |
| March    | R=1/22 | 1 on the 26 <sup>th</sup> .   |

|           |         |  |
|-----------|---------|--|
| April     | R=1/27  | 1 on the 19 <sup>th</sup> .  |
| September | R=7/21  | Recorded on 7 dates throughout, 4 on the 17 <sup>th</sup> & 25 <sup>th</sup> . |
| October   | R=13/23 | Present on 13 scattered dates throughout, maximum 9 on the 31 <sup>st</sup> .  |
| November  | R=9/15  | Present throughout, maximum 15 on the 29 <sup>th</sup> .                       |
| December  | R=17/24 | Present throughout, 13 on the 12 <sup>th</sup> .                               |

---

### 0529 Woodcock *Scolopax rusticola*

|          |        |  |
|----------|--------|--|
| January  | R=1/22 | 1 on the West side on the 11 <sup>th</sup> (J.E.A.). |
| November | R=1/15 | 1 on top car park on the 30 <sup>th</sup> . (J.E.A.) |
| December | R=1/22 | 1 flushed on the 27 <sup>th</sup> (J.E.A.).          |

---

### 0532 Black-tailed Godwit *Limosa limosa*

|         |        |  |
|---------|--------|--|
| April   | R=1/27 | 5 in breeding plumage arrived 1.05 p.m. still present at 3.30 p.m. on the 15 <sup>th</sup> . |
| October | R=1/23 | 7 flew over S at 9.35 a.m. on the 5 <sup>th</sup> (I.D.W.).                                  |

---

### 0534 Bar-tailed Godwit *Limosa lapponica*

|     |        |  |
|-----|--------|--|
| May | R=1/25 | 1 in transient plumage feeding for 15 mins on the 6 <sup>th</sup> . (R.B.) |
|-----|--------|--|

---

### 0538 Whimbrel *Numenius phaeopus*

|           |        |  |
|-----------|--------|--|
| September | R=1/21 | 1 flew over calling on the 1 <sup>st</sup> (I.D.W.). |
|-----------|--------|--|

---

### 0541 Eurasian Curlew *Numenius arquata*

|           |         |  |
|-----------|---------|--|
| January   | R=3/22  | 2 on the 8 <sup>th</sup> , 1 on the 13 <sup>th</sup> & 1 flew over on the 15 <sup>th</sup> .                             |
| February  | R=7/17  | 1 to 9 birds on 7 scattered dates throughout.  |
| March     | R=4/22  | 1 on the 2 <sup>nd</sup> , 17 <sup>th</sup> & 28 <sup>th</sup> , 2 on the 31 <sup>st</sup> .                             |
| April     | R=13/27 | Reported on 13 scattered dates throughout, 3 on the 8 <sup>th</sup> & 22 <sup>nd</sup> .                                 |
| May       | R=2/25  | 1 on 8 <sup>th</sup> & 15 <sup>th</sup> .  |
| June      | R=5/17  | 1 on the 5 <sup>th</sup> , 2 on the 15 <sup>th</sup> , 1 on the 19 <sup>th</sup> , 21 <sup>st</sup> & 27 <sup>th</sup> . |
| July      | R=2/19  | 1 on the 7 <sup>th</sup> & 2 on the 28 <sup>th</sup> .   |
| August    | R=1/21  | 14 on the 13 <sup>th</sup> .   |
| September | R=3/21  | 1 on the 14 <sup>th</sup> , 6 on the 15 <sup>th</sup> & 5 on the 17 <sup>th</sup> .                                      |
| October   | R=2/23  | 1 on the 6 <sup>th</sup> & 9 <sup>th</sup> .   |

---

### 0556 Common Sandpiper *Actitis hypoleucos*

|           |        |   |
|-----------|--------|---|
| April     | R=9/27 | 1 on the 21 <sup>st</sup> , 22 <sup>nd</sup> & 23 <sup>rd</sup> , 3 on the 24 <sup>th</sup> , 1 on the 25 <sup>th</sup> , 26 <sup>th</sup> , 27 <sup>th</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> . |
| May       | R=5/25 | 1 on the 7 <sup>th</sup> , 8 <sup>th</sup> , 9 <sup>th</sup> , 13 <sup>th</sup> & 19 <sup>th</sup> .  |
| June      | R=2/17 | 1 on the 26 <sup>th</sup> & 27 <sup>th</sup> .  |
| July      | R=7/19 | 1 on the 8 <sup>th</sup> , 6 on the 9 <sup>th</sup> , 1 on the 18 <sup>th</sup> , 19 <sup>th</sup> , 22 <sup>nd</sup> , 25 <sup>th</sup> & 26 <sup>th</sup> .   |
| August    | R=1/21 | 1 on the 22 <sup>nd</sup> .   |
| September | R=4/21 | 1 on the 10 <sup>th</sup> , 11 <sup>th</sup> , 13 <sup>th</sup> & 14 <sup>th</sup> .  |
| October   | R=7/23 | 1 on the 6 <sup>th</sup> , 7 <sup>th</sup> , 8 <sup>th</sup> , 9 <sup>th</sup> , 10 <sup>th</sup> , 11 <sup>th</sup> & 13 <sup>th</sup> .   |

---

### 0553 Green Sandpiper *Tringa ochropus*

|           |        |  |
|-----------|--------|--|
| April     | R=1/27 | 1 briefly on island 4 flew off N on the 8 <sup>th</sup> . (I.D.W.)   |
| July      | R=2/19 | 1 dropped in for 3 mins on the 16 <sup>th</sup> (J.E.A./B.F.D.), 1 briefly on the 28 <sup>th</sup> (L.L./R.B./M.S.). |
| September | R=1/21 | 2 dropped in behind island 2 on the 7 <sup>th</sup> (R.B.).  |

---

### 0548 Common Greenshank *Tringa nebularia*

|           |        |  |
|-----------|--------|--|
| July      | R=3/19 | 1 on the 10 <sup>th</sup> , 25 <sup>th</sup> & 31 <sup>st</sup> .  |
| August    | R=6/21 | 2 briefly & 1 over on the 22 <sup>nd</sup> , 1 on the 23 <sup>rd</sup> , 24 <sup>th</sup> , 27 <sup>th</sup> , 2 on the 28 <sup>th</sup> & 1 on the 31 <sup>st</sup> . |
| September | R=3/21 | 1 on the 2 <sup>nd</sup> , 4 <sup>th</sup> & 16 <sup>th</sup> .  |

---

### 0554 Wood Sandpiper *Tringa glareola*

|       |         |   |
|-------|---------|---|
| April | R=12/27 | 1 from 1 p.m. left N at 6.30 p.m. on the 28 <sup>th</sup> . (J.E.A et al) |
| May   | R=1/25  | 1 on island 2 flew off N at 7 p.m. on the 4 <sup>th</sup> (R.B.).         |

---

### 0546 Common Redshank *Tringa totanus*

|           |         |   |
|-----------|---------|---|
| March     | R=14/22 | Recorded on 14 dates throughout, 4 on the 22 <sup>nd</sup> , 2 on the 24 <sup>th</sup> & 28 <sup>th</sup> , 3 on the 31 <sup>st</sup> , the rest were single birds. |
| April     | R=6/27  | 2 on the 3 <sup>rd</sup> & 7 <sup>th</sup> , 1 on the 8 <sup>th</sup> , 12 <sup>th</sup> & 14 <sup>th</sup> , 2 on the 17 <sup>th</sup> .                           |
| May       | R=1/25  | 1 on the 8 <sup>th</sup> .  |
| June      | R=1/17  | 1 on the 6 <sup>th</sup> .  |
| July      | R=4/19  | 1 on the 8 <sup>th</sup> , 9 <sup>th</sup> , 17 <sup>th</sup> & 25 <sup>th</sup> .  |
| August    | R=1/21  | 1 on the 25 <sup>th</sup> .   |
| September | R=1/21  | 1 on the 25 <sup>th</sup> .   |

---

### 0578 Little Gull *Larus minutus*

|        |        |   |
|--------|--------|---|
| August | R=1/21 | A flock of 18 flew S at 8.10 a.m. on the 12 <sup>th</sup> , mainly 1 <sup>st</sup> year but at least 2 second year birds (I.D.W.), largest flock recorded in HDNS area. |
|--------|--------|---|

---

### 0582 Black-headed Gull *Larus ridibundus*

|           |         |   |
|-----------|---------|---|
| January   | R=19/22 | Present throughout, c100 on the 25 <sup>th</sup> .  |
| February  | R=17/17 | Present throughout, 80+ on the 2 <sup>nd</sup> , 14 <sup>th</sup> & 28 <sup>th</sup> .                            |
| March     | R=22/22 | Present throughout, maximum 230 on the 3 <sup>rd</sup> .  |
| April     | R=27/27 | Present throughout, maximum c60 on the 4 <sup>th</sup> .  |
| May       | R=24/25 | Present throughout, c50 on the 1 <sup>st</sup> & 8 <sup>th</sup> , young birds recorded on the 30 <sup>th</sup> . |
| June      | R=17/17 | Present throughout.   |
| July      | R=18/19 | Present throughout, 2 new chicks on the 6 <sup>th</sup> , max 60+ on the 25 <sup>th</sup> .                       |
| August    | R=20/21 | Present throughout, 18 N lake & c50 S lake on the 22 <sup>nd</sup> .  |
| September | R=21/21 | Present throughout, c700 flew through S on the 14 <sup>th</sup> , c400 on the 23 <sup>rd</sup> .                  |
| October   | R=23/23 | Present throughout, maximum 150+ on the 5 <sup>th</sup> .   |
| November  | R=15/15 | Present throughout, maximum c200 on the 17 <sup>th</sup> .  |
| December  | R=22/22 | Present throughout, maximum c300 at roost on the 7 <sup>th</sup> .  |

---

**0575 Mediterranean Gull *Larus melanocephalus***

May R=1/25 1 in 2<sup>nd</sup> year plumage on the 26<sup>th</sup>, flew off N after 5 mins (R.B./M.S./L.L.).

---

**0590 Common Gull *Larus canus***

January R=22/22 Recorded throughout, 35 on the 25<sup>th</sup>.  
February R=11/17 Recorded on 11 scattered dates throughout, c40 flew over on the 2<sup>nd</sup>.  
March R=17/22 Recorded throughout, maximum 11 on the 7<sup>th</sup>.  
April R=6/27 1 on the 1<sup>st</sup>, 2<sup>nd</sup>, 6<sup>th</sup>, 16<sup>th</sup>, 17<sup>th</sup> & 30<sup>th</sup>.  
May R=2/25 1 on the 4<sup>th</sup> & 23<sup>rd</sup>.  
July R=7/19 Recorded on 7 scattered dates throughout, 7 on the 27<sup>th</sup>.  
August R=9/21 Recorded on 9 dates throughout, maximum 4 on the 12<sup>th</sup>.  
September R=4/21 2 on the 12<sup>th</sup>, 1 on the 14<sup>th</sup>, 3 on the 21<sup>st</sup> & 2 flew over on the 26<sup>th</sup>.  
October R=14/23 1 to 6 birds recorded on 14 scattered dates throughout.  
November R=7/15 Recorded on 7 scattered dates throughout, 6 on the 3<sup>rd</sup> & 28<sup>th</sup>.  
December R=13/22 Recorded on 13 dates throughout, 12 on the 22<sup>nd</sup>.

---

**0591 Lesser Black-backed Gull *Larus fuscus***

April R=1/27 1 on the 4<sup>th</sup>.  
May R=6/25 1 on the 8<sup>th</sup>, 2 on the 12<sup>th</sup>, 1 on the 14<sup>th</sup>, 2 on the 15<sup>th</sup>, 1 on the 23<sup>rd</sup> & 28<sup>th</sup>.  
June R=4/17 1 on the 4<sup>th</sup>, 5<sup>th</sup>, 11<sup>th</sup> & 15<sup>th</sup>.  
July R=9/19 1 to 3 birds on 9 scattered dates throughout.  
August R=8/21 1 on the 3<sup>rd</sup>, 6<sup>th</sup>, 12<sup>th</sup>, 21<sup>st</sup>, 26<sup>th</sup>, 28<sup>th</sup>, 29<sup>th</sup> & 31<sup>st</sup>.  
September R=14/21 Recorded on 14 dates between the 6<sup>th</sup> & 30<sup>th</sup>, 7 + 11 over on the 17<sup>th</sup>.  
October R=18/23 Recorded throughout, 17 on the 25<sup>th</sup>.  
November R=4/15 1 on the 3<sup>rd</sup> & 6<sup>th</sup>, 3 flew over on the 9<sup>th</sup>, 1 on the 12<sup>th</sup>.  
December R=3/22 1 on the 11<sup>th</sup>, 2 on the 12<sup>th</sup> & 1 on the 27<sup>th</sup>.

---

**0592 Herring Gull *Larus argentatus***

January R=14/22 Recorded on the 14 dates throughout, 64 on the 2<sup>nd</sup> & 94 over on the 17<sup>th</sup>.  
February R=10/17 Recorded on 10 scattered dates throughout, 38 on the 10<sup>th</sup>.  
March R=15/22 Recorded throughout, c12 on the 12<sup>th</sup>, an immature bird was reported to be badly oiled on the 4<sup>th</sup>.  
April R=5/27 1 on the 18<sup>th</sup> & 21<sup>st</sup>, 25 flew over on the 24<sup>th</sup>, 1 on the 29<sup>th</sup> & 30<sup>th</sup>.  
May R=5/25 1 on the 3<sup>rd</sup>, 8<sup>th</sup> & 9<sup>th</sup>, 2 on the 14<sup>th</sup> & 1 on the 15<sup>th</sup>.  
July R=1/19 1 on the 24<sup>th</sup>.  
August R=5/21 1 on the 12<sup>th</sup>, 2 on the 13<sup>th</sup>, 1 on the 22<sup>nd</sup>, 24<sup>th</sup> & 30<sup>th</sup>.  
September R=11/21 Recorded on 11 dates throughout, maximum 7 on the 7<sup>th</sup>.  
October R=10/23 1 to 5 birds recorded on 10 scattered dates throughout.  
November R=6/15 Recorded on 6 scattered dates throughout, 2 on the 9<sup>th</sup>.  
December R=11/22 Recorded on 11 dates throughout, 3 on the 6<sup>th</sup> & 22<sup>nd</sup>.

---

**0600 Great Black-backed Gull *Larus marinus***

January R=7/22 1 on 1<sup>st</sup>, 2<sup>nd</sup> & 9<sup>th</sup>.  
February R=4/17 1 on the 2<sup>nd</sup>, 7<sup>th</sup> & 12<sup>th</sup>, 2 on the 20<sup>th</sup>.

|           |         |  |
|-----------|---------|--|
| March     | R=3/22  | 1 on the 3 <sup>rd</sup> , 9 <sup>th</sup> & 14 <sup>th</sup> .                                |
| April     | R=1/27  | 1 on the 2 <sup>nd</sup> .   |
| August    | R=1/21  | 1 flew over on the 24 <sup>th</sup> .  |
| September | R=3/21  | 1 on the 15 <sup>th</sup> & 24 <sup>th</sup> , 5 flew over on the 30 <sup>th</sup> .           |
| October   | R=3/23  | 1 flew over on the 14 <sup>th</sup> & 17 <sup>th</sup> , 3 flew over on the 19 <sup>th</sup> . |
| November  | R=2/15  | 1 on the 14 <sup>th</sup> , 1 flew over on the 17 <sup>th</sup> .                              |
| December  | R=15/22 | Recorded on 15 dates throughout, 10 on the 6 <sup>th</sup> .                                   |

---

### 0602 Kittiwake *Rissa tridactyla*

|       |        |   |
|-------|--------|---|
| March | R=1/22 | An adult on the 11 <sup>th</sup> (J.E.A.) |
|-------|--------|---|

---

### 0611 Sandwich Tern *Sterna sandvicensis*

|           |        |   |
|-----------|--------|---|
| September | R=1/21 | An adult flew up W side & crossed over to N lake on the 25 <sup>th</sup> (J.E.A.) |
|-----------|--------|---|

---

### 0615 Common Tern *Sterna hirundo*

|        |         |   |
|--------|---------|---|
| April  | R=15/27 | 1 on the 9 <sup>th</sup> then present till month end, 1 with white Darvik ring on Right leg on the 19 <sup>th</sup> , maximum 7 on the 30 <sup>th</sup> .   |
| May    | R=24/25 | Present throughout, 2 pair mating on the 6 <sup>th</sup> , 6 pair from 22 <sup>nd</sup> till month end.   |
| June   | R=17/17 | Present throughout, 7 pair on the 1 <sup>st</sup> till month end, 2 pair feeding young on the 2 <sup>nd</sup> , 6 chicks reported on the 5 <sup>th</sup> , no sign of 6 chicks on the 8 <sup>th</sup> . |
| July   | R=19/19 | Present throughout, 7 pair left platform on the 16 <sup>th</sup> due to predation, possibly by Mink, which has been seen on site, 5 birds reported on the 31 <sup>st</sup> .                            |
| August | R=10/21 | Recorded from the 1 <sup>st</sup> till the 21 <sup>st</sup> when 4 birds flew through, no birds fledged this year.  |

---

### 0616 Arctic Tern *Sterna paradisaea*

|       |        |  |
|-------|--------|--|
| April | R=2/27 | 1 on the 29 <sup>th</sup> & 30 <sup>th</sup> . (J.E.A./B.F.D./M.S./B.Damper) |
|-------|--------|--|

---

### 0627 Black Tern *Chlidonias niger*

|     |        |  |
|-----|--------|--|
| May | R=1/25 | 2 at 1 p.m. on the 6 <sup>th</sup> left at 3.30 p.m. (R.B./J.E.A.) |
|-----|--------|--|

---

### 0668 Stock Dove *Columba oenas*

|           |        |   |
|-----------|--------|---|
| January   | R=4/22 | 1 on the 2 <sup>nd</sup> , 3 on the 11 <sup>th</sup> , 5 on the 13 <sup>th</sup> & 1 on the 19 <sup>th</sup> .  |
| February  | R=5/17 | 2 on the 7 <sup>th</sup> , 1 on the 10 <sup>th</sup> , 14 <sup>th</sup> & 20 <sup>th</sup> , 2 flew over on the 24 <sup>th</sup> .                                      |
| March     | R=7/22 | 2 on the 9 <sup>th</sup> , 5 on the 14 <sup>th</sup> , 1 on the 17 <sup>th</sup> , 2 on the 19 <sup>th</sup> , 20 <sup>th</sup> , 21 <sup>st</sup> & 31 <sup>st</sup> . |
| April     | R=7/27 | 1 to 3 birds on 7 dates throughout.   |
| May       | R=4/25 | 2 on the 1 <sup>st</sup> & 3 <sup>rd</sup> , 1 on the 8 <sup>th</sup> & 11 <sup>th</sup> .  |
| June      | R=1/17 | 2 on the 5 <sup>th</sup> .  |
| July      | R=5/19 | 1 on the 4 <sup>th</sup> & 19 <sup>th</sup> , 3 on the 23 <sup>rd</sup> , 1 on the 25 <sup>th</sup> & 4 on the 31 <sup>st</sup> .                                       |
| August    | R=8/21 | 1 to 5 birds on 8 scattered dates throughout.   |
| September | R=7/21 | 2 on the 4 <sup>th</sup> & 11, 1 on the 17 <sup>th</sup> , 2 on the 19 <sup>th</sup> , 21 <sup>st</sup> , 24 <sup>th</sup> & 30 <sup>th</sup> .                         |
| October   | R=5/23 | 4 on the 4 <sup>th</sup> , 2 on the 6 <sup>th</sup> , 1 on the 10 <sup>th</sup> & 14 <sup>th</sup> , 2 on the 16 <sup>th</sup> & 8 on the 19 <sup>th</sup> .            |
| November  | R=1/15 | 1 on the 6 <sup>th</sup> .  |



---

0670 Wood Pigeon *Columba palumbus*

|           |         |  |
|-----------|---------|--|
| January   | R=20/22 | Present throughout.                                |
| February  | R=17/17 | Present throughout, c300 on the 12 <sup>th</sup> . |
| March     | R=20/22 | Present throughout.                                |
| April     | R=26/27 | Present throughout, c60 on the 2 <sup>nd</sup> .   |
| May       | R=24/25 | Present throughout, 10 on the 8 <sup>th</sup> .    |
| June      | R=16/17 | Present throughout.                                |
| July      | R=18/19 | Present throughout.                                |
| August    | R=19/21 | Present throughout.                                |
| September | R=21/21 | Present throughout.                                |
| October   | R=21/23 | Present throughout, 100+ on the 14 <sup>th</sup> . |
| November  | R=14/15 | Present throughout.                                |
| December  | R=20/22 | Present throughout, 500+ on the 20 <sup>th</sup> . |

---

0684 Collared Dove *Streptopelia decaocto*

|           |        |  |
|-----------|--------|--|
| June      | R=1/17 | 2 on the 11 <sup>th</sup> .  |
| July      | R=1/19 | 1 on the 21 <sup>st</sup> .  |
| September | R=1/21 | 2 on the 15 <sup>th</sup> .  |
| October   | R=3/19 | 2 flew over on the 1 <sup>st</sup> , 1 flew over on the 5 <sup>th</sup> & 31 <sup>st</sup> . |

---

0724 Common Cuckoo *Cuculus canorus*

|     |        |   |
|-----|--------|---|
| May | R=2/25 | 1 on the 26 <sup>th</sup> & calling on the 28 <sup>th</sup> . |
|-----|--------|---|

---

0761 Tawny Owl *Strix aluco*

|           |        |  |
|-----------|--------|--|
| March     | R=1/22 | 1 calling on the 14 <sup>th</sup> .            |
| May       | R=1/25 | 2 on the 8 <sup>th</sup> .                     |
| June      | R=2/17 | 1 on the 11 <sup>th</sup> & 26 <sup>th</sup> . |
| July      | R=1/19 | 1 on the 4 <sup>th</sup> .                     |
| September | R=1/21 | 1 calling on the 3 <sup>rd</sup> .             |

---

0795 Common Swift *Apus apus*

|           |         |   |
|-----------|---------|---|
| April     | R=1/27  | 1 on the 30 <sup>th</sup> .   |
| May       | R=18/25 | Present throughout, maximum c100 on the 22 <sup>nd</sup> .  |
| June      | R=15/17 | Present throughout, maximum 30+ on the 6 <sup>th</sup> .  |
| July      | R=18/19 | Present throughout, 30+ on the 6 <sup>th</sup> .  |
| August    | R=15/21 | Recorded from 1 <sup>st</sup> till 28 <sup>th</sup> , c40 S on the 6 <sup>th</sup> , 20+ on the 13 <sup>th</sup> .  |
| September | R=9/21  | 2 on the 3 <sup>rd</sup> & 4 <sup>th</sup> , 6 on the 6 <sup>th</sup> , 4 on the 7 <sup>th</sup> , 6 on the 8 <sup>th</sup> , 3 on the 10 <sup>th</sup> , 8 on the 11 <sup>th</sup> , 1 on the 12 <sup>th</sup> & 2 on the 14 <sup>th</sup> . |
| November  | R=1/15  | A brown swift over west field briefly, mobbed by B-H-Gull, seen at distance of approx 5 yards at eye level on the 20 <sup>th</sup> (R.B.)   |

---

0831 Common Kingfisher *Alcedo atthis*

|      |        |                                  |
|------|--------|----------------------------------|
| June | R=1/17 | A male on the 30 <sup>th</sup> . |
|------|--------|----------------------------------|

|           |        |   |
|-----------|--------|---|
| August    | R=6/21 | 1 on the 3 <sup>rd</sup> , 8 <sup>th</sup> , 11 <sup>th</sup> , 15 <sup>th</sup> , 21 <sup>st</sup> , 2 on Tern table & 1 N lake on the 27 <sup>th</sup> .    |
| September | R=8/21 | 1 on the 4 <sup>th</sup> , 7 <sup>th</sup> , 8 <sup>th</sup> , 11 <sup>th</sup> , 15 <sup>th</sup> , 17 <sup>th</sup> , 21 <sup>st</sup> & 26 <sup>th</sup> . |
| October   | R=4/23 | 1 on the 1 <sup>st</sup> , 8 <sup>th</sup> , 16 <sup>th</sup> & 25 <sup>th</sup> .  |
| November  | R=2/15 | 1 on the 18 <sup>th</sup> & 19 <sup>th</sup> .  |
| December  | R=2/22 | 1 on the 18 <sup>th</sup> & 24 <sup>th</sup> .  |

---

### 0856 Green Woodpecker *Picus viridis*

|           |         |  |
|-----------|---------|--|
| January   | R=7/22  | 1 on the 1 <sup>st</sup> , 2 <sup>nd</sup> , 4 <sup>th</sup> , 9 <sup>th</sup> , 11 <sup>th</sup> , 17 <sup>th</sup> , 22 <sup>nd</sup> & 24 <sup>th</sup> . |
| February  | R=9/17  | Recorded on 9 scattered dates throughout.  |
| March     | R=9/22  | Recorded on 9 scattered dates throughout, 2 on the 24 <sup>th</sup> .  |
| April     | R=19/27 | Recorded throughout, 2 on the 8 <sup>th</sup> , 16 <sup>th</sup> & 21 <sup>st</sup> .  |
| May       | R=14/25 | Recorded throughout.   |
| June      | R=13/17 | Recorded throughout, 1 S lake & 2 N lake on the 15 <sup>th</sup> .   |
| July      | R=14/19 | Recorded throughout, adult with 1 juvenile on the 9 <sup>th</sup> .  |
| August    | R=15/21 | 1 to 2 adults present throughout.  |
| September | R=13/21 | Recorded throughout, 2 on the 1 <sup>st</sup> .  |
| October   | R=6/23  | 1 on the 1 <sup>st</sup> , 9 <sup>th</sup> , 13 <sup>th</sup> , 14 <sup>th</sup> , 21 <sup>st</sup> & 2 on the 27 <sup>th</sup> .                            |
| November  | R=4/15  | 1 on the 6 <sup>th</sup> , 12 <sup>th</sup> , 19 <sup>th</sup> & 29 <sup>th</sup> .  |
| December  | R=4/22  | 1 on the 3 <sup>rd</sup> , 4 <sup>th</sup> , 17 <sup>th</sup> & 27 <sup>th</sup> .   |

---

### 0876 Great Spotted Woodpecker *Dendrocopos major*

|           |         |  |
|-----------|---------|--|
| January   | R=13/22 | Recorded on 13 days throughout, 2 on the 17 <sup>th</sup> .  |
| February  | R=10/17 | Recorded 10 scattered dates throughout.  |
| March     | R=16/22 | Recorded throughout, 1 drumming on the 24 <sup>th</sup> .  |
| April     | R=16/27 | Recorded throughout, 2 on the 10 <sup>th</sup> .   |
| May       | R=19/25 | Recorded throughout, pair on the 8 <sup>th</sup> , male taking Blue Tit chicks from box on the 19 <sup>th</sup> .                              |
| June      | R=5/17  | 1 on the 1 <sup>st</sup> , 11 <sup>th</sup> & 18 <sup>th</sup> , 1 + 1 juvenile on the 27 <sup>th</sup> , 1 juvenile on the 29 <sup>th</sup> . |
| July      | R=9/19  | Recorded on 9 scattered dates throughout.  |
| August    | R=14/21 | Recorded on 14 scattered dates throughout, 3 on the 30 <sup>th</sup> .   |
| September | R=18/21 | Recorded throughout, 2 on the 17 <sup>th</sup> .   |
| October   | R=16/23 | Recorded throughout, 2 on the 6 <sup>th</sup> & 27 <sup>th</sup> .   |
| November  | R=14/15 | Recorded throughout, male & female on the 5 <sup>th</sup> .  |
| December  | R=21/22 | Recorded throughout, 2 on the 10 <sup>th</sup> & 22 <sup>nd</sup> .  |

---

### 0976 Skylark *Alauda arvensis*

|           |         |  |
|-----------|---------|--|
| February  | R=3/17  | 1 on the 10 <sup>th</sup> & 16 <sup>th</sup> , 6 flew over on the 24 <sup>th</sup> .   |
| March     | R=2/22  | 2 flew over on the 6 <sup>th</sup> , 1 flew over on the 13 <sup>th</sup> .   |
| April     | R=1/27  | 1 flew over on the 23 <sup>rd</sup> .  |
| May       | R=1/25  | 1 singing on the 3 <sup>rd</sup> .   |
| June      | R=1/17  | 1 singing on the 5 <sup>th</sup> .   |
| September | R=6/21  | 1 over on the 18 <sup>th</sup> , 3 over on the 19 <sup>th</sup> , 6 on the 21 <sup>st</sup> , 25 over S on the 24 <sup>th</sup> , 8 over S on the 25 <sup>th</sup> & 11 over S on the 26 <sup>th</sup> . |
| October   | R=17/23 | Recorded throughout, 45 flew over on the 16 <sup>th</sup> .  |
| November  | R=4/15  | c20 flew over on the 6 <sup>th</sup> , 2 on the 12 <sup>th</sup> , 2 flew over on the 17 <sup>th</sup> , 1 on the 24 <sup>th</sup> .   |

---

**0981 Sand Martin** *Riparia riparia*

|           |         |  |
|-----------|---------|--|
| March     | R=10/22 | First record 4 on the 13 <sup>th</sup> , then till month end with 60+ on the 26 <sup>th</sup> .  |
| April     | R=27/27 | Present throughout, maximum c100 on the 11 <sup>th</sup> . c100 on site & a further c100 E over telegraph wires on the 13 <sup>th</sup> .    |
| May       | R=24/25 | Present throughout.  |
| June      | R=17/17 | Present throughout.  |
| July      | R=18/19 | Present throughout, 100+ on the 30 <sup>th</sup> .   |
| August    | R=21/21 | Present throughout, c100 on the 9 <sup>th</sup> & 26 <sup>th</sup> , c60 pairs bred 1 <sup>st</sup> brood & c30 pairs 2 <sup>nd</sup> brood. |
| September | R=19/21 | Recorded throughout, c200 on the 3 <sup>rd</sup> , 22 flew S on the 30 <sup>th</sup> .   |

---

**0992 Barn Swallow** *Hirundo rustica*

|           |         |  |
|-----------|---------|--|
| April     | R=18/27 | 2 on the 2 <sup>nd</sup> then till month end, 6 on the 28 <sup>th</sup> .  |
| May       | R=22/25 | Present throughout, 20 on the 3 <sup>rd</sup> .  |
| June      | R=13/17 | Present throughout, pair + 2 juveniles on the 21 <sup>st</sup> , 8 on the 27 <sup>th</sup> .   |
| July      | R=15/19 | Present throughout, 10 on the 19 <sup>th</sup> .   |
| August    | R=18/21 | Present throughout, c50 on the 22 <sup>nd</sup> .  |
| September | R=20/21 | Present throughout, 110 over S on the 24 <sup>th</sup> , c500 over S on the 25 <sup>th</sup> , 25+ on the 30 <sup>th</sup> .   |
| October   | R=11/23 | 23 flying S on the 1 <sup>st</sup> , 8 on the 4 <sup>th</sup> , 3 on the 5 <sup>th</sup> & 7 <sup>th</sup> , 50+ on the 9 <sup>th</sup> , 5 on the 10 <sup>th</sup> , 3 on the 11 <sup>th</sup> , c130 on the 13 <sup>th</sup> , 22 on the 14 <sup>th</sup> , 10 on the 16 <sup>th</sup> , 3 on the 20 <sup>th</sup> . |

---

**1001 House Martin** *Delichon urbica*

|           |         |   |
|-----------|---------|---|
| April     | R=2/27  | 1 on the 13 <sup>th</sup> & 24 <sup>th</sup> .  |
| May       | R=4/25  | 1 on the 3 <sup>rd</sup> , c20 on the 15 <sup>th</sup> , 1 on the 22 <sup>nd</sup> & 12 on the 26 <sup>th</sup> .   |
| June      | R=5/17  | 1 on the 4 <sup>th</sup> , 5 <sup>th</sup> , 12 <sup>th</sup> & 18 <sup>th</sup> , 2 on the 21 <sup>st</sup> .  |
| July      | R=6/19  | 1 on the 6 <sup>th</sup> , 2 on the 10 <sup>th</sup> , 1 on the 16 <sup>th</sup> & 17 <sup>th</sup> , c40 on the 22 <sup>nd</sup> , 1 on the 24 <sup>th</sup> . |
| August    | R=12/21 | Recorded on 12 scattered dates throughout, 20 on 9 <sup>th</sup> & 12 on the 30 <sup>th</sup> .   |
| September | R=17/21 | Recorded throughout, 70+ on the 14 <sup>th</sup> .  |
| October   | R=2/23  | 26 on the 4 <sup>th</sup> & 1 on the 5 <sup>th</sup> .  |

---

**1009 Tree Pipit** *Anthus trivialis*

|       |        |  |
|-------|--------|--|
| April | R=1/27 | 1 on stick pile at S end of reserve on the 23 <sup>rd</sup> . (I.D.W.) |
|-------|--------|--|

---

**1011 Meadow Pipit** *Anthus pratensis*

|           |        |  |
|-----------|--------|--|
| March     | R=1/22 | 5 flew over on the 28 <sup>th</sup> .  |
| April     | R=2/27 | 12 on the 2 <sup>nd</sup> , 1 on the 11 <sup>th</sup> .  |
| September | R=7/21 | 2 flew over on the 7 <sup>th</sup> , 3 on three 11 <sup>th</sup> , 6 over on the 14 <sup>th</sup> , 1 on the 17 <sup>th</sup> , 4 on the 18 <sup>th</sup> , 6 flew over S on the 24 <sup>th</sup> & 4 over S on the 26 <sup>th</sup> . |
| October   | R=5/19 | 800+ on the 4 <sup>th</sup> (I.D.W.), 29 on the 5 <sup>th</sup> , 155 on the 6 <sup>th</sup> , 14 on the 7 <sup>th</sup> & 1 on the 31 <sup>st</sup> , all records were of birds flying South.   |

---

### 1017 Yellow Wagtail *Motacilla flava*

|           |        |  |
|-----------|--------|--|
| April     | R=2/27 | 1 on the 17 <sup>th</sup> & 2 on the 24 <sup>th</sup> .                    |
| May       | R=1/25 | 2 males on the 4 <sup>th</sup> .   |
| June      | R=1/17 | 1 male briefly on the 27 <sup>th</sup> (I.D.W.).                           |
| July      | R=1/19 | A juvenile on the 31 <sup>st</sup> (R.B./L.L./P.B.)                        |
| August    | R=3/21 | 1 flew over on the 3 <sup>rd</sup> , 28 <sup>th</sup> & 30 <sup>th</sup> . |
| September | R=3/21 | 1 on the 4 <sup>th</sup> , 2 on the 7 <sup>th</sup> & 8 <sup>th</sup> .    |

---

### 1019 Grey Wagtail *Motacilla cinerea*

|           |        |  |
|-----------|--------|--|
| May       | R=1/25 | 1 on the 25 <sup>th</sup> (L.L.).  |
| July      | R=3/19 | 1 on the 4 <sup>th</sup> , 6 <sup>th</sup> & 30 <sup>th</sup> .                |
| August    | R=2/21 | 2 on the 27 <sup>th</sup> & 2 flew over on the 30 <sup>th</sup> .              |
| September | R=3/21 | 1 on the 7 <sup>th</sup> , 1 over on the 17 <sup>th</sup> & 24 <sup>th</sup> . |
| October   | R=3/23 | 1 on the 4 <sup>th</sup> , 14 <sup>th</sup> & 17 <sup>th</sup> .               |
| December  | R=2/22 | 1 on the 18 <sup>th</sup> & 20 <sup>th</sup> .                                 |

---

### 1020 Pied Wagtail *Motacilla alba*

|           |         |  |
|-----------|---------|--|
| January   | R=2/22  | 1 flew over on the 13 <sup>th</sup> , 6 on the 17 <sup>th</sup> .  |
| February  | R=7/17  | 4 on the 6 <sup>th</sup> , 2 on the 8 <sup>th</sup> , 4 on the 10 <sup>th</sup> & 1 on the 12 <sup>th</sup> , 14 <sup>th</sup> , 20 <sup>th</sup> & 24 <sup>th</sup> . |
| March     | R=9/22  | Recorded on 9 scattered dates throughout, 4 on the 26 <sup>th</sup> .  |
| April     | R=23/27 | 1 to 3 birds throughout.   |
| May       | R=18/25 | Recorded throughout, pair + 1 juvenile on the 28 <sup>th</sup> .   |
| June      | R=15/17 | Present throughout, 4 on the 11 <sup>th</sup> & 27 <sup>th</sup> .   |
| July      | R=18/19 | Recorded throughout, family party on the 19 <sup>th</sup> , c12 on the 31 <sup>st</sup> .  |
| August    | R=20/21 | Present throughout, maximum 12 on the 21 <sup>st</sup> .   |
| September | R=21/21 | Present throughout, c40 at roost on the 26 <sup>th</sup> .   |
| October   | R=22/23 | Present throughout, c70 at roost in willow on island 5 on the 13 <sup>th</sup> .   |
| November  | R=8/15  | 1 to 2 birds on 8 scattered dates throughout.  |
| December  | R=8/22  | 1 on the 10 <sup>th</sup> , 11 <sup>th</sup> , 12 <sup>th</sup> , 19 <sup>th</sup> , 20 <sup>th</sup> , 21 <sup>st</sup> , 22 <sup>nd</sup> & 27 <sup>th</sup> .       |

---

### 1066 Wren *Troglodytes troglodytes*

|           |         |   |
|-----------|---------|---|
| January   | R=14/22 | Present throughout.   |
| February  | R=13/17 | Present on 13 scattered dates throughout.                   |
| March     | R=10/22 | Recorded on 10 scattered dates throughout.                  |
| April     | R=26/27 | Present throughout.   |
| May       | R=19/25 | Present throughout.   |
| June      | R=14/17 | Recorded throughout.  |
| July      | R=17/19 | Recorded throughout, family party on the 24 <sup>th</sup> . |
| August    | R=19/21 | Recorded throughout.  |
| September | R=21/21 | Present throughout.   |
| October   | R=23/23 | Present throughout.   |
| November  | R=14/15 | Present throughout.   |
| December  | R=17/22 | Present throughout.   |

---

### 1084 Hedge Accentor *Prunella modularis*

|           |         |   |
|-----------|---------|---|
| January   | R=22/22 | Present throughout.   |
| February  | R=17/17 | Present throughout.   |
| March     | R=22/22 | Present throughout.   |
| April     | R=27/27 | Present throughout.   |
| May       | R=24/25 | Present throughout, feeding young on the 17 <sup>th</sup> . |
| June      | R=17/17 | Present throughout.   |
| July      | R=17/19 | Present throughout, 2 on the 16 <sup>th</sup> .             |
| August    | R=19/21 | Present throughout.   |
| September | R=19/21 | Present throughout.   |
| October   | R=23/23 | Present throughout.   |
| November  | R=15/15 | Present throughout.   |
| December  | R=21/22 | Present throughout.   |

---

### 1099 Robin *Erithacus rubecula*

|           |         |  |
|-----------|---------|--|
| January   | R=22/22 | Present throughout.  |
| February  | R=16/17 | Present throughout.  |
| March     | R=20/22 | Present throughout.  |
| April     | R=24/27 | Present throughout.  |
| May       | R=19/25 | Present throughout.  |
| June      | R=14/17 | Recorded throughout, a juvenile on the 5 <sup>th</sup> & 2 juveniles on the 26 <sup>th</sup> . |
| July      | R=16/19 | Recorded throughout, juveniles reported on the 24 <sup>th</sup> .                              |
| August    | R=18/21 | Present throughout.  |
| September | R=20/21 | Present throughout, 8 on the 4 <sup>th</sup> .   |
| October   | R=22/23 | Present throughout, c20 on the 16 <sup>th</sup> .  |
| November  | R=15/15 | Present throughout.  |
| December  | R=21/22 | Present throughout, 3 on the 3 <sup>rd</sup> .   |

---

### 1121 Common Redstart *Phoenicurus phoenicurus*

|        |        |   |
|--------|--------|---|
| August | R=6/21 | A male on the 1 <sup>st</sup> , 13 <sup>th</sup> & 15 <sup>th</sup> (I.D.W.), a male & 2 females on the 17 <sup>th</sup> , a juvenile male on the 18 <sup>th</sup> & 20 <sup>th</sup> . |
|--------|--------|---|

---

### 1137 Whinchat *Saxicola rubetra*

|           |        |   |
|-----------|--------|---|
| September | R=1/21 | 1 on top car park on the 1 <sup>st</sup> (R.W.) |
|-----------|--------|---|

---

### 1146 Northern Wheatear *Oenanthe oenanthe*

|           |        |  |
|-----------|--------|--|
| April     | R=2/27 | A female on the 7 <sup>th</sup> & a male on the 21 <sup>st</sup> . |
| August    | R=1/21 | Female /first winter on the 17 <sup>th</sup> .                     |
| September | R=1/21 | An adult female on the 23 <sup>rd</sup> (K. & P. L. / S.C.)        |

---

### 1187 Blackbird *Turdus merula*

|          |         |   |
|----------|---------|---|
| January  | R=22/22 | Present throughout, maximum 16 on the 11 <sup>th</sup> .  |
| February | R=17/17 | Present throughout, maximum c10 on the 21 <sup>st</sup> . |

|           |         |   |
|-----------|---------|---|
| March     | R=22/22 | Present throughout.                                       |
| April     | R=26/27 | Present throughout, maximum 7 on the 1 <sup>st</sup> .    |
| May       | R=22/25 | Present throughout.                                       |
| June      | R=16/17 | Present throughout.                                       |
| July      | R=18/19 | Present throughout.                                       |
| August    | R=20/21 | Present throughout, 6 on the 21 <sup>st</sup> .           |
| September | R=21/21 | Present throughout, maximum 14 on the 10 <sup>th</sup> .  |
| October   | R=22/23 | Present throughout, maximum 25+ on the 13 <sup>th</sup> . |
| November  | R=14/15 | Present throughout, maximum 35+ on the 28 <sup>th</sup> . |
| December  | R=22/22 | Present throughout, 20+ on the 12 <sup>th</sup> .         |

---

### 1198 Fieldfare *Turdus pilaris*

|          |         |   |
|----------|---------|---|
| January  | R=6/22  | 1 on the 1 <sup>st</sup> , 14 on the 2 <sup>nd</sup> , 8 on the 8 <sup>th</sup> , 60 on the 9 <sup>th</sup> , 5 on the 13 <sup>th</sup> & 77 on the 22 <sup>nd</sup> .  |
| March    | R=2/22  | 23 flew over on the 12 <sup>th</sup> , 1 flew over on the 26 <sup>th</sup> .  |
| April    | R=1/27  | 8 flew over on the 7 <sup>th</sup> .  |
| October  | R=12/23 | Recorded on 12 dates between the 13 <sup>th</sup> & 31 <sup>st</sup> , 4500+ flew W and c3000 flew SW between 5-6 p.m. on the 13 <sup>th</sup> , 400+ flew over W on the 14 <sup>th</sup> , 200+ on the 23 <sup>rd</sup> & 29 <sup>th</sup> . |
| November | R=9/15  | Recorded on 9 dates throughout, c400 over on the 14 <sup>th</sup> , c40 on the 18 <sup>th</sup> .   |
| December | R=4/22  | 6 on the 10 <sup>th</sup> , recorded on the 11 <sup>th</sup> , 25 <sup>th</sup> & 26 <sup>th</sup> .  |

---

### 1200 Song Thrush *Turdus philomelos*

|           |         |   |
|-----------|---------|---|
| January   | R=2/22  | 2 on the 8 <sup>th</sup> & 1 on the 15 <sup>th</sup> .  |
| February  | R=8/17  | 1 on the 10 <sup>th</sup> , 1 singing on the 12 <sup>th</sup> , 2 on the 14 <sup>th</sup> & 16 <sup>th</sup> , 1 on the 19 <sup>th</sup> , 1 singing on the 21 <sup>st</sup> & 24 <sup>th</sup> , 2 on the 28 <sup>th</sup> .   |
| March     | R=6/22  | 1 on the 3 <sup>rd</sup> , 6 <sup>th</sup> , 14 <sup>th</sup> , 21 <sup>st</sup> , 23 <sup>rd</sup> & 26 <sup>th</sup> .  |
| April     | R=13/27 | 1 on the 3 <sup>rd</sup> , 2 on the 3 <sup>rd</sup> , 1 on the 7 <sup>th</sup> , 9 <sup>th</sup> , 13 <sup>th</sup> , 17 <sup>th</sup> , 18 <sup>th</sup> , 20 <sup>th</sup> , 21 <sup>st</sup> & 23 <sup>rd</sup> , 2 singing on the 24 <sup>th</sup> , 1 on the 25 <sup>th</sup> & 27 <sup>th</sup> . |
| May       | R=9/25  | Recorded on 9 scattered dates throughout, 2 on the 6 <sup>th</sup> & 15 <sup>th</sup> .   |
| June      | R=8/17  | Recorded on 8 scattered dates throughout.   |
| July      | R=4/19  | 1 on the 1 <sup>st</sup> , 1 carrying food on the 4 <sup>th</sup> , 2 on the 19 <sup>th</sup> , 1 on the 24 <sup>th</sup> .   |
| August    | R=1/21  | 1 on the 22 <sup>nd</sup> .   |
| September | R=9/21  | 1 to 4 birds on 9 dates throughout.   |
| October   | R=10/23 | Recorded on 10 scattered dates throughout, maximum 10+ on the 13 <sup>th</sup> .  |
| November  | R=6/15  | 1 on the 6 <sup>th</sup> , 17 <sup>th</sup> , 24 <sup>th</sup> , 28 <sup>th</sup> , 29 <sup>th</sup> & 30 <sup>th</sup> .   |
| December  | R=3/22  | 1 on the 11 <sup>th</sup> , 20 <sup>th</sup> & 27 <sup>th</sup> .   |

---

### 1201 Redwing *Turdus iliacus*

|          |         |  |
|----------|---------|--|
| January  | R=13/22 | Recorded on 13 scattered dates throughout, 20 on the 16 <sup>th</sup> & 31 <sup>st</sup> .   |
| February | R=7/17  | 5 on the 5 <sup>th</sup> , 30+ on the 9 <sup>th</sup> , 1 on the 10 <sup>th</sup> , 14 on the 12 <sup>th</sup> , 1 on the 16 <sup>th</sup> , 2 on the 21 <sup>st</sup> , 3 on the 24 <sup>th</sup> . |
| March    | R=2/22  | 1 on the 3 <sup>rd</sup> & 20 <sup>th</sup> .  |
| October  | R=15/23 | Recorded on 15 dates between the 9 <sup>th</sup> & 31 <sup>st</sup> , 4500+ flew W & C100 grounded on the 13 <sup>th</sup> , 850+ W on the 14 <sup>th</sup> .  |
| November | R=13/15 | Recorded throughout, maximum 60+ on the 17 <sup>th</sup> .   |

December R=13/22 Recorded on 13 dates throughout, c50 on the 4<sup>th</sup>.

---

**1202 Mistle Thrush** *Turdus viscivorus*

January R=1/22 1 on the 8<sup>th</sup>.  
February R=1/17 2 on the 6<sup>th</sup>.  
March R=2/22 1 on the 7<sup>th</sup> & 9<sup>th</sup>.  
April R=6/26 1 on the 2<sup>nd</sup>, 8<sup>th</sup> & 9<sup>th</sup>, 2 on the 17<sup>th</sup>, 1 on the 25<sup>th</sup> & 27<sup>th</sup>.  
May R=5/25 1 on 8<sup>th</sup>, 3 on the 11<sup>th</sup>, 1 on the 19<sup>th</sup>, 2 on the 23<sup>rd</sup> & 1 on the 29<sup>th</sup>.  
June R=1/17 1 on the 5<sup>th</sup>.  
August R=1/21 1 on the 30<sup>th</sup>.  
September R=1/21 1 on the 17<sup>th</sup>.  
October R=7/23 2 on the 7<sup>th</sup>, 1 on the 13<sup>th</sup>, 3 on the 14<sup>th</sup>, 5 on the 17<sup>th</sup>, 1 on the 19<sup>th</sup> & 21<sup>st</sup>, 2 on the 23<sup>rd</sup>.  
December R=1/22 1 singing on the 31<sup>st</sup>.

---

**1243 Sedge Warbler** *Acrocephalus schoenobaenus*

May R=4/25 2 on the 3<sup>rd</sup>, 1 on the 7<sup>th</sup>, 11<sup>th</sup> & 19<sup>th</sup>.  
June R=1/17 1 on the 1<sup>st</sup>.  
July R=3/19 1 singing on the 10<sup>th</sup>, 1 on the 14<sup>th</sup> & 15<sup>th</sup>.  
August R=2/21 1 on the 1<sup>st</sup> & 21<sup>st</sup>.

---

**1251 Reed Warbler** *Acrocephalus scirpaceus*

May R=1/25 1 singing & seen in willows on the 17<sup>th</sup> (J.E.A.)  
June R=2/17 1 below hide in willows on the 18<sup>th</sup> (J.E.A./B.F.D. et al), 1 singing on 21<sup>st</sup>.  
July R=4/19 1 on the 1<sup>st</sup>, 1 singing on the 8<sup>th</sup>, 1 juv in front of hide on the 21<sup>st</sup> (J.E.A./S.C.) 1 on the 31<sup>st</sup> (R.B./L.L./P.B.).  
August R=6/21 1 on the 1<sup>st</sup>, 1 juvenile on the 8<sup>th</sup> (J.E.A.), 1 on the 13<sup>th</sup> (I.D.W.), 2 on the 15<sup>th</sup>, 1 on the 17<sup>th</sup>, 1 juvenile on the 21<sup>st</sup> (J.E.A./R.B./L.L.)  
September R=2/19 1 on the 1<sup>st</sup> & 4<sup>th</sup>.

---

**1274 Lesser Whitethroat** *Sylvia curruca*

April R=2/27 2 on the 25<sup>th</sup>, 1 singing on the 28<sup>th</sup>.  
May R=14/25 Recorded on 14 dates throughout, 3 on the 2<sup>nd</sup>, 7<sup>th</sup> & 8<sup>th</sup>.  
June R=4/17 1 singing on the 1<sup>st</sup>, 1 on the 11<sup>th</sup>, 1 E Bank & 1 with juvenile on the 26<sup>th</sup>, 1 male on the 29<sup>th</sup>.  
July R=11/19 Recorded throughout, 3 juveniles on the 9<sup>th</sup>, family party on the 19<sup>th</sup>.  
August R=16/21 Recorded throughout, 4 on the 15<sup>th</sup> & 28<sup>th</sup>.  
September R=8/21 2 on the 1<sup>st</sup> & 3<sup>rd</sup>, 1 on the 4<sup>th</sup>, 2 on the 7<sup>th</sup>, 1 on the 8<sup>th</sup> & 14<sup>th</sup>, 2 on the 18<sup>th</sup> & 1 on the 19<sup>th</sup>.

---

**1275 Common Whitethroat** *Sylvia communis*

April R=1/27 1 on the 23<sup>rd</sup>. (J.E.A. et al)  
May R=11/25 Recorded on 11 dates throughout, 2 on the 11<sup>th</sup> & 15<sup>th</sup>.  
June R=12/17 Recorded throughout, 3 males on the 21<sup>st</sup>, 26<sup>th</sup> & 29<sup>th</sup>.

|           |         |  |
|-----------|---------|--|
| July      | R=16/19 | Recorded throughout, 2 singing males on the 3 <sup>rd</sup> , female + juvenile on the 21 <sup>st</sup> & 23 <sup>rd</sup> , 4 on the 24 <sup>th</sup> . |
| August    | R=13/21 | Recorded throughout, 4 on the 24 <sup>th</sup> .   |
| September | R=6/21  | 1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> & 4 <sup>th</sup> , 2 on the 7 <sup>th</sup> , 1 on the 8 <sup>th</sup> , 2 on the 18 <sup>th</sup> .         |

---

### 1276 Garden Warbler *Sylvia borin*

|           |         |   |
|-----------|---------|---|
| April     | R=5/27  | 1 seen & 1 singing on the 20 <sup>th</sup> , 1 on the 21 <sup>st</sup> & 23 <sup>rd</sup> , 2 on the 24 <sup>th</sup> & 27 <sup>th</sup> .                                      |
| May       | R=20/25 | Present throughout, 6 singing on the 8 <sup>th</sup> .  |
| June      | R=12/17 | Recorded throughout, 3+ on the 6 <sup>th</sup> , seen with juvs on the 19 <sup>th</sup> & carrying food on the 26 <sup>th</sup> .   |
| July      | R=8/19  | 1 on the 1 <sup>st</sup> , 4 <sup>th</sup> & 6 <sup>th</sup> , ¾ on the 10 <sup>th</sup> , 1 on the 19 <sup>th</sup> , 21 <sup>st</sup> , 24 <sup>th</sup> & 25 <sup>th</sup> . |
| August    | R=4/21  | 1 on the 1 <sup>st</sup> , 2 on the 21 <sup>st</sup> , 3 on the 28 <sup>th</sup> & 1 on the 29 <sup>th</sup> .  |
| September | R=2/21  | 1 on the 4 <sup>th</sup> & 1 on the 7 <sup>th</sup> .   |

---

### 1277 Blackcap *Sylvia atricapilla*

|           |         |   |
|-----------|---------|---|
| April     | R=25/27 | 2 on the 1 <sup>st</sup> then recorded throughout, 2 singing on the 4 <sup>th</sup> , 5 males & 3 females on the 10 <sup>th</sup> . |
| May       | R=23/25 | Present throughout, 9 singing on the 8 <sup>th</sup> .  |
| June      | R=16/17 | Recorded throughout, seen carrying food on the 26 <sup>th</sup> .   |
| July      | R=18/19 | Recorded throughout, 7 on the 27 <sup>th</sup> .  |
| August    | R=16/21 | Recorded throughout, 8 on the 17 <sup>th</sup> .  |
| September | R=15/21 | Recorded throughout, 6 on 7 <sup>th</sup> & 5 on the 18 <sup>th</sup> .   |
| October   | R=2/23  | A male on the 1 <sup>st</sup> & a juvenile on the 4 <sup>th</sup> .   |

---

### 1311 Common Chiffchaff *Phylloscopus collybita*

|           |         |   |
|-----------|---------|---|
| March     | R=12/22 | 1 on the 12 <sup>th</sup> was the first, then till month end, 4 on the 19 <sup>th</sup> , 4 singing S lake & 6 singing N lake on the 23 <sup>rd</sup> , 5 singing S lake & 8 singing N lake on the 28 <sup>th</sup> , 4 singing S lake & 8 singing N lake on the 31 <sup>st</sup> . |
| April     | R=24/27 | Recorded throughout, 5 singing on the on the 1 <sup>st</sup> , 15 on the 2 <sup>nd</sup> , 19 on the 7 <sup>th</sup> .  |
| May       | R=20/25 | Recorded throughout, 3 singing on the 7 <sup>th</sup> & 8 <sup>th</sup> , feeding young on the 29 <sup>th</sup> .   |
| June      | R=17/17 | Recorded throughout, 2 family parties feeding juveniles on the 5 <sup>th</sup> .  |
| July      | R=18/19 | Recorded throughout, c30 on the 24 <sup>th</sup> .  |
| August    | R=20/21 | Present throughout, 100+ on the 28 <sup>th</sup> (R.B./L.L./J.E.A), c50 on the 29 <sup>th</sup> .   |
| September | R=21/21 | Present throughout, c30 on the 7 <sup>th</sup> & 8 <sup>th</sup> , 3 on the 30 <sup>th</sup> .  |
| October   | R=5/23  | 3 on the 1 <sup>st</sup> , 1 on the 4 <sup>th</sup> & 6 <sup>th</sup> , 2 on the 16 <sup>th</sup> & 28 <sup>th</sup> .  |

---

### 1312 Willow Warbler *Phylloscopus trochilus*

|           |         |   |
|-----------|---------|---|
| April     | R=23/27 | 1 on the 3 <sup>rd</sup> then till month end, 6 singing on the 10 <sup>th</sup> , 4 singing S lake & 5 singing N lake on the 11 <sup>th</sup> .   |
| May       | R=22/25 | Recorded throughout, 3 singing on the 8 <sup>th</sup> .   |
| June      | R=16/17 | Present throughout.   |
| July      | R=16/19 | Present throughout, carrying food on the 1 <sup>st</sup> , 10+ on the 25 <sup>th</sup> & 27 <sup>th</sup> .   |
| August    | R=20/21 | Present throughout, 15+ on the 1 <sup>st</sup> & 22 <sup>nd</sup> .   |
| September | R=10/21 | Single Figures on the 1 <sup>st</sup> , 1 on the 3 <sup>rd</sup> , 4 <sup>th</sup> , 6 <sup>th</sup> , 7 <sup>th</sup> & 12 <sup>th</sup> , 4 on the 14 <sup>th</sup> , 1 on the 15 <sup>th</sup> , 21 <sup>st</sup> & 23 <sup>rd</sup> . |



---

**1314 Goldcrest** *Regulus regulus*

|           |        |   |
|-----------|--------|---|
| January   | R=2/22 | 1 on the 11 <sup>th</sup> & 17 <sup>th</sup> .  |
| August    | R=3/21 | 2 on the 26 <sup>th</sup> & 28 <sup>th</sup> , 1 on the 29 <sup>th</sup> .                            |
| September | R=2/21 | 1 on the 8 <sup>th</sup> & 30 <sup>th</sup> .   |
| October   | R=2/23 | 1 on the 15 <sup>th</sup> & 2 on the 31 <sup>st</sup> .   |
| November  | R=1/15 | 1 on the 6 <sup>th</sup> .  |
| December  | R=4/22 | 1 on the 4 <sup>th</sup> , 2 on the 11 <sup>th</sup> , 1 on the 22 <sup>nd</sup> & 26 <sup>th</sup> . |

---

**1335 Spotted Flycatcher** *Muscicapa striata*

|           |        |   |
|-----------|--------|---|
| May       | R=2/25 | 1 on the 15 <sup>th</sup> & 16 <sup>th</sup> .  |
| August    | R=6/21 | 1 adult & 2 juveniles on the 5 <sup>th</sup> ( J.E.A.), 2 N lake on the 8 <sup>th</sup> , 1 below copse on 22 <sup>nd</sup> (J.E.A./R.B./S.C.), 1 on the 27 <sup>th</sup> , 3 on the 28 <sup>th</sup> & 1 on the 30 <sup>th</sup> . |
| September | R=3/21 | 1 on the 3 <sup>rd</sup> , an adult & juvenile on the 6 <sup>th</sup> , 2 on the 9 <sup>th</sup> .  |

---

**1437 Long-tailed Tit** *Aegithalos caudatus*

|           |         |   |
|-----------|---------|---|
| January   | R=14/22 | Present throughout, maximum 20 on the 2 <sup>nd</sup> .   |
| February  | R=17/17 | Present throughout, 16 on the 7 <sup>th</sup> & 16+ on the 21 <sup>st</sup> .                                     |
| March     | R=18/22 | Present throughout, maximum 12 on the 23 <sup>rd</sup> .  |
| April     | R=16/27 | Present throughout.   |
| May       | R=14/25 | Recorded throughout, 3 pair reported on 8 <sup>th</sup> , family parties on 22 <sup>nd</sup> & 28 <sup>th</sup> . |
| June      | R=10/17 | Recorded throughout, 40+ in 3 family parties on the 11 <sup>th</sup> .  |
| July      | R=15/19 | Recorded throughout, family party on the 4 <sup>th</sup> , c15 on the 23 <sup>rd</sup> .                          |
| August    | R=17/21 | Recorded throughout, c30 on the 28 <sup>th</sup> .  |
| September | R=21/21 | Present throughout, 20+ on the 30 <sup>th</sup> .   |
| October   | R=19/23 | Recorded throughout, 25+ on the 13 <sup>th</sup> .  |
| November  | R=11/15 | Present throughout, 20 on the 20 <sup>th</sup> .  |
| December  | R=18/22 | Present throughout, 12+ on the 20 <sup>th</sup> .   |

---

**1462 Blue Tit** *Cyanistes caeruleus*

|           |         |   |
|-----------|---------|---|
| January   | R=22/22 | Present throughout.                                     |
| February  | R=17/17 | Present throughout, 8 on the 3 <sup>rd</sup> .          |
| March     | R=22/22 | Present throughout.                                     |
| April     | R=27/27 | Present throughout.                                     |
| May       | R=22/25 | Present throughout.                                     |
| June      | R=14/17 | Recorded throughout, juveniles on the 5 <sup>th</sup> . |
| July      | R=18/19 | Recorded throughout.                                    |
| August    | R=20/21 | Present throughout.                                     |
| September | R=20/21 | Present throughout.                                     |
| October   | R=23/23 | Present throughout.                                     |
| November  | R=15/15 | Present throughout.                                     |
| December  | R=22/22 | Present throughout.                                     |

---

**1464 Great Tit** *Parus major*

|         |         |                     |
|---------|---------|---------------------|
| January | R=22/22 | Present throughout. |
|---------|---------|---------------------|

|           |         |  |
|-----------|---------|--|
| February  | R=17/17 | Present throughout.  |
| March     | R=22/22 | Present throughout.  |
| April     | R=27/27 | Present throughout.  |
| May       | R=22/25 | Present throughout, family party on the 22 <sup>nd</sup> . |
| June      | R=14/17 | Recorded throughout.                                       |
| July      | R=18/19 | Recorded throughout.                                       |
| August    | R=20/21 | Present throughout.  |
| September | R=21/21 | Present throughout.  |
| October   | R=23/23 | Present throughout.  |
| November  | R=15/15 | Present throughout.  |
| December  | R=22/22 | Present throughout.  |

---

### 1461 Coal Tit *Periparus ater*

|           |         |   |
|-----------|---------|---|
| January   | R=22/22 | Present throughout, 2 on the 17 <sup>th</sup> .   |
| February  | R=17/17 | Present throughout.   |
| March     | R=21/22 | Recorded throughout.  |
| April     | R=13/27 | Recorded on 13 dates between the 1 <sup>st</sup> & 23 <sup>rd</sup> .   |
| May       | R=2/25  | 2 on the 3 <sup>rd</sup> & 1 on the 11 <sup>th</sup> .  |
| June      | R=2/17  | Recorded on the 27 <sup>th</sup> & 29 <sup>th</sup> .   |
| July      | R=3/19  | 2 family parties on the 4 <sup>th</sup> , 1 on the 6 <sup>th</sup> & 2 on the 22 <sup>nd</sup> .  |
| August    | R=8/21  | 1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 7 <sup>th</sup> , 17 <sup>th</sup> , 21 <sup>st</sup> , 22 <sup>nd</sup> , 29 <sup>th</sup> & 30 <sup>th</sup> . |
| September | R=4/21  | 1 on the 8 <sup>th</sup> , 2 on the 11 <sup>th</sup> & 23 <sup>rd</sup> , 1 on the 24 <sup>th</sup> .   |
| October   | R=15/23 | Recorded throughout, 2 on the 1 <sup>st</sup> & 7 <sup>th</sup> .   |
| November  | R=12/15 | Recorded throughout.  |
| December  | R=21/22 | Recorded throughout, 2 on the 20 <sup>th</sup> .  |

---

### 1440 Marsh Tit *Poecile palustris*

|           |         |   |
|-----------|---------|---|
| January   | R=22/22 | Present throughout, 3 on the 17 <sup>th</sup> & 31 <sup>st</sup> .  |
| February  | R=17/17 | Present throughout, 2 on the 26 <sup>th</sup> .   |
| March     | R=19/22 | Recorded throughout.  |
| April     | R=13/27 | Recorded on 13 scattered dates throughout.  |
| May       | R=3/25  | 2 on the 3 <sup>rd</sup> , 1 on the 8 <sup>th</sup> & a family party on the 28 <sup>th</sup> .  |
| June      | R=3/17  | 1 on the 19 <sup>th</sup> , 27 <sup>th</sup> & 29 <sup>th</sup> .   |
| July      | R=7/19  | 2 on the 3 <sup>rd</sup> , 1 on the 4 <sup>th</sup> & 6 <sup>th</sup> , 2 on the 22 <sup>nd</sup> & 23 <sup>rd</sup> , 1 on the 25 <sup>th</sup> & 31 <sup>st</sup> .                     |
| August    | R=13/21 | 1 to 3 birds on 13 scattered dates throughout.  |
| September | R=14/21 | 1 to 2 birds on 14 scattered dates throughout.  |
| October   | R=7/23  | 1 on the 8 <sup>th</sup> & 13 <sup>th</sup> , 2 on the 14 <sup>th</sup> , 1 on the 17 <sup>th</sup> , 2 on the 19 <sup>th</sup> , 1 on the 23 <sup>rd</sup> & 3 on the 31 <sup>st</sup> . |
| November  | R=10/15 | Recorded throughout, 3 on the 23 <sup>rd</sup> & 30 <sup>th</sup> .   |
| December  | R=18/22 | Recorded throughout, 2 on the 20 <sup>th</sup> .  |

---

### 1479 Nuthatch *Sitta europaea*

|           |        |   |
|-----------|--------|---|
| March     | R=1/22 | 1 on the 28 <sup>th</sup> .   |
| April     | R=7/27 | 1 on the 7 <sup>th</sup> & 8 <sup>th</sup> , 2 on the 18 <sup>th</sup> , 1 on the 20 <sup>th</sup> , 23 <sup>rd</sup> , 25 <sup>th</sup> & 27 <sup>th</sup> . |
| September | R=2/21 | 1 on the 18 <sup>th</sup> & 30 <sup>th</sup> .  |

---

### 1486 Eurasian Treecreeper *Certhia familiaris*

|           |        |  |
|-----------|--------|--|
| January   | R=8/22 | 1 to 2 birds on 8 scattered dates throughout.  |
| February  | R=2/17 | 2 on the 5 <sup>th</sup> & 1 on the 6 <sup>th</sup> .  |
| March     | R=6/22 | 1 on the 6 <sup>th</sup> & 13 <sup>th</sup> , 2 on the 14 <sup>th</sup> , 17 <sup>th</sup> , 23 <sup>rd</sup> & 24 <sup>th</sup> .   |
| April     | R=3/27 | 1 on the 1 <sup>st</sup> , 2 on the 10 <sup>th</sup> , 1 on the 11 <sup>th</sup> .   |
| May       | R=4/25 | 1 on the 2 <sup>nd</sup> & 6 <sup>th</sup> , 2 on the 8 <sup>th</sup> & 1 on the 29 <sup>th</sup> .  |
| June      | R=1/17 | Family party on the 19 <sup>th</sup> .   |
| July      | R=4/19 | 1 on the 3 <sup>rd</sup> & 10 <sup>th</sup> , 2 on the 22 <sup>nd</sup> & 1 on the 24 <sup>th</sup> .  |
| August    | R=4/21 | 1 on the 7 <sup>th</sup> , 15 <sup>th</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> .  |
| September | R=8/21 | 1 on the 6 <sup>th</sup> , 2 on the 8 <sup>th</sup> , 1 on the 10 <sup>th</sup> , 11 <sup>th</sup> , 14 <sup>th</sup> , 18 <sup>th</sup> , 23 <sup>rd</sup> & 24 <sup>th</sup> . |
| October   | R=1/23 | 1 on the 7 <sup>th</sup> .   |
| November  | R=3/18 | 2 on the 6 <sup>th</sup> , 1 on the 18 <sup>th</sup> & 3 on the 24 <sup>th</sup> .   |
| December  | R=6/22 | 2 on the 4 <sup>th</sup> , 1 on the 10 <sup>th</sup> , 12 <sup>th</sup> , 20 <sup>th</sup> , 26 <sup>th</sup> & 27 <sup>th</sup> .   |

---

### 1539 Eurasian Jay *Garrulus glandarius*

|           |         |  |
|-----------|---------|--|
| January   | R=11/22 | 1 to 2 birds on 11 scattered dates throughout.   |
| February  | R=10/17 | Recorded on 10 scattered dates throughout.   |
| March     | R=11/22 | 1 to 4 birds on the 11 dates throughout.   |
| April     | R=14/27 | 1 to 3 birds on 14 dates throughout.   |
| May       | R=3/25  | 1 on the 2 <sup>nd</sup> , 18 <sup>th</sup> & 22 <sup>nd</sup> .   |
| June      | R=7/17  | 1 on the 1 <sup>st</sup> , 5 <sup>th</sup> , 6 <sup>th</sup> , 15 <sup>th</sup> & 26 <sup>th</sup> , 4 on the 27 <sup>th</sup> & 1 on the 29 <sup>th</sup> . |
| July      | R=5/19  | 1 on the 6 <sup>th</sup> , 19 <sup>th</sup> , 21 <sup>st</sup> , 24 <sup>th</sup> & 30 <sup>th</sup> .   |
| August    | R=10/21 | Recorded on 10 scattered dates throughout, 3 on the 22 <sup>nd</sup> , 24 <sup>th</sup> , 28 <sup>th</sup> & 30 <sup>th</sup> .                              |
| September | R=21/21 | Recorded throughout, maximum 6 on the 21 <sup>st</sup> .   |
| October   | R=22/23 | Recorded throughout, maximum 8 on the 13 <sup>th</sup> .   |
| November  | R=12/15 | Recorded throughout, 3 on the 30 <sup>th</sup> .   |
| December  | R=13/22 | Recorded on 13 dates throughout, 4 on the 27 <sup>th</sup> .   |

---

### 1549 Magpie *Pica pica*

|           |         |   |
|-----------|---------|---|
| January   | R=21/22 | Present throughout, 8 on the 27 <sup>th</sup> .     |
| February  | R=16/16 | Present throughout.                                 |
| March     | R=21/22 | Present throughout.                                 |
| April     | R=27/27 | Present throughout.                                 |
| May       | R=24/25 | Present throughout, 6 pair on the 8 <sup>th</sup> . |
| June      | R=17/17 | Present throughout.                                 |
| July      | R=19/19 | Present throughout.                                 |
| August    | R=20/21 | Present throughout, 8 on the 17 <sup>th</sup> .     |
| September | R=21/21 | Present throughout, 22 on the 15 <sup>th</sup> .    |
| October   | R=23/23 | Present throughout.                                 |
| November  | R=15/15 | Present throughout.                                 |
| December  | R=22/22 | Present throughout, 11 on the 22 <sup>nd</sup> .    |

---

### 1560 Eurasian Jackdaw *Corvus monedula*

|          |         |  |
|----------|---------|--|
| January  | R=14/22 | Recorded on 14 scattered dates throughout. |
| February | R=12/17 | Recorded on 12 scattered dates throughout. |

|           |         |  |
|-----------|---------|--|
| March     | R=18/22 | Recorded throughout, 4 on the 19 <sup>th</sup> .   |
| April     | R=24/27 | Present throughout.  |
| May       | R=25/25 | Present throughout, c30 on the 12 <sup>th</sup> , 13 <sup>th</sup> , 14 <sup>th</sup> & 22 <sup>nd</sup> . |
| June      | R=17/17 | Recorded throughout, maximum c100 on the 16 <sup>th</sup> .  |
| July      | R=18/19 | Recorded throughout, c60 on the 3 <sup>rd</sup> .  |
| August    | R=16/21 | Recorded throughout.   |
| September | R=21/21 | Recorded throughout, 22 on the 3 <sup>rd</sup> .   |
| October   | R=23/23 | Recorded throughout.   |
| November  | R=10/15 | Present throughout.  |
| December  | R=17/22 | Recorded throughout, c200 over Gibbet Wood on the 24 <sup>th</sup> .                                       |

---

### 1563 Rook *Corvus frugilegus*

|           |         |   |
|-----------|---------|---|
| January   | R=6/22  | Recorded on the 11 <sup>th</sup> , 13 <sup>th</sup> , 17 <sup>th</sup> , 19 <sup>th</sup> , 25 <sup>th</sup> & 31 <sup>st</sup> .   |
| February  | R=7/17  | Recorded on the 7 <sup>th</sup> , 10 <sup>th</sup> , 14 <sup>th</sup> , 16 <sup>th</sup> , 21 <sup>st</sup> , 24 <sup>th</sup> & 28 <sup>th</sup> .   |
| March     | R=11/22 | Recorded on 11 scattered dates throughout.  |
| April     | R=13/27 | Recorded on 13 dates throughout.  |
| May       | R=2/25  | 1 on the 23 <sup>rd</sup> & 26 <sup>th</sup> .  |
| June      | R=7/17  | Recorded on 7 scattered dates throughout.   |
| July      | R=8/15  | Recorded on the 4 <sup>th</sup> , 6 <sup>th</sup> , 19 <sup>th</sup> , 21 <sup>st</sup> , 23 <sup>rd</sup> , 25 <sup>th</sup> , 27 <sup>th</sup> & 30 <sup>th</sup> .   |
| August    | R=12/21 | Recorded on the 2 <sup>nd</sup> , 3 <sup>rd</sup> , 8 <sup>th</sup> , 9 <sup>th</sup> , 12 <sup>th</sup> , 15 <sup>th</sup> , 17 <sup>th</sup> , 22 <sup>nd</sup> , 24 <sup>th</sup> , 26 <sup>th</sup> , 27 <sup>th</sup> & 30 <sup>th</sup> . |
| September | R=12/21 | Recorded on 12 scattered dates throughout.  |
| October   | R=13/23 | Recorded on 13 scattered dates throughout, 71 flew W at dusk on the 20 <sup>th</sup> .  |
| November  | R=5/15  | Recorded on the 3 <sup>rd</sup> , 17 <sup>th</sup> , 23 <sup>rd</sup> , 28 <sup>th</sup> & 30 <sup>th</sup> .   |
| December  | R=5/22  | Recorded on the 5 <sup>th</sup> , 12 <sup>th</sup> , 20 <sup>th</sup> , 22 <sup>nd</sup> & 28 <sup>th</sup> .   |

---

### 1567 Carrion Crow *Corvus corone*

|           |         |  |
|-----------|---------|--|
| January   | R=21/22 | Present throughout.  |
| February  | R=17/17 | Present throughout.  |
| March     | R=22/22 | Present throughout.  |
| April     | R=27/27 | Present throughout, 1 with white wings on the 18 <sup>th</sup> . |
| May       | R=24/25 | Present throughout.  |
| June      | R=14/17 | Present throughout.  |
| July      | R=18/19 | Present throughout.  |
| August    | R=19/21 | Present throughout.  |
| September | R=20/21 | Present throughout.  |
| October   | R=23/23 | Present throughout.  |
| November  | R=15/15 | Recorded throughout.   |
| December  | R=21/22 | Present throughout.  |

---

### 1582 Common Starling *Sturnus vulgaris*

|          |         |   |
|----------|---------|---|
| January  | R=3/22  | 8 on the 9 <sup>th</sup> , c50 on the 22 <sup>nd</sup> & 1 on the 27 <sup>th</sup> .                |
| February | R=1/17  | 20 flew over W on the 12 <sup>th</sup> .  |
| March    | R=1/22  | 1 on the 23 <sup>rd</sup> .   |
| May      | R=11/25 | Recorded on 11 scattered dates throughout, 40 on the 15 <sup>th</sup> .                             |
| June     | R=3/17  | 1 on the 5 <sup>th</sup> , 7 on the 11 <sup>th</sup> , c25 on the 16 <sup>th</sup> .                |
| July     | R=8/19  | Recorded on 8 dates between the 17 <sup>th</sup> & 31 <sup>st</sup> , c30 on the 17 <sup>th</sup> . |

|           |         |   |
|-----------|---------|---|
| August    | R=19/21 | Recorded throughout, 250+ on the 8 <sup>th</sup> .  |
| September | R=8/21  | Recorded on 8 scattered dates throughout, 5 on the 4 <sup>th</sup> .  |
| October   | R=14/23 | Recorded throughout, 300 flew SW between 5-6 p.m. on the 13 <sup>th</sup> .   |
| November  | R=5/15  | 1 on 3 <sup>rd</sup> , c40 over on 6 <sup>th</sup> , 5 on 14 <sup>th</sup> , 2 over on the 17 <sup>th</sup> , 15 over on the 29 <sup>th</sup> . |
| December  | R=2/22  | 8 flew over on the 10 <sup>th</sup> , 1 on the 21 <sup>st</sup> .   |

---

### 1591 House Sparrow *Passer domesticus*

|         |        |   |
|---------|--------|---|
| October | R=1/23 | 1 North Lake (factory) on the 22 <sup>nd</sup> (I.D.W.) |
|---------|--------|---|

---

### 1598 Tree Sparrow *Passer montanus*

|           |         |   |
|-----------|---------|---|
| January   | R=22/22 | Present throughout, maximum 50/60 on the 22 <sup>nd</sup> & 29 <sup>th</sup> .  |
| February  | R=17/17 | Recorded throughout, 50+ on the 10 <sup>th</sup> , 19 <sup>th</sup> , 20 <sup>th</sup> & 26 <sup>th</sup> .   |
| March     | R=22/22 | Recorded throughout, c70 on the 7 <sup>th</sup> .   |
| April     | R=27/27 | Recorded throughout, maximum 30+ on the 3 <sup>rd</sup> .   |
| May       | R=23/25 | Recorded throughout, c10 on the 1 <sup>st</sup> & 2 <sup>nd</sup> , 2 newly fledged juveniles on the 16 <sup>th</sup> , feeding young on the 17 <sup>th</sup> , 6 juveniles at feeders on the 22 <sup>nd</sup> , adults with juvs on the 28 <sup>th</sup> . |
| June      | R=15/17 | Recorded throughout, juveniles on the 19 <sup>th</sup> , newly fledged young on 27 <sup>th</sup> .  |
| July      | R=12/19 | 1 to 4 birds throughout.  |
| August    | R=10/21 | Recorded on 10 scattered dates throughout, 5 on the 9 <sup>th</sup> .   |
| September | R=6/21  | 2 on the 15 <sup>th</sup> & 18 <sup>th</sup> , 1 on the 24 <sup>th</sup> , 3 on the 25 <sup>th</sup> , 9 on the 26 <sup>th</sup> & 9+ on 14 <sup>th</sup> .   |
| October   | R=23/23 | Recorded throughout, maximum 63 on the 13 <sup>th</sup> , c40 on the 21 <sup>st</sup> , 22 <sup>nd</sup> & 25 <sup>th</sup> .   |
| November  | R=15/15 | Recorded throughout, maximum c50 on the 14 <sup>th</sup> .  |
| December  | R=22/22 | Recorded throughout, maximum c60 on the 12 <sup>th</sup> , 16 <sup>th</sup> & 27 <sup>th</sup> .  |

---

### 1636 Chaffinch *Fringilla coelebs*

|           |         |  |
|-----------|---------|--|
| January   | R=20/22 | Present throughout, maximum 8 on the 16 <sup>th</sup> .      |
| February  | R=17/17 | Present throughout.  |
| March     | R=22/22 | Present throughout.  |
| April     | R=25/27 | Present throughout.  |
| May       | R=22/25 | Present throughout, 6 singing males on the 8 <sup>th</sup> . |
| June      | R=11/17 | Present throughout.  |
| July      | R=13/17 | Recorded throughout.   |
| August    | R=18/21 | Recorded throughout, 15 on the 20 <sup>th</sup> .            |
| September | R=20/21 | Present throughout.  |
| October   | R=23/23 | Present throughout.  |
| November  | R=13/15 | Present throughout.  |
| December  | R=21/22 | Present throughout.  |

---

### 1638 Brambling *Fringilla montifringilla*

|          |        |  |
|----------|--------|--|
| January  | R=3/22 | 2 by feeding station on the 15 <sup>th</sup> , 1 on the 17 <sup>th</sup> & 18 <sup>th</sup> .  |
| February | R=2/17 | A female on the 26 <sup>th</sup> & 28 <sup>th</sup> .  |
| March    | R=6/22 | A female on the 9 <sup>th</sup> , a male on the 10 <sup>th</sup> , a female on the 13 <sup>th</sup> , 14 <sup>th</sup> , 16 <sup>th</sup> & 28 <sup>th</sup> . |

---

**1649 Greenfinch**    *Carduelis chloris*

|           |         |   |
|-----------|---------|---|
| January   | R=9/22  | Present on 9 scattered dates throughout, 4 on the 17 <sup>th</sup> & 19 <sup>th</sup> .   |
| February  | R=7/17  | Present on 7 scattered dates throughout.  |
| March     | R=6/22  | Recorded on the 3 <sup>rd</sup> , 7 <sup>th</sup> , 9 <sup>th</sup> , 14 <sup>th</sup> , 23 <sup>rd</sup> & 2 on the 31 <sup>st</sup> . |
| April     | R=10/27 | Recorded on 10 scattered dates throughout, 2 on the 1 <sup>st</sup> .   |
| May       | R=1/25  | Only recorded on the 23 <sup>rd</sup> .   |
| June      | R=1/17  | The only record was a family party on the 29 <sup>th</sup> .  |
| July      | R=1/19  | The only record was on the 27 <sup>th</sup> .   |
| August    | R=3/21  | 2 on the 1 <sup>st</sup> , 15 <sup>th</sup> & 22 <sup>nd</sup> .  |
| September | R=4/21  | 1 on the 1 <sup>st</sup> , 2 juveniles on the 7 <sup>th</sup> , 3 on the 14 <sup>th</sup> & 5 on the 25 <sup>th</sup> .                 |
| October   | R=10/23 | Recorded on 10 scattered dates throughout, 5 on the 29 <sup>th</sup> .  |
| November  | R=2/15  | 1 on the 24 <sup>th</sup> & 29 <sup>th</sup> .  |
| December  | R=1/22  | 1 on the 4 <sup>th</sup> was the only record.   |

---

**1653 Goldfinch**    *Carduelis carduelis*

|           |         |  |
|-----------|---------|--|
| January   | R=9/22  | Recorded on 9 scattered dates throughout, maximum 8 on the 19 <sup>th</sup> .                                |
| February  | R=10/17 | Recorded on 10 scattered dates throughout, c30 on the 12 <sup>th</sup> .                                     |
| March     | R=9/22  | Recorded on 9 scattered dates throughout.  |
| April     | R=7/27  | Recorded on 7 scattered dates throughout.  |
| May       | R=8/22  | Recorded on 8 scattered dates throughout, maximum 3 on the 8 <sup>th</sup> .                                 |
| June      | R=5/17  | Recorded on the 1 <sup>st</sup> , 4 <sup>th</sup> , 15 <sup>th</sup> , 16 <sup>th</sup> & 26 <sup>th</sup> . |
| July      | R=16/19 | Recorded throughout, 6 on the 24 <sup>th</sup> & 27 <sup>th</sup> .  |
| August    | R=19/21 | Present throughout, maximum 40+ on the 30 <sup>th</sup> .  |
| September | R=20/21 | Present throughout, maximum 75+ on the 19 <sup>th</sup> .  |
| October   | R=21/23 | Recorded throughout, maximum 50+ on the 21 <sup>st</sup> .   |
| November  | R=11/15 | Recorded throughout, maximum 12 on the 3 <sup>rd</sup> & 29 <sup>th</sup> .                                  |
| December  | R=15/22 | Recorded on 15 scattered dates throughout, c20 on the 20 <sup>th</sup> .                                     |

---

**1654 Siskin**    *Carduelis spinus*

|           |         |   |
|-----------|---------|---|
| January   | R=13/22 | Recorded on 13 scattered dates throughout, c60 on the 19 <sup>th</sup> .  |
| February  | R=9/17  | Recorded on 9 scattered dates throughout, c70 on the 12 <sup>th</sup> .   |
| March     | R=5/22  | 4 on the 4 <sup>th</sup> , 6 on the 7 <sup>th</sup> , 2 on the 9 <sup>th</sup> , 1 on the 13 <sup>th</sup> & 6 on the 14 <sup>th</sup> .            |
| June      | R=1/17  | 3 flew over on the 27 <sup>th</sup> .   |
| September | R=17/21 | Recorded from 6 <sup>th</sup> till month end, maximum 30+ on the 10 <sup>th</sup> & 24 <sup>th</sup> .  |
| October   | R=21/23 | Recorded throughout, a mixed flock of c100 with Lesser Redpolls on 12 <sup>th</sup> , 60+ on the 13 <sup>th</sup> & 29 <sup>th</sup> .              |
| November  | R=5/15  | Calling on the 3 <sup>rd</sup> , c40 over on the 5 <sup>th</sup> , 10 on the 24 <sup>th</sup> , 1 on the 28 <sup>th</sup> , 3 on 30 <sup>th</sup> . |
| December  | R=14/22 | Recorded on 14 scattered dates throughout, maximum c60 on the 21 <sup>st</sup> .  |

---

**1660 Linnet**    *Carduelis cannabina*

|        |        |   |
|--------|--------|---|
| April  | R=7/27 | 1 on the 3 <sup>rd</sup> & 4 <sup>th</sup> .  |
| May    | R=1/25 | 1 on the 15 <sup>th</sup> .   |
| June   | R=5/17 | A male on the 9 <sup>th</sup> , 2 males & 2 females on the 11 <sup>th</sup> , male with female carrying nest material on the 12 <sup>th</sup> , 2 on the 19 <sup>th</sup> & 1 on the 30 <sup>th</sup> . |
| August | R=2/21 | 5 flew over on the 13 <sup>th</sup> , 3 on the 28 <sup>th</sup> .   |

September R=16/21 Recorded on 16 dates between the 4<sup>th</sup> & 30<sup>th</sup>, maximum 33 on the 13<sup>th</sup>.  
October R=1/23 1 on the 5<sup>th</sup>.

---

### 1661 Lesser Redpoll *Carduelis caberet*

January R=7/22 1 on the 1<sup>st</sup>, 15 on the 2<sup>nd</sup>, 1 on the 11<sup>th</sup> & 16<sup>th</sup>, 4 on 19<sup>th</sup> & 22<sup>nd</sup>, 1 on 23<sup>rd</sup>.  
February R=7/17 1 on the 2<sup>nd</sup>, 15 on the 5<sup>th</sup>, 1 on the 10<sup>th</sup>, 12 on the 14<sup>th</sup>, 18 on the 20<sup>th</sup>, 11 on the 21<sup>st</sup> & 1 on the 28<sup>th</sup>.  
March R=3/22 1 on the 6<sup>th</sup>, 5 on the 9<sup>th</sup> & 2 on the 14<sup>th</sup>.  
September R=8/21 8 flew over on the 15<sup>th</sup>, 10 on the 18<sup>th</sup>, 5 on the 19<sup>th</sup>, 1 on the 21<sup>st</sup>, 5 on the 23<sup>rd</sup>, 25+ on the 24<sup>th</sup>, 20+ on the 26<sup>th</sup> & 1 on the 30<sup>th</sup>.  
October R=15/23 Recorded throughout, a mixed flock of c100 with Siskins on the 12<sup>th</sup>, 20+ on the 13<sup>th</sup>.  
November R=3/18 1 over on the 6<sup>th</sup>, 3 on the 17<sup>th</sup>, calling on the 28<sup>th</sup>.  
December R=7/22 6 on the 4<sup>th</sup>, 1 on the 6<sup>th</sup>, 5 on the 10<sup>th</sup>, 1 on the 11<sup>th</sup>, 8 on the 20<sup>th</sup>, 3 on 22<sup>nd</sup> & some in a mixed flock of c50 with Goldfinch & Siskin.

---

### 1666 Crossbill *Loxia curvirostra*

June R=1/17 1 flew over calling on the 11<sup>th</sup>. (J.E.A.)

---

### 1710 Bullfinch *Pyrrhula pyrrhula*

January R=22/22 Recorded throughout, maximum 10 on the 27<sup>th</sup>.  
February R=17/17 Recorded throughout, 12 on the 28<sup>th</sup>.  
March R=20/22 Recorded throughout.  
April R=21/27 Recorded throughout, maximum 6 on the 1<sup>st</sup>.  
May R=14/25 Recorded throughout, 2 pair on the 8<sup>th</sup>.  
June R=9/17 Recorded on the 9 scattered dates throughout.  
July R=13/19 Recorded throughout, 4 on the 24<sup>th</sup> & 31<sup>st</sup>.  
August R=20/21 Recorded throughout, maximum 12 on the 3<sup>rd</sup>.  
September R=20/21 Recorded throughout, a juvenile on the 6<sup>th</sup>, 16 on the 18<sup>th</sup>.  
October R=15/23 Recorded throughout, maximum 14 on the 1<sup>st</sup>.  
November R=9/15 Recorded throughout, 8 on the 24<sup>th</sup>.  
December R=21/22 Recorded throughout, 6 on the 11<sup>th</sup> & 22<sup>nd</sup>.

---

### 1857 Yellowhammer *Emberiza citrinella*

January R=22/22 Recorded throughout, maximum 14 on the 17<sup>th</sup>.  
February R=17/17 Recorded throughout, maximum 18 on the 19<sup>th</sup>.  
March R=22/22 Recorded throughout, maximum 10 on the 3<sup>rd</sup> & 5<sup>th</sup>.  
April R=24/27 Recorded throughout, maximum 5 on the 1<sup>st</sup>.  
May R=23/25 Recorded throughout, 3 males on the 8<sup>th</sup>, 2 males & 2 females on the 22<sup>nd</sup>.  
June R=5/17 Recorded on the 4<sup>th</sup>, 11<sup>th</sup>, 12<sup>th</sup>, 18<sup>th</sup> & 26<sup>th</sup>.  
July R=7/19 Recorded on the 7 scattered dates throughout, 2 on the 3<sup>rd</sup>, 7<sup>th</sup> & 10<sup>th</sup>.  
September R=2/21 4 on the 10<sup>th</sup> & 3 on the 18<sup>th</sup>.  
October R=8/23 1 to 2 birds on 8 scattered dates throughout.  
November R=5/15 1 on the 5<sup>th</sup>, 2 on the 12<sup>th</sup>, 1 on the 19<sup>th</sup> & 29<sup>th</sup>, 3 on the 30<sup>th</sup>.  
December R=21/22 Recorded throughout, maximum 10 on the 31<sup>st</sup>.

---

## 1877 Reed Bunting *Emberiza schoeniclus*

|           |         |   |
|-----------|---------|---|
| January   | R=22/22 | Present throughout, maximum 5 on the 25 <sup>th</sup> .   |
| February  | R=17/17 | Present throughout.   |
| March     | R=22/22 | Present throughout, maximum 6 on the 9 <sup>th</sup> .  |
| April     | R=26/27 | Present throughout, maximum 4 on the 1 <sup>st</sup> .  |
| May       | R=25/25 | Present throughout, 3 on the 8 <sup>th</sup> .  |
| June      | R=16/17 | Present throughout.   |
| July      | R=18/19 | Recorded throughout, 2 on the 31 <sup>st</sup> .  |
| August    | R=6/21  | 1 on the 1 <sup>st</sup> , 7 <sup>th</sup> , 8 <sup>th</sup> , 9 <sup>th</sup> , 13 <sup>th</sup> & 24 <sup>th</sup> .  |
| September | R=10/21 | 1 on the 1 <sup>st</sup> , 2 on the 4 <sup>th</sup> , 4 on the 15 <sup>th</sup> , 1 on the 17 <sup>th</sup> , 2 on the 18 <sup>th</sup> , 1 on the 21 <sup>st</sup> , 24 <sup>th</sup> , 25 <sup>th</sup> , 26 <sup>th</sup> & 26 <sup>th</sup> , 5 on the 30 <sup>th</sup> . |
| October   | R=14/23 | Recorded throughout, maximum 6 on the 1 <sup>st</sup> .   |
| November  | R=13/15 | Recorded throughout, 2 on the 24 <sup>th</sup> .  |
| December  | R=21/22 | Present throughout, maximum 5 on the 22 <sup>nd</sup> .   |

## Cage Birds & Escapes

---

### Ringed Teal *Calloneta leucophrys*

|      |        |  |
|------|--------|--|
| July | R=3/19 | A female on the 21 <sup>st</sup> , 24 <sup>th</sup> & 25 <sup>th</sup> . Breeds South America. |
|------|--------|--|



## Farnham Monthly Statistics

| <b>Month</b> | <b>Day Coverage</b> | <b>Species</b> | <b>Records</b> | <b>Cum. Records</b> |
|--------------|---------------------|----------------|----------------|---------------------|
| January 2011 | 22 / 31 = 71.0%     | 69             | 931            | 931                 |
| February     | 17 / 28 = 60.7%     | 70             | 779            | 1710                |
| March        | 22 / 31 = 71.0%     | 82             | 998            | 2708                |
| April        | 27 / 30 = 90.0%     | 92             | 1312           | 4020                |
| May          | 25 / 31 = 80.6%     | 92             | 1139           | 5159                |
| June         | 17 / 30 = 56.7%     | 80             | 774            | 5933                |
| July         | 19 / 31 = 61.3%     | 80             | 906            | 6839                |
| August       | 21 / 31 = 67.7%     | 87             | 990            | 7829                |
| September    | 21 / 30 = 70.0%     | 99             | 1100           | 8929                |
| October      | 23 / 31 = 74.2%     | 91             | 1148           | 10077               |
| November     | 15 / 30 = 50.0%     | 73             | 647            | 10724               |
| December     | 22 / 31 = 71.0%     | 74             | 989            | 11713               |
| Year 2011    | 251 / 365 = 68.8%   |                |                |                     |

**Total Number of Species for the Year 2011 = 142**