

# Farnham Summary Log 2015

## Systematic List

Note: R = Number of days species recorded / Number of recording days in month.

---

### Mute Swan *Cygnus olor*

January	R=16/16	Recorded throughout, maximum 42 adults on the 20 <sup>th</sup> . 1 on the 13 <sup>th</sup> with colour ring Red XCL was ringed as an adult female at Hay-a-park 24/09/14,.1 on the 22 <sup>nd</sup> with colour ring Yellow 009 was ringed as a cygnet 29/08/13 .At Pollington Lock (SW of Goole) also seen at Wheldrake Ings earlier in .month.
February	R=17/17	Recorded throughout, 24 on the 3 <sup>rd</sup> .
March	R=18/18	Recorded throughout, maximum 10 on the 25 <sup>th</sup> .
April	R=19/19	Recorded throughout, maximum 9 on the 2 <sup>nd</sup> , 4 <sup>th</sup> & 16 <sup>th</sup> , .Pair with nest on 25 <sup>th</sup> .
May	R=18/18	Recorded throughout, 5 on the 14 <sup>th</sup> , pair on nest on the 27 <sup>th</sup> .
June	R=13/13	Pair present S lake throughout, 2 N lake throughout, pair with 3 cygnets on .the 22 <sup>nd</sup> .
July	R=15/15	Pair present S lake throughout, 3 cygnets from the 1 <sup>st</sup> to the 29 <sup>th</sup> , 2 cygnets on.the 31 <sup>st</sup> . 2 adults present N lake throughout.
August	R=19/19	Pair + 2 juveniles till the 8 <sup>th</sup> then 1 till the 21 <sup>st</sup> no juvenile from 22 <sup>nd</sup> on .S lake, maximum 12 adults on the 31 <sup>st</sup> .
September	R=13/13	Recorded throughout, maximum 14 on the 4 <sup>th</sup> .
October	R=16/16	Recorded throughout, maximum 11 on the 31 <sup>st</sup> .
November	R=12/12	Present throughout, maximum 8 on the 24 <sup>th</sup> & 26 <sup>th</sup> .
December	R=14/14	Present throughout, maximum 27 on the 17 <sup>th</sup> .

---

### Whooper Swan *Cygnus cygnus*

November	R=1/12	5 on N lake, Flew off towards Hay-a-Park @ 1.20 p.m. on the 17 <sup>th</sup> (J.E.A.).
----------	--------	--

---

### Pink-footed Goose *Anser brachyrhynchus*

May	R=1/18	1 flew over on the 2 <sup>nd</sup> .
August	R=1/19	1 with Greylags on the 20 <sup>th</sup> .
October	R=2/16	1 flew over calling on the 4 <sup>th</sup> , 19 flew over E on the 31 <sup>st</sup> .
November	R=3/12	150 flew S on the 22 <sup>nd</sup> , 60 flew W on the 23 <sup>rd</sup> , 35 flew W on the 26 <sup>th</sup> .
December	R=1/14	1 on the 25 <sup>th</sup> .

---

### Greylag Goose *Anser anser*

January	R=15/16	Present throughout, maximum 68 on the 31 <sup>st</sup> .
February	R=14/17	Present throughout, maximum 121 on the 5 <sup>th</sup> .
March	R=18/18	Present throughout, maximum 13 on the 5 <sup>th</sup> .
April	R=19/19	Present throughout, maximum 22 on the 2 <sup>nd</sup> , 15 goslings on the 29 <sup>th</sup> .
May	R=18/18	Present throughout, 7+ 11 goslings N lake,33+ 7 goslings S lake on the 3 <sup>rd</sup> ., Total of 22 adults+ 30 goslings on the 19 <sup>th</sup> .
June	R=13/13	Recorded throughout, maximum 78 on the 23 <sup>rd</sup> .

July	R=15/15	Present throughout, maximum 75 on the 2 <sup>nd</sup> .
August	R=19/19	Present throughout, maximum 34 on the 18 <sup>th</sup> & 20 <sup>th</sup> .
September	R=11/13	Present throughout, 4 on the 18 <sup>th</sup> .
October	R=14/16	Present throughout, c80 on the 4 <sup>th</sup> .
November	R=11/12	Recorded throughout, 7 on the 14 <sup>th</sup> .
December	R=12/14	Present throughout, 4 on the 15 <sup>th</sup> , one with neck collar PZU on the 25 <sup>th</sup> .

---

### Canada Goose *Branta canadensis*

January	R=14/16	Present throughout, maximum 102 on 31 <sup>st</sup> .
February	R=16/17	Present throughout, maximum 40 on the 1 <sup>st</sup> .
March	R=18/18	Present throughout, maximum 52 on the 5 <sup>th</sup> .
April	R=19/19	Present throughout, maximum 42 on the 28 <sup>th</sup> .
May	R=18/18	Present throughout, 4 goslings on the 5 <sup>th</sup> , 27 adults + 16 goslings on the 19 <sup>th</sup> .
June	R=13/13	Present throughout, maximum 69 on the 23 <sup>rd</sup> .
July	R=15/15	Present throughout, maximum 85 on the 2 <sup>nd</sup> .
August	R=19/19	Present throughout, maximum 161 on the 20 <sup>th</sup> .
September	R=11/13	Present throughout, 1 with Red Darvik ring L Leg AAAT, maximum 115 on the 5 <sup>th</sup> .
October	R=15/16	Present throughout, maximum 120 on the 4 <sup>th</sup> , 11 <sup>th</sup> & 20 <sup>th</sup> .
November	R=12/12	Present throughout, maximum 44 on the 14 <sup>th</sup> .
December	R=14/14	Present throughout, maximum 63 on the 2 <sup>nd</sup> .

---

### Barnacle Goose *Branta leucopsis*

October	R=1/16	1 on the 2 <sup>nd</sup> .
---------	--------	----------------------------

---

### Shelduck *Tadorna tadorna*

January	R=6/16	1 on the 3 <sup>rd</sup> , 4 on the 8 <sup>th</sup> , 1 on the 17 <sup>th</sup> & 20 <sup>th</sup> , 2 on the 26 <sup>th</sup> , 3 on the 31 <sup>st</sup> .
February	R=10/17	1 over on the 12 <sup>th</sup> , 2 over on the 14 <sup>th</sup> , 1 on 8 dates from 18 <sup>th</sup> to 28 <sup>th</sup> .
March	R=4/18	1 on the 3 <sup>rd</sup> , 5 <sup>th</sup> & 16 <sup>th</sup> , 2 flew over on the 17 <sup>th</sup> .
April	R=3/19	1 flew over on the 16 <sup>th</sup> , 2 flew over on the 22 <sup>nd</sup> , 1 on the 25 <sup>th</sup> .
May	R=5/18	1 flew over on the 5 <sup>th</sup> & 9 <sup>th</sup> , 2 on the 12 <sup>th</sup> & 13 <sup>th</sup> , 1 on the 14 <sup>th</sup> .
June	R=1/13	1 on the 11 <sup>th</sup> .
September	R=3/13	1 juvenile on the 6 <sup>th</sup> , 11 <sup>th</sup> & 12 <sup>th</sup> .

---

### Mandarin Aix *galericulata*

October	R=2/16	2 males on the 1 <sup>st</sup> , 1 female on the 20 <sup>th</sup> .
---------	--------	---

---

### Wigeon *Anas penelope*

January	R=16/16	Present throughout, maximum 131 on the 6 <sup>th</sup> .
February	R=17/17	Present throughout, maximum 125 on the 3 <sup>rd</sup> .
March	R=12/18	Present throughout, maximum 40 on the 7 <sup>th</sup> .
April	R=2/19	2 males & 1 female on the 2 <sup>nd</sup> , 5 flew over on the 8 <sup>th</sup> .
August	R=1/19	2 on the 28 <sup>th</sup> .

September	R=6/13	1 on the 10 <sup>th</sup> , 5 on the 12 <sup>th</sup> , 1 on the 14 <sup>th</sup> , 7 on the 15 <sup>th</sup> , 1 on the 27 <sup>th</sup> , 11 on the 28 <sup>th</sup> .
October	R=16/16	Present throughout, 75 flew over on the 27 <sup>th</sup> , 63 on the 31 <sup>st</sup> .
November	R=12/12	Present throughout, maximum 72 on the 10 <sup>th</sup> .
December	R=14/14	Present throughout, maximum 45 on the 9 <sup>th</sup> .

---

### Gadwall *Anas strepera*

January	R=16/16	Present throughout, maximum 34 on the 20 <sup>th</sup> .
February	R=17/17	Present throughout, maximum 21 on the 3 <sup>rd</sup> .
March	R=18/18	Recorded throughout, maximum 14 on the 5 <sup>th</sup> .
April	R=19/19	Present throughout, maximum 8 on the 14 <sup>th</sup> & 25 <sup>th</sup> .
May	R=17/18	Present throughout, maximum 9 on the 9 <sup>th</sup> .
June	R=13/13	Present throughout, 4 on the 9 <sup>th</sup> , 16 <sup>th</sup> & 25 <sup>th</sup> , 2 ducklings on the 26 <sup>th</sup> .
July	R=6/15	Female with 1 ducklings on the 2 <sup>nd</sup> , 4 <sup>th</sup> , 5 <sup>th</sup> , 7 <sup>th</sup> , 9 <sup>th</sup> & 11 <sup>th</sup> .
August	R=16/19	Present throughout, maximum 16 on the 24 <sup>th</sup> .
September	R=13/13	Present throughout, maximum 14 on the 24 <sup>th</sup> .
October	R=16/16	Present throughout, maximum 32 on the 29 <sup>th</sup> & 31 <sup>st</sup> .
November	R=12/12	Present throughout, maximum 22 on the 2 <sup>nd</sup> & 3 <sup>rd</sup> ,
December	R=13/14	Present throughout, maximum 13 on the 25 <sup>th</sup> .

---

### Teal *Anas crecca*

January	R=16/16	Recorded throughout, maximum 36 on the 18 <sup>th</sup> .
February	R=17/17	Present throughout, maximum 40 on the 3 <sup>rd</sup> .
March	R=18/18	Present throughout, maximum 16 on the 3 <sup>rd</sup> & 5 <sup>th</sup> .
April	R=18/19	Present throughout, 70 flew over on the 9 <sup>th</sup> , maximum 9 on the 21 <sup>st</sup> .
May	R=1/18	5 on the 3 <sup>rd</sup> .
June	R=1/13	1 on the 19 <sup>th</sup> .
July	R=1/15	1 on the 8 <sup>th</sup> .
August	R=6/19	A juvenile on the 19 <sup>th</sup> , 23 <sup>rd</sup> & 28 <sup>th</sup> , 4 on the 29 <sup>th</sup> , 3 on the 30 <sup>th</sup> , 2 on the 31 <sup>st</sup> .
September	R=8/13	Recorded throughout, maximum 7 on the 26 <sup>th</sup> .
October	R=16/16	Present throughout, maximum 35 on the 29 <sup>th</sup> .
November	R=12/12	Present throughout, maximum 40 on the 28 <sup>th</sup> .
December	R=14/14	Present throughout, maximum 75 flew in from N on the 17 <sup>th</sup> .

---

### Mallard *Anas platyrhynchos*

January	R=15/16	Present throughout, maximum 15 on the 18 <sup>th</sup> .
February	R=17/17	Present throughout, maximum 46 on the 3 <sup>rd</sup> .
March	R=18/18	Present throughout, maximum 38 on the 5 <sup>th</sup> .
April	R=19/19	Present throughout, maximum 29 on the 2 <sup>nd</sup> , pair with 6 ducklings on the 25 <sup>th</sup> , pair with 9 ducklings on the 26 <sup>th</sup> , total of 19 ducklings on the 29 <sup>th</sup> .
May	R=18/18	Present throughout, total of 11 ducklings on the 10 <sup>th</sup> , 15 ad+ 11 ducklings on the 19 <sup>th</sup> (1 duckling taken by Otter), 7 new ducklings on the 30 <sup>th</sup> .
June	R=13/13	Present throughout, 5 well grown ducklings on the 11 <sup>th</sup> , 7 new ducklings on 24 <sup>th</sup> , 4 new ducklings on the 25 <sup>th</sup> , total of 52 on the 30 <sup>th</sup> .
July	R=15/15	Present throughout, 64+ 7 juveniles on the 2 <sup>nd</sup> .

August	R=19/19	Present throughout, maximum 86 on the 29 <sup>th</sup> .
September	R=11/13	Present throughout, maximum 86 on the 8 <sup>th</sup> .
October	R=16/16	Present throughout, maximum 78 on the 5 <sup>th</sup> .
November	R=11/12	Present throughout, maximum 56 on the 10 <sup>th</sup> .
December	R=13/14	Present throughout, maximum 31 on the 2 <sup>nd</sup> .

---

### Shoveler *Anas clypeata*

April	R=10/19	2 males and 1 female recorded on 10 dates from the 9 <sup>th</sup> till the 19 <sup>th</sup> .
June	R=1/13	1 on the 24 <sup>th</sup> .
August	R=1/19	A juvenile on the 29 <sup>th</sup> .

---

### Pochard *Aythya ferina*

January	R=9/16	Present throughout, maximum 3 on the 27 <sup>th</sup> .
February	R=8/17	A male present on 8 dates throughout + a female on the 18 <sup>th</sup> .
March	R=1/18	A female on the 8 <sup>th</sup> .
May	R=6/18	A male on the 2 <sup>nd</sup> , 11 <sup>th</sup> , 12 <sup>th</sup> , 13 <sup>th</sup> , 14 <sup>th</sup> & 16 <sup>th</sup> .
November	R=2/12	A male on the 4 <sup>th</sup> & 6 <sup>th</sup> .

---

### Tufted Duck *Aythya fuligula*

January	R=16/16	Present throughout, maximum 68 on the 25 <sup>th</sup> .
February	R=17/17	Present throughout, maximum 94 on the 3 <sup>rd</sup> .
March	R=18/18	Present throughout, maximum 53 on the 3 <sup>rd</sup> .
April	R=19/19	Present throughout, maximum 48 on the 19 <sup>th</sup> .
May	R=18/18	Present throughout, maximum 34 on the 19 <sup>th</sup> .
June	R=13/13	Present throughout, maximum 32 on the 9 <sup>th</sup> .
July	R=15/15	Present throughout, 29 on the 2 <sup>nd</sup> , 2 ducklings on the 6 <sup>th</sup> , 9 ducklings on the 11 <sup>th</sup> , female with 6 ducklings on the 28 <sup>th</sup> .
August	R=19/19	Present throughout, 5 on the 4 <sup>th</sup> .
September	R=11/13	Present throughout, 5 on the 8 <sup>th</sup> .
October	R=15/16	Present throughout, maximum 36 on the 27 <sup>th</sup> .
November	R=12/12	Present throughout, maximum 40 on the 10 <sup>th</sup> .
December	R=14/14	Present throughout, maximum 33 on the 2 <sup>nd</sup> .

---

### Goldeneye *Bucephala clangula*

January	R=16/16	Present throughout, maximum 17 on the 20 <sup>th</sup> .
February	R=17/17	Present throughout, maximum 14 on the 12 <sup>th</sup> & 14 <sup>th</sup> .
March	R=9/18	Present throughout, maximum 6 on the 7 <sup>th</sup> .
October	R=4/16	1 flew over on the 24 <sup>th</sup> , 1 on the 28 <sup>th</sup> , 2 on the 29 <sup>th</sup> , 5 on the 31 <sup>st</sup> .
November	R=8/12	Present throughout, maximum 12 on the 26 <sup>th</sup> .
December	R=14/14	Present throughout, maximum 21 on the 19 <sup>th</sup> .

---

### Goosander *Mergus merganser*

January	R=6/16	1 on the 3 <sup>rd</sup> , 4 on the 13 <sup>th</sup> , 2 on the 15 <sup>th</sup> , 4 on the 22 <sup>nd</sup> , 2 on the 24 <sup>th</sup> & 26 <sup>th</sup> .
February	R=4/17	A female on the 2 <sup>nd</sup> , a male & female on the 5 <sup>th</sup> , 14 <sup>th</sup> & 15 <sup>th</sup> .

March	R=2/18	A male & female on the 3 <sup>rd</sup> & 15 <sup>th</sup> .
April	R=1/19	1 male on the 19 <sup>th</sup> .
October	R=2/16	7 on the 4 <sup>th</sup> , 1 flew over on the 17 <sup>th</sup> .
November	R=2/12	1 on the 17 <sup>th</sup> & 21 <sup>st</sup> .
December	R=6/14	5 flew over on the 13 <sup>th</sup> , a male on the 16 <sup>th</sup> , 19 <sup>th</sup> & 21 <sup>st</sup> , 3 on the 28 <sup>th</sup> , .2 on the 30 <sup>th</sup> .

---

### Red-legged Partridge *Alectoris rufa*

March	R=1/18	2 on the 14 <sup>th</sup> .
May	R=1/18	1 on the 13 <sup>th</sup> .

---

### Pheasant *Phasianus colchicus*

January	R=14/16	Recorded throughout, maximum 2 on the 1 <sup>st</sup> .
February	R=15/17	Recorded throughout.
March	R=16/18	Recorded throughout.
April	R=14/19	Recorded throughout.
May	R=13/18	Recorded throughout.
June	R=8/13	Recorded on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 9 <sup>th</sup> , 11 <sup>th</sup> , 16 <sup>th</sup> , 23 <sup>rd</sup> , 25 <sup>th</sup> & 30 <sup>th</sup> .
July	R=10/15	Recorded on 10 dates throughout.
August	R=9/19	Recorded on the 4 <sup>th</sup> , 6 <sup>th</sup> , 11 <sup>th</sup> , 13 <sup>th</sup> , 19 <sup>th</sup> , 20 <sup>th</sup> , 24 <sup>th</sup> , 25 <sup>th</sup> & 27 <sup>th</sup> .
September	R=6/13	Recorded on 6 scattered dates throughout.
October	R=7/16	1 to 3 birds recorded on 7 scattered dates throughout.
November	R=7/12	Recorded throughout.
December	R=7/14	Recorded on 7 scattered dates throughout.

---

### Cormorant *Phalacrocorax carbo*

January	R=16/16	Present throughout, maximum 19 on the 10 <sup>th</sup> , 14 including 2 race <i>P.c.sinensis</i> on the 22 <sup>nd</sup> .
February	R=17/17	Present throughout, maximum 14 including 4 race <i>P.c.sinensis</i> on the 28 <sup>th</sup> .
March	R=18/18	Present throughout, maximum 16 on the 3 <sup>rd</sup> including 2 race <i>P.c.sinensis</i> .
April	R=19/19	Recorded throughout, maximum 7 on the 19 <sup>th</sup> .
May	R=18/18	Present throughout, 6 on the 1 <sup>st</sup> , 5 <sup>th</sup> , 7 <sup>th</sup> 12 <sup>th</sup> .
June	R=13/13	Present throughout, 3 on the 1 <sup>st</sup> , 25 <sup>th</sup> & 27 <sup>th</sup> .
July	R=15/15	Present throughout, maximum 6 on the 25 <sup>th</sup> .
August	R=19/19	Present throughout, maximum 7 on the 16 <sup>th</sup> & 19 <sup>th</sup> .
September	R=13/13	Present throughout, maximum 7 on the 14 <sup>th</sup> .
October	R=15/16	Present throughout, maximum 17 on the 7 <sup>th</sup> .
November	R=12/12	Present throughout, maximum 10 on the 21 <sup>st</sup> & 26 <sup>th</sup> .
December	R=14/14	Present throughout, maximum 11 on the 5 <sup>th</sup> .

---

### Grey Heron *Ardea cinerea*

January	R=13/16	1 to 2 birds present throughout.
February	R=11/17	Present throughout, 5 on the 21 <sup>st</sup> .
March	R=8/18	1 on the 10 <sup>th</sup> , 15 <sup>th</sup> & 16 <sup>th</sup> , 3 on the 17 <sup>th</sup> , 1 on the 20 <sup>th</sup> & 22 <sup>nd</sup> , 3 on the 23 <sup>rd</sup> & .2 on the 25 <sup>th</sup> .

April	R=16/19	Present throughout, 2 + 1 with missing R wing feathers on the 18 <sup>th</sup> , 3 on the 21 <sup>st</sup> .
May	R=16/18	Present throughout, 4 on the 2 <sup>nd</sup> .
June	R=10/13	Present throughout, 3 on the 9 <sup>th</sup> .
July	R=15/15	Present throughout, 4 on the 7 <sup>th</sup> .
August	R=19/19	1 to 4 birds recorded throughout.
September	R=12/13	Recorded throughout, 3 on the 1 <sup>st</sup> & 4 <sup>th</sup> .
October	R=16/16	Recorded throughout, 3 on the 3 <sup>rd</sup> & 13 <sup>th</sup> .
November	R=6/12	1 on the 3 <sup>rd</sup> , 2 on the 10 <sup>th</sup> , 1 on the 17 <sup>th</sup> , 21 <sup>st</sup> & 24 <sup>th</sup> , 2 on the 26 <sup>th</sup> .
December	R=6/14	1 on the 2 <sup>nd</sup> & 3 <sup>rd</sup> , 2 on the 5 <sup>th</sup> & 8 <sup>th</sup> , 3 on the 19 <sup>th</sup> , 2 on the 21 <sup>st</sup> .

---

### Little Grebe *Tachybaptus rufficollis*

January	R=13/16	Present throughout, maximum 9 on the 3 <sup>rd</sup> .
February	R=17/17	Present throughout, maximum 10 on the 12 <sup>th</sup> & 14 <sup>th</sup> .
March	R=18/18	Present throughout, 7 on the 5 <sup>th</sup> .
April	R=1/19	1 on the 2 <sup>nd</sup> was the only record.
May	R=2/18	1 on the 9 <sup>th</sup> & 29 <sup>th</sup> .
June	R=6/13	2 on the 6 <sup>th</sup> , 1 on the 9 <sup>th</sup> & 24 <sup>th</sup> , Ad+1 well grown juv on the 25 <sup>th</sup> , 27 <sup>th</sup> & 30 <sup>th</sup> .
July	R=11/15	Present throughout, adult with 1 well grown young on the 6 <sup>th</sup> , 4 adults + 2 juv. on the 29 <sup>th</sup> .
August	R=18/19	Present throughout, 4 adults + 2 juveniles throughout, 7 on the 31 <sup>st</sup> .
September	R=13/13	Present throughout, maximum 12 on the 16 <sup>th</sup> & 24 <sup>th</sup> .
October	R=16/16	Present throughout, maximum 14 on the 11 <sup>th</sup> .
November	R=12/12	Present throughout, 12 on the 1 <sup>st</sup> & 10 <sup>th</sup> .
December	R=14/14	Present throughout, maximum 16 on the 2 <sup>nd</sup> .

---

### Great Crested Grebe *Podiceps cristatus*

January	R=15/16	Present throughout, 8 on the 31 <sup>st</sup> .
February	R=15/17	Present throughout, maximum 9 on the 5 <sup>th</sup> .
March	R=18/18	Present throughout, maximum 8 on the 12 <sup>th</sup> , 14 <sup>th</sup> , 19 <sup>th</sup> & 20 <sup>th</sup> .
April	R=19/19	Present throughout, nest with 1 egg on the 16 <sup>th</sup> , pair on nest with 2 eggs on the 17 <sup>th</sup> , pair on nest with 4 eggs on the 23 <sup>rd</sup> , 3 pair S lake + 3 single N lake on the 30 <sup>th</sup> .
May	R=18/18	Present throughout, 1 hatched + 4 eggs on the 10 <sup>th</sup> , 1 chick no eggs on 18 <sup>th</sup> , pair + 1 chick + 3 adult on the 24 <sup>th</sup> .
June	R=13/13	Present throughout, pair + 1 juv S lake & 5 adults N lake on the 11 <sup>th</sup> , nest with 2 eggs on the 13 <sup>th</sup> , pair S lake & 3 N lake with no sign of Juv on the 30 <sup>th</sup> .
July	R=9/15	Present till the 21 <sup>st</sup> , 1 pair with 1 juvenile S lake & 6 N lake on the 9 <sup>th</sup> , no sign of juvenile on the 17 <sup>th</sup> .
August	R=7/19	2 on the 11 <sup>th</sup> , 1 on the 16 <sup>th</sup> , 19 <sup>th</sup> , 20 <sup>th</sup> , 22 <sup>nd</sup> , 23 <sup>rd</sup> & 25 <sup>th</sup> .
September	R=11/13	1 on the 10 <sup>th</sup> .
October	R=3/16	2 on the 24 <sup>th</sup> , 1 on the 27 <sup>th</sup> , 6 on the 31 <sup>st</sup> .
November	R=10/12	Present throughout, 6 on the 26 <sup>th</sup> .
December	R=9/14	Present throughout, 5 on the 2 <sup>nd</sup> & 5 <sup>th</sup> .

---

## Red Kite *Milvus milvus*

January	R=9/16	1 to 2 birds recorded on 9 scattered dates throughout.
February	R=13/17	Recorded throughout, 3 on the 38 <sup>th</sup> .
March	R=16/18	1 to 2 birds recorded throughout, 2 calling over Coneygarth on the 14 <sup>th</sup> , 1 feeding on road kill rabbit in back field on the 20 <sup>th</sup> .
April	R=18/19	Recorded throughout, pair over Coneygarth on the 11 <sup>th</sup> , pair at nest on the 28 <sup>th</sup> & 29 <sup>th</sup> .
May	R=16/18	Recorded throughout, pair + 3 on the 3 <sup>rd</sup> , 1 carrying food to nest on the 20 <sup>th</sup> .
June	R=11/13	Recorded throughout, 2 on the 1 <sup>st</sup> , 9 <sup>th</sup> , 18 <sup>th</sup> & 27 <sup>th</sup> .
July	R=12/15	Recorded throughout, an adult with possible juvenile on the 9 <sup>th</sup> , carrying prey to wood on the 11 <sup>th</sup> , a pair confirmed to have bred and reared 2 young on the 13 <sup>th</sup> by Doug Simpson, juv feeding in back field on the 31 <sup>st</sup> + 5 adults to N.
August	R=4/19	1 on the 6 <sup>th</sup> & 19 <sup>th</sup> , 2 on the 29 <sup>th</sup> , 1 on the 30 <sup>th</sup> .
September	R=7/13	Recorded throughout, 5 over Coney Garth on the 18 <sup>th</sup> .
October	R=9/16	Recorded on 9 scattered dates throughout, maximum 4 on the 1 <sup>st</sup> & 17 <sup>th</sup> .
November	R=4/12	2 on the 1 <sup>st</sup> , 1 on the 7 <sup>th</sup> , 4 on the 10 <sup>th</sup> , 3 on the 24 <sup>th</sup> .
December	R=4/14	2 on the 4 <sup>th</sup> , 1 on the 5 <sup>th</sup> , 19 <sup>th</sup> & 31 <sup>st</sup> .

---

## Hen Harrier *Circus cyaneus*

December	R=1/14	A ringtail over back field chased by Carrion Crows on the 15 <sup>th</sup> watched for 2 minutes before being lost in gloom over gun club ( R.B.).
----------	--------	--

---

## Sparrowhawk *Accipiter nisus*

January	R=10/16	Recorded throughout, 3 on the 17 <sup>th</sup> .
February	R=8/17	1 on the 1 <sup>st</sup> , 2 <sup>nd</sup> , 7 <sup>th</sup> , 10 <sup>th</sup> , 14 <sup>th</sup> , 15 <sup>th</sup> , 16 <sup>th</sup> & 24 <sup>th</sup> .
March	R=10/18	Singles on 10 scattered dates throughout.
April	R=9/19	1 on the 9 <sup>th</sup> , 11 <sup>th</sup> , 14 <sup>th</sup> & 15 <sup>th</sup> , 2 on the 18 <sup>th</sup> , 1 on the 19 <sup>th</sup> , 21 <sup>st</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> .
May	R=6/18	1 on the 2 <sup>nd</sup> , 2 on the 3 <sup>rd</sup> & 9 <sup>th</sup> , 1 on the 10 <sup>th</sup> , 16 <sup>th</sup> & 20 <sup>th</sup> .
June	R=1/13	1 on the 9 <sup>th</sup> .
July	R=5/15	1 on the 5 <sup>th</sup> , 7 <sup>th</sup> , 11 <sup>th</sup> & 18 <sup>th</sup> , 2 on the 29 <sup>th</sup> .
August	R=7/19	1 on the 2 <sup>nd</sup> , 5 <sup>th</sup> , 8 <sup>th</sup> , 9 <sup>th</sup> , 13 <sup>th</sup> , 23 <sup>rd</sup> & 25 <sup>th</sup> .
September	R=7/13	1 on 1 <sup>st</sup> , 2 on the 3 <sup>rd</sup> , 1 on the 4 <sup>th</sup> , 5 <sup>th</sup> , 6 <sup>th</sup> , 10 <sup>th</sup> & 14 <sup>th</sup> .
October	R=7/16	Recorded on 7 scattered dates throughout, 2 on the 20 <sup>th</sup> .
November	R=7/12	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 10 <sup>th</sup> , 21 <sup>st</sup> , 24 <sup>th</sup> , 26 <sup>th</sup> & 28 <sup>th</sup> .
December	R=8/14	1 on the 2 <sup>nd</sup> , 12 <sup>th</sup> , 13 <sup>th</sup> , 19 <sup>th</sup> , 21 <sup>st</sup> , 28 <sup>th</sup> , 29 <sup>th</sup> & 31 <sup>st</sup> .

---

## Buzzard *Buteo buteo*

January	R=15/16	Recorded throughout, 6 on the 20 <sup>th</sup> .
February	R=14/17	Recorded throughout 6 on the 10 <sup>th</sup> .
March	R=16/18	Recorded throughout, 10 on the 22 <sup>nd</sup> .
April	R=18/19	Recorded throughout, 8 on the 16 <sup>th</sup> .
May	R=15/18	Recorded throughout, 8 on the 3 <sup>rd</sup> .
June	R=9/11	Recorded throughout, 4 on the 1 <sup>st</sup> & 6 <sup>th</sup> .

July	R=14/15	Recorded throughout, 4 playing together over Coney Garth on the 28 <sup>th</sup> .
August	R=18/19	Recorded throughout, 1 calling over Gibbet wood on the 9 <sup>th</sup> (J.R.M.), .6 on the 11 <sup>th</sup> & 20 <sup>th</sup> .
September	R=10/13	Recorded throughout, 5 on the 18 <sup>th</sup> .
October	R=11/16	Recorded throughout, 4 on the 17 <sup>th</sup> .
November	R=5/12	1 on the 7 <sup>th</sup> , 9 <sup>th</sup> , 10 <sup>th</sup> , 21 <sup>st</sup> & 26 <sup>th</sup> .
December	R=7/14	1 on the 4 <sup>th</sup> , 3 on the 8 <sup>th</sup> , 1 on 16 <sup>th</sup> , 19 <sup>th</sup> & 28 <sup>th</sup> , 2 on the 29 <sup>th</sup> , 1 on the 31 <sup>st</sup> .

---

### Osprey *Pandion haliaetus*

August	R=2/19	1 flew in @ 3.30 p.m. caught Perch and flew off W on the 29 <sup>th</sup> (J.E.A./M.W.), 1 appeared @ 10 a.m. stayed till 12 a.m. seen to catch small fish twice on the 30 <sup>th</sup> (J.E.A./L.L./P & M R.).
--------	--------	--

---

### Moorhen *Gallinula chloropus*

January	R=16/16	Present throughout month, 14 on the 22 <sup>nd</sup> .
February	R=16/17	Present throughout month, maximum 20 on the 5 <sup>th</sup> .
March	R=18/18	Present throughout, maximum 14 on the 5 <sup>th</sup> .
April	R=19/19	Present throughout month, 13 on the 2 <sup>nd</sup> .
May	R=17/18	Present throughout, 8 on the 19 <sup>th</sup> .
June	R=13/13	Present throughout, 8 on the 9 <sup>th</sup> .
July	R=15/15	Present throughout, 9 on the 2 <sup>nd</sup> , 2 juveniles on 18 <sup>th</sup> , 2 new chicks on 21 <sup>st</sup> .
August	R=19/19	Present throughout, 20 on the 6 <sup>th</sup> .
September	R=13/13	Present throughout, 2 small young on the 1 <sup>st</sup> , 20 on the 8 <sup>th</sup> .
October	R=10/16	Present throughout, 23 on the 5 <sup>th</sup> .
November	R=12/12	Present throughout, 14 on the 10 <sup>th</sup> .
December	R=13/14	Present throughout, 13 on the 2 <sup>nd</sup> .

---

### Coot *Fulica atra*

January	R=16/16	Present throughout month, maximum 39 on the 22 <sup>nd</sup> .
February	R=17/17	Present throughout, maximum 38 on the 5 <sup>th</sup> .
March	R=18/18	Present throughout, maximum 9 on the 5 <sup>th</sup> .
April	R=19/19	Present throughout month, 14 on the 2 <sup>nd</sup> .
May	R=18/18	Present throughout, 7 on the 19 <sup>th</sup> .
June	R=13/13	Present throughout, 8 on the 9 <sup>th</sup> .
July	R=15/15	Present throughout, 4 on the 2 <sup>nd</sup> , 1 juvenile on the 18 <sup>th</sup> .
August	R=19/19	Present throughout, 5 on the 6 <sup>th</sup> .
September	R=13/13	Present throughout, 11 on the 8 <sup>th</sup> .
October	R=10/16	Present throughout, 2 on the 17 <sup>th</sup> , 18 <sup>th</sup> & 27 <sup>th</sup> .
November	R=12/12	Present throughout, 11 on the 30 <sup>th</sup> .
December	R=14/14	Present throughout, maximum 14 on the 16 <sup>th</sup> .

---

### Oystercatcher *Haematopus ostralegus*

January	R=1/16	2 on the 31 <sup>st</sup> .
February	R=14/17	Recorded throughout, 5 on the 10 <sup>th</sup> , 14 <sup>th</sup> , 15 <sup>th</sup> & 28 <sup>th</sup> .
March	R=16/18	Recorded throughout, maximum 14 on the 5 <sup>th</sup> .



April	R=19/19	Present throughout, 8 on the 9 <sup>th</sup> .
May	R=18/18	Present throughout, 3 pair on the 3 <sup>rd</sup> , pair with nest on the 9 <sup>th</sup> , 2 chicks on 19 <sup>th</sup> , 1 chick on the 23 <sup>rd</sup> till month end.
June	R=13/13	Present throughout, 8 + 1 chick on the 1 <sup>st</sup> , pair observed mating on the 18 <sup>th</sup> .
July	R=14/15	Present throughout, 10 on the 7 <sup>th</sup> .
August	R=1/19	1 on the 26 <sup>th</sup> .

---

### Golden Plover *Pluvialis apricaria*

November	R=1/12	c30 flew over on the 1 <sup>st</sup> .
December	R=1/14	40 flew over W on the 13 <sup>th</sup> .

---

### Lapwing *Vanellus vanellus*

January	R=16/16	Recorded throughout, maximum 454 on the 25 <sup>th</sup> .
February	R=17/17	Recorded throughout, maximum c250 on the 7 <sup>th</sup> .
March	R=10/18	Recorded on 10 dates throughout, 20 on the 15 <sup>th</sup> .
April	R=14/19	Recorded throughout, 8 on the 14 <sup>th</sup> .
May	R=12/18	Recorded throughout, 4 on the 1 <sup>st</sup> & 2 <sup>nd</sup> .
June	R=12/13	Present throughout, 58 on the 30 <sup>th</sup> .
July	R=15/15	Present throughout, maximum 313 on the 23 <sup>rd</sup> .
August	R=19/19	Present throughout, maximum c250 on the 2 <sup>nd</sup> .
September	R=12/13	Present throughout, maximum c150 on the 12 <sup>th</sup> .
October	R=15/16	Present throughout, maximum 310 on the 1 <sup>st</sup> .
November	R=8/12	Present throughout, 70 on the 1 <sup>st</sup> , 120 flew over on the 10 <sup>th</sup> .
December	R=9/14	Present throughout, 40 on the 19 <sup>th</sup> .

---

### Little Ringed Plover *Charadrius dubius*

March	R=1/18	1 flew through N on the 17 <sup>th</sup> (J.E.A./R.B.)
April	R=15/19	Present throughout, 6 on the 14 <sup>th</sup> , a pair on Is.3 & a pair on Is.4 on the 28 <sup>th</sup> .
May	R=16/18	Present throughout, pair mating on the 16 <sup>th</sup> , 4 on the 14 <sup>th</sup> , 16 <sup>th</sup> , 19 <sup>th</sup> & 20 <sup>th</sup> .
June	R=11/13	Present throughout, 3 on the 6 <sup>th</sup> .
July	R=2/15	2 on the 4 <sup>th</sup> & 1 on the 8 <sup>th</sup> .
September	R=2/13	1 on the 12 <sup>th</sup> & 16 <sup>th</sup> .

---

### Ringed Plover *Charadrius hiaticula*

May	R=9/18	1 on the 21 <sup>st</sup> , 22 <sup>nd</sup> , 23 <sup>rd</sup> , 24 <sup>th</sup> , 25 <sup>th</sup> , 27 <sup>th</sup> , 28 <sup>th</sup> , 29 <sup>th</sup> & 30 <sup>th</sup> .
-----	--------	---

---

### Whimbrel *Numenius phaeopus*

April	R=1/19	2 on Island 4 for 10 mins. left N at 11.30 p.m. on the 19 <sup>th</sup> (J.E.A./R.B.)
-------	--------	---

---

### Curlew *Numenius arquata*

March	R=1/18	1 flew over on the 20 <sup>th</sup> .
April	R=2/19	1 flew over on the 2 <sup>nd</sup> & 4 <sup>th</sup> .
May	R=1/18	1 calling on the 13 <sup>th</sup> .

June	R=2/13	1 on the 11 <sup>th</sup> , 1 flew over on the 30 <sup>th</sup> .
July	R=3/14	Adult + 1 juvenile on the 2 <sup>nd</sup> , a juvenile on the 4 <sup>th</sup> & 5 <sup>th</sup> .
August	R=4/19	2 flew over on the 2 <sup>nd</sup> , 1 on the 16 <sup>th</sup> & 17 <sup>th</sup> , 2 flew over on the 27 <sup>th</sup> .
September	R=1/13	1 flew over on the 4 <sup>th</sup> .
November	R=1/12	1 on the 1 <sup>st</sup> .

---

### Black-tailed Godwit *Limosa limosa*

July	R=1/15	7 flew onto island 4 until flushed by Sparrowhawk on the 23 <sup>rd</sup> (J.E.A.).
------	--------	---

---

### Knot *Calidris canutus*

May	R=1/18	1 on island 3 & 4 with Dunlins on the 19 <sup>th</sup> (J.E.A.).
-----	--------	--

---

### Ruff *Calidris pugnax*

June	R=1/13	An adult male on the 26 <sup>th</sup> (J.E.A.).
July	R=1/15	1 on the 30 <sup>th</sup> .

---

### Dunlin *Calidris alpina*

March	R=1/18	1 on the 14 <sup>th</sup> .
April	R=2/19	1 on the 25 <sup>th</sup> & 29 <sup>th</sup> .
May	R=9/18	1 on the 4 <sup>th</sup> , 2 on the 5 <sup>th</sup> , 9 <sup>th</sup> , 1 on 13 <sup>th</sup> , 16 <sup>th</sup> , 17 <sup>th</sup> , 2 on the 19 <sup>th</sup> , 20 <sup>th</sup> & 21 <sup>st</sup> .
July	R=1/15	3 on the 22 <sup>nd</sup> .
August	R=1/19	1 on the 16 <sup>th</sup> .

---

### Common Sandpiper *Actitis hypoleucos*

April	R=4/19	1 on the 13 <sup>th</sup> , 2 on the 14 <sup>th</sup> , 4 on the 29 <sup>th</sup> & 30 <sup>th</sup> .
May	R=7/18	1 on the 1 <sup>st</sup> , 2 <sup>nd</sup> & 4 <sup>th</sup> , 4 on the 5 <sup>th</sup> , 2 on the 6 <sup>th</sup> & 9 <sup>th</sup> , 1 on the 18 <sup>th</sup> .
June	R=1/13	1 on the 25 <sup>th</sup> .
July	R=8/15	Present on 8 scattered dates throughout, 5 on the 7 <sup>th</sup> .
August	R=16/19	Recorded throughout, 3 on the 24 <sup>th</sup> .
September	R=4/13	1 on the 1 <sup>st</sup> , 2 on the 2 <sup>nd</sup> & 3 <sup>rd</sup> , 1 on the 4 <sup>th</sup> .

---

### Green Sandpiper *Tringa ochropus*

August	R=4/19	1 on the 16 <sup>th</sup> (J.E.A./P & K L.), 1 on the 25 <sup>th</sup> (J.E.A.), 1 on the 28 <sup>th</sup> (L.L./R.B.), 1 on the 29 <sup>th</sup> (J.E.A. et al).
September	R=1/13	1 on the 1 <sup>st</sup> .

---

### Greenshank *Tringa nebularia*

July	R=2/15	1 on the 30 <sup>th</sup> & 31 <sup>st</sup> .
August	R=19/19	1 to 3 birds daily from the 11 <sup>th</sup> till the 31 <sup>st</sup> .
September	R=4/13	6 on the 1 <sup>st</sup> , 1 on the 2 <sup>nd</sup> , 3 <sup>rd</sup> & 4 <sup>th</sup> .

---

## Redshank *Tringa totanus*

February	R=1/17	1 on the 28 <sup>th</sup> .
March	R=3/18	1 on the 17 <sup>th</sup> , 23 <sup>rd</sup> & 25 <sup>th</sup> .
April	R=2/19	1 flew over on the 8 <sup>th</sup> , 1 on the 13 <sup>th</sup> .
May	R=2/18	2 on the 22 <sup>nd</sup> .
July	R=3/15	1 on the 2 <sup>nd</sup> , 3 on the 18 <sup>th</sup> , 2 on the 25 <sup>th</sup> .
August	R=3/19	2 flew over on the 22 <sup>nd</sup> , 1 on the 24 <sup>th</sup> , 1 flew over on the 29 <sup>th</sup> .
October	R=1/16	1 on the 21 <sup>st</sup> .
November	R=1/12	1 on the 22 <sup>nd</sup> .

---

## Jack Snipe *Lymnocyptes minimus*

January	R=6/15	1 on the 4 <sup>th</sup> (J.E.A.).
---------	--------	------------------------------------

---

## Woodcock *Scolopax rusticola*

January	R=1/16	1 N marsh on the 25 <sup>th</sup> (R.B).
March	R=1/18	1 N marsh & 1 S end on the 20 <sup>th</sup> (R.B).

---

## Snipe *Gallinago gallinago*

January	R=6/15	Recorded on 6 dates throughout, 9 on the 15 <sup>th</sup> .
February	R=7/17	Recorded on 7 dates between 2 <sup>nd</sup> & 25 <sup>th</sup> , 23 flushed main island on the 25 <sup>th</sup> .
March	R=6/18	2 on the 12 <sup>th</sup> , 1 on the 16 <sup>th</sup> & 20 <sup>th</sup> , 4 on the 23 <sup>rd</sup> , 3 on 25 <sup>th</sup> & 1 on 31 <sup>st</sup> .
April	R=10/19	1 on the 4 <sup>th</sup> , 2 on the 6 <sup>th</sup> , 3 on 8 <sup>th</sup> & 9 <sup>th</sup> , 1 on 11 <sup>th</sup> , 14 <sup>th</sup> , 15 <sup>th</sup> , 16 <sup>th</sup> , 19 <sup>th</sup> & 21 <sup>st</sup> .
May	R=1/18	1 on the 2 <sup>nd</sup> .
July	R=2/15	2 on the 16 <sup>th</sup> , 1 on the 31 <sup>st</sup> .
August	R=11/19	1 to 4 birds on 11 dates throughout.
September	R=9/13	Recorded throughout, 4 on the 3 <sup>rd</sup> & 10 <sup>th</sup> .
October	R=14/16	Present throughout, 12 on the 5 <sup>th</sup> & 24 <sup>th</sup> .
November	R=4/12	4 on the 2 <sup>nd</sup> , 3 on the 3 <sup>rd</sup> & 10 <sup>th</sup> , 1 flew over on the 14 <sup>th</sup> .
December	R=5/14	2 on the 2 <sup>nd</sup> & 4 <sup>th</sup> , 1 on the 5 <sup>th</sup> , 4 on the 12 <sup>th</sup> , 1 on the 13 <sup>th</sup> .

---

## Common Tern *Sterna hirundo*

April	R=11/19	1 with ring on R leg on the 14 <sup>th</sup> , then present till month end, 5 on the 30 <sup>th</sup> .
May	R=18/18	Present throughout, 5 pair on the 24 <sup>th</sup> & 30 <sup>th</sup> .
June	R=13/13	Present throughout, 6 pair-1 pair feeding young on the 13 <sup>th</sup> , pair with 2 chicks & pair with 1 chick on the 22 <sup>nd</sup> , pair with 2 new chicks on the 25 <sup>th</sup> .
July	R=15/15	Present throughout, 1 juvenile flying on the 8 <sup>th</sup> , 2 pair with 1 juvenile each + pair with nest on the 11 <sup>th</sup> , 3 juveniles not fledged from Farnham on the 16 <sup>th</sup> , 4 adults + 2 juveniles on the 21 <sup>st</sup> , 2 new chicks on the 22 <sup>nd</sup> .
August	R=3/19	1 on the 2 <sup>nd</sup> & 4 <sup>th</sup> , 3 on the 6 <sup>th</sup> , of the 6 pairs present only 2 pair were successful each pair fledging 1 juvenile.

---

### Black Tern *Chlidonias niger*

April R=2/19 An adult flew in at 3.30 p.m. on the 19<sup>th</sup>. (J.E.A.), was still present on the 20<sup>th</sup> and departed at 7.00 p.m. (M.S.).

---

### Arctic Tern *Sterna paradisaea*

April R=1/19 1 flew over @ 07.45, 1 flew over @ 15.00, 2 flew over @ 16.45 on the 14<sup>th</sup> (R.B.).

---

### Black-headed Gull *Chroicocephalus ridibundus*

January R=16/16 Present throughout, 50+ on the 22<sup>nd</sup>.  
February R=17/17 Present throughout, 120 on the 12<sup>th</sup>.  
March R=18/18 Present throughout, maximum 220 on the 10<sup>th</sup>.  
April R=18/19 Present throughout, maximum 220 on the 16<sup>th</sup>.  
May R=10/10 Present throughout, 60 on the 19<sup>th</sup>.  
June R=12/13 Present throughout, 70+ on the 11<sup>th</sup>.  
July R=15/15 Present throughout, 80 on the 11<sup>th</sup>.  
August R=19/19 Present throughout, maximum 110 on the 11<sup>th</sup>.  
September R=13/13 Present throughout, maximum 80 on the 1<sup>st</sup>.  
October R=16/16 Present throughout, c250 on the 10<sup>th</sup>.  
November R=12/12 Present throughout, maximum 250 on the 26<sup>th</sup>.  
December R=13/14 Present throughout, maximum 210 on the 21<sup>st</sup>.

---

### Little Gull *Hydrocoloeus minutus*

July R=1/15 1 first summer adult on the 4<sup>th</sup> (J.E.A.).  
August R=1/19 1 juvenile on the 16<sup>th</sup> (L.L.)

---

### Mediterranean Gull *Larus melanocephalus*

May R=1/18 2 adults for 10 minutes on the 29<sup>th</sup> (J.E.A.).  
June R=1/13 An adult on the 19<sup>th</sup> (R.B.).

---

### Common Gull *Larus canus*

January R=11/16 Recorded throughout, 5 on the 8<sup>th</sup> & 20<sup>th</sup>.  
February R=10/17 Recorded throughout, 8 on the 12<sup>th</sup>.  
March R=16/18 Recorded throughout, maximum 12 on the 17<sup>th</sup>.  
April R=12/19 Recorded on 12 dates throughout, 7 on the 7<sup>th</sup>.  
May R=12/18 Recorded on 12 dates throughout, 5 on the 9<sup>th</sup>.  
June R=6/13 1 on the 1<sup>st</sup>, 2 on the 3<sup>rd</sup>, 4 on the 6<sup>th</sup>, 1 on the 13<sup>th</sup>, 16<sup>th</sup> & 27<sup>th</sup>.  
July R=2/15 1 on the on the 21<sup>st</sup> & 25<sup>th</sup>.  
August R=9/19 1 on the 6, 2 on the 8<sup>th</sup>, 8 on the 11<sup>th</sup>, 5 on the 13<sup>th</sup>, 1 on the 20<sup>th</sup>, 22<sup>nd</sup>, 23<sup>rd</sup> & 24<sup>th</sup>, 8 on the 29<sup>th</sup>.  
September R=6/13 2 on the 1<sup>st</sup>, 1 on the 3<sup>rd</sup> & 6<sup>th</sup>, 3 on the 10<sup>th</sup> & 26<sup>th</sup>, 1 on the 27<sup>th</sup>.  
October R=9/16 Recorded on 9 scattered dates throughout, 10 on the 24<sup>th</sup>.  
November R=9/12 Recorded throughout, 6 on the 3<sup>rd</sup>.

December R=8/14 Recorded throughout, 8 on the 21<sup>st</sup>.

---

### Lesser Black-backed Gull *Larus fuscus*

March R=2/18 2 on the 12<sup>th</sup> & 1 on the 31<sup>st</sup>.  
April R=4/19 1 on the 12<sup>th</sup>, 2 on the 16<sup>th</sup>, 1 on the 28<sup>th</sup> & 29<sup>th</sup>.  
May R=6/18 2 on the 3<sup>rd</sup>, 1 on the 9<sup>th</sup> & 10<sup>th</sup>, 10 on the 22<sup>nd</sup>, 1 on the 23<sup>rd</sup> & 24<sup>th</sup>.  
June R=2/13 1 on the 6<sup>th</sup> & 25<sup>th</sup>.  
July R=5/15 2 on the 13<sup>th</sup>, 18<sup>th</sup>, 23<sup>rd</sup> & 25<sup>th</sup>, 1 on the 27<sup>th</sup>.  
August R=3/19 1 on the 11<sup>th</sup> & 23<sup>rd</sup>, 4 on the 29<sup>th</sup>.  
September R=2/13 1 on the 10<sup>th</sup> & 26<sup>th</sup>.  
October R=4/16 1 on the 1<sup>st</sup>, 4<sup>th</sup> & 27<sup>th</sup>, 12 on the 31<sup>st</sup>.  
November R=3/12 2 on the 2<sup>nd</sup>, 1 on the 10<sup>th</sup> & 17<sup>th</sup>.  
December R=1/14 1 on the 5<sup>th</sup>.

---

### Herring Gull *Larus argentatus*

January R=11/16 Recorded throughout, maximum 60+ on the 6<sup>th</sup>.  
February R=11/17 Recorded throughout, 8 on the 14<sup>th</sup>.  
March R=16/18 Recorded throughout, maximum 22 on the 16<sup>th</sup>.  
April R=11/19 Recorded on 11 dates throughout, 7 on the 18<sup>th</sup>.  
May R=3/18 1 on the 3<sup>rd</sup>, 9<sup>th</sup> & 30<sup>th</sup>.  
June R=1/13 1 on the 11<sup>th</sup>.  
July R=1/15 1 on the 23<sup>rd</sup>.  
August R=8/19 1 to 5 birds on 8 scattered dates throughout.  
September R=5/13 1 on the 4<sup>th</sup> & 8<sup>th</sup>, 3 on the 12<sup>th</sup>, 1 on the 14<sup>th</sup>, 10 on the 26<sup>th</sup>.  
October R=6/16 1 on the 3<sup>rd</sup>, 2 on the 10<sup>th</sup>, 1 on the 17<sup>th</sup>, 2 on the 18<sup>th</sup>, 1 on the 20<sup>th</sup>, 2 on the 31<sup>st</sup>.  
November R=7/12 Recorded throughout, 16 on the 28<sup>th</sup>.  
December R=7/14 Recorded on 7 scattered dates throughout, 16 on the 5<sup>th</sup>.

---

### Great Black-backed Gull *Larus marinus*

January R=6/16 3 on the 3<sup>rd</sup>, 40+ on the 6<sup>th</sup>, 1 on the 8<sup>th</sup>, 2 on the 15<sup>th</sup> & 20<sup>th</sup>, 1 on the 31<sup>st</sup>.  
February R=4/17 2 on the 3<sup>rd</sup>, 5<sup>th</sup>, 10<sup>th</sup> & 14<sup>th</sup>.  
March R=6/15 2 on the 16<sup>th</sup>, 1 on the 17<sup>th</sup>, 19<sup>th</sup>, 22<sup>nd</sup>, 25<sup>th</sup> & 31<sup>st</sup>.  
April R=5/19 1 on the 2<sup>nd</sup>, 4<sup>th</sup> & 9<sup>th</sup>, 4 on the 28<sup>th</sup>, 2 on the 30<sup>th</sup>.  
May R=8/18 1 on the 2<sup>nd</sup>, 6 on the 3<sup>rd</sup>, 2 on the 5<sup>th</sup>, 4 on the 9<sup>th</sup>, 1 on the 12<sup>th</sup>, 2 on the 14<sup>th</sup>, 4 on the 16<sup>th</sup> & 1 on the 20<sup>th</sup>.  
June R=4/13 7 on the 1<sup>st</sup>, 2 on the 6<sup>th</sup> & 16<sup>th</sup>, 1 on the 27<sup>th</sup>.  
July R=1/15 1 on the 9<sup>th</sup>.  
August R=1/19 1 on the 29<sup>th</sup>.  
October R=2/16 2 on the 31<sup>st</sup>.  
November R=2/12 1 on the 10<sup>th</sup>, 2 on the 24<sup>th</sup>.

---

### Stock Dove *Columba oenas*

January R=11/16 2 on the 1<sup>st</sup>.

March	R=6/18	2 on the 10 <sup>th</sup> & 12 <sup>th</sup> , 1 on the 16 <sup>th</sup> & 17 <sup>th</sup> , 5 on the 20 <sup>th</sup> , 4 on the 22 <sup>nd</sup> & 1 on the 23 <sup>rd</sup> & 31 <sup>st</sup> .
April	R=11/19	Recorded on 11 dates throughout, 4 on the 4 <sup>th</sup> , 14 <sup>th</sup> & 15 <sup>th</sup> , pair at nest hole on the 30 <sup>th</sup> .
May	R=3/18	2 on the 2 <sup>nd</sup> , 1 on the 3 <sup>rd</sup> & 7 <sup>th</sup> .
June	R=3/13	1 on the 11 <sup>th</sup> , 2 flew over on the 18 <sup>th</sup> , 2 on the 23 <sup>rd</sup> .
July	R=4/15	1 on the 9 <sup>th</sup> & 11 <sup>th</sup> , 2 on the 18 <sup>th</sup> & 21 <sup>st</sup> .
August	R=4/19	3 on the 1 on the 20 <sup>th</sup> & 23 <sup>rd</sup> , 2 on the 25 <sup>th</sup> .
September	R=5/13	1 on the 1 <sup>st</sup> , 2 on the 3 <sup>rd</sup> & 6 <sup>th</sup> , 1 on the 8 <sup>th</sup> & 26 <sup>th</sup> .
October	R=2/16	1 on the 1 <sup>st</sup> & 27 <sup>th</sup> .
November	R=1/12	1 on the 10 <sup>th</sup> .

---

### Wood Pigeon *Columba palumbus*

January	R=16/16	Present throughout, 200+ on the 10 <sup>th</sup> .
February	R=17/17	Present throughout.
March	R=18/18	Present throughout, 150+ on the 19 <sup>th</sup> .
April	R=19/19	Present throughout.
May	R=18/18	Present throughout.
June	R=13/13	Present throughout.
July	R=15/15	Present throughout.
August	R=18/19	Present throughout.
September	R=13/13	Present throughout.
October	R=16/16	Present throughout.
November	R=12/12	Present throughout.
December	R=13/14	Present throughout.

---

### Collared Dove *Streptopelia decaocto*

March	R=1/18	1 flew over on the 16 <sup>th</sup> .
April	R=1/19	1 flew over on the 15 <sup>th</sup> .
May	R=1/18	1 on the 14 <sup>th</sup> .
June	R=1/13	1 flew over on the 16 <sup>th</sup> .
July	R=1/15	1 flew over on the 30 <sup>th</sup> .

---

### Turtle Dove *Streptopelia turtur*

July	R=1/15	1 singing on the 7 <sup>th</sup> (R.B.).
August	R=1/19	1 calling on the 2 <sup>nd</sup> (R.B./L.L.)

---

### Cuckoo *Cuculus canorus*

June	R=1/13	1 calling on the 30 <sup>th</sup> .
------	--------	-------------------------------------

---

### Tawny Owl *Strix aluco*

March	R=1/18	1 on the 24 <sup>th</sup> .
May	R=2/18	1 calling on the 3 <sup>rd</sup> & 1 on the 16 <sup>th</sup> .
July	R=1/15	1 on the 24 <sup>th</sup> .

August	R=3/19	2 on the 2 <sup>nd</sup> , 1 on the 19 & 1 calling on the 25 <sup>th</sup> .
September	R=1/13	1 calling on the 26 <sup>th</sup> .
October	R=1/16	1 calling on the 24 <sup>th</sup> .

---

### Swift *Apus apus*

April	R=1/19	1 on the 29 <sup>th</sup> .
May	R=14/18	Recorded throughout, 22 on the 2 <sup>nd</sup> .
June	R=9/13	Present throughout, maximum 30+ on the 27 <sup>th</sup> .
July	R=15/15	Present throughout, maximum 30+ on the 2 <sup>nd</sup> .
August	R=8/19	Present on 8 scattered dates, 14 on the 4 <sup>th</sup> , 2 on the 29 <sup>th</sup> was the last.

---

### Kingfisher *Alcedo atthis*

January	R=7/16	1 on the 3 <sup>rd</sup> , 6 <sup>th</sup> , 13 <sup>th</sup> , 18 <sup>th</sup> , 24 <sup>th</sup> , 25 <sup>th</sup> & 31 <sup>st</sup> .
February	R=6/17	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 7 <sup>th</sup> , 14 <sup>th</sup> , 15 <sup>th</sup> & 16 <sup>th</sup> .
March	R=6/18	1 on the 7 <sup>th</sup> , 14 <sup>th</sup> , 15 <sup>th</sup> , 16 <sup>th</sup> , 20 <sup>th</sup> & 21 <sup>st</sup> .
April	R=1/19	1 on the 22 <sup>nd</sup> .
May	R=3/18	1 on the 13 <sup>th</sup> , 23 <sup>rd</sup> & 24 <sup>th</sup> .
June	R=3/13	1 on the 1 <sup>st</sup> , 9 <sup>th</sup> & 25 <sup>th</sup> .
July	R=8/15	1 on the 2 <sup>nd</sup> , 7 <sup>th</sup> , 9 <sup>th</sup> , 22 <sup>nd</sup> & 24 <sup>th</sup> , 2 on the 25 <sup>th</sup> & 27 <sup>th</sup> , 1 on the 31 <sup>st</sup> .
August	R=12/19	1 to 2 birds on 12 scattered dates throughout.
September	R=7/13	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> & 4 <sup>th</sup> , 2 on the 8 <sup>th</sup> & 10 <sup>th</sup> , 1 on the 12 <sup>th</sup> & 14 <sup>th</sup> .
October	R=3/16	1 on the 1 <sup>st</sup> , 2 on the 9 <sup>th</sup> & 20 <sup>th</sup> .
November	R=2/12	1 on the 1 <sup>st</sup> , 2 on the 10 <sup>th</sup> .

---

### Green Woodpecker *Picus viridis*

January	R=3/16	1 on the 3 <sup>rd</sup> , 8 <sup>th</sup> & 27 <sup>th</sup> .
February	R=7/17	1 on the 5 <sup>th</sup> , 12 <sup>th</sup> , 14 <sup>th</sup> , 15 <sup>th</sup> , 17 <sup>th</sup> , 24 <sup>th</sup> & 28 <sup>th</sup> .
March	R=6/18	1 on the 3 <sup>rd</sup> & 5 <sup>th</sup> , 2 on the 10 <sup>th</sup> , 1 on the 12 <sup>th</sup> , 16 <sup>th</sup> & 17 <sup>th</sup> .
April	R=5/17	1 on the 2 <sup>nd</sup> , 4 <sup>th</sup> , 8 <sup>th</sup> , 11 <sup>th</sup> & 16 <sup>th</sup> .
May	R=6/18	1 on the 10 <sup>th</sup> , 13 <sup>th</sup> , 19 <sup>th</sup> , 20 <sup>th</sup> , 27 <sup>th</sup> & 30 <sup>th</sup> .
June	R=1/13	1 on the 6 <sup>th</sup> .
July	R=4/15	1 on the 21 <sup>st</sup> , 28 <sup>th</sup> , 29 <sup>th</sup> & 31 <sup>st</sup> .
August	R=11/19	Present on 11 dates throughout.
September	R=6/13	1 on the 4 <sup>th</sup> , 6 <sup>th</sup> , 8 <sup>th</sup> , 12 <sup>th</sup> , 22 <sup>nd</sup> & 27 <sup>th</sup> .
October	R=8/16	1 on the 3 <sup>rd</sup> , 4 <sup>th</sup> , 6 <sup>th</sup> , 9 <sup>th</sup> , 13 <sup>th</sup> , 24 <sup>th</sup> , 27 <sup>th</sup> & 31 <sup>st</sup> .
November	R=4/12	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 10 <sup>th</sup> & 24 <sup>th</sup> .
December	R=3/14	1 on the 2 <sup>nd</sup> , 5 <sup>th</sup> & 21 <sup>st</sup> .

---

### Great Spotted Woodpecker *Dendrocopos major*

January	R=11/16	Recorded throughout, 2 on the 18 <sup>th</sup> .
February	R=15/17	Recorded throughout, 2 on the 17 <sup>th</sup> .
March	R=11/18	Recorded on 11 dates throughout, 2 on the 16 <sup>th</sup> & 20 <sup>th</sup> .
April	R=11/19	Recorded on 11 scattered dates throughout, 3 on the 2 <sup>nd</sup> .
May	R=14/18	Recorded throughout, 2 on the 13 <sup>th</sup> & 16 <sup>th</sup> .
June	R=10/13	Recorded throughout, 3 + adult feeding young on the 1 <sup>st</sup> .

July	R=6/15	2 on the 9 <sup>th</sup> , 5 on the 21 <sup>st</sup> , 2 on the 23 <sup>rd</sup> , 1 on the 24 <sup>th</sup> , 29 <sup>th</sup> & 31 <sup>st</sup> .
August	R=15/19	A juvenile on the 2 <sup>nd</sup> , 1 to 2 birds throughout.
September	R=11/13	Recorded throughout, 2 on the 4 <sup>th</sup> , 8 <sup>th</sup> & 10 <sup>th</sup> .
October	R=11/16	Recorded throughout, 2 on the 1 <sup>st</sup> , 4 <sup>th</sup> & 18 <sup>th</sup> .
November	R=7/12	1 on the 3 <sup>rd</sup> , 2 on the 10 <sup>th</sup> , 1 on the 14 <sup>th</sup> , 17 <sup>th</sup> , 24 <sup>th</sup> , 26 <sup>th</sup> & 28 <sup>th</sup> .
December	R=7/14	1 on the 5 <sup>th</sup> , 8 <sup>th</sup> , 12 <sup>th</sup> , 13 <sup>th</sup> , 15 <sup>th</sup> , 21 <sup>st</sup> & 25 <sup>th</sup> .

---

### Kestrel *Falco tinnunculus*

January	R=6/16	1 on the 6 <sup>th</sup> , 13 <sup>th</sup> , 15 <sup>th</sup> , 24 <sup>th</sup> , 25 <sup>th</sup> & 26 <sup>th</sup> .
February	R=7/17	1 on the 1 <sup>st</sup> , 14 <sup>th</sup> , 15 <sup>th</sup> , 17 <sup>th</sup> , 21 <sup>st</sup> , 24 <sup>th</sup> & 25 <sup>th</sup> .
March	R=10/18	1 on the 3 <sup>rd</sup> , 10 <sup>th</sup> , 15 <sup>th</sup> , 16 <sup>th</sup> , 17 <sup>th</sup> , 20 <sup>th</sup> , 22 <sup>nd</sup> , 23 <sup>rd</sup> , 30 <sup>th</sup> & 31 <sup>st</sup> .
April	R=12/19	1 on the 7 <sup>th</sup> , 8 <sup>th</sup> , 11 <sup>th</sup> , 14 <sup>th</sup> , 15 <sup>th</sup> , 16 <sup>th</sup> , 17 <sup>th</sup> , 19 <sup>th</sup> , 21 <sup>st</sup> , 25 <sup>th</sup> , 28 <sup>th</sup> & 30 <sup>th</sup> .
May	R=6/18	1 on the 2 <sup>nd</sup> , 3 <sup>rd</sup> , 7 <sup>th</sup> & 9 <sup>th</sup> , 2 on the 10 <sup>th</sup> & 14 <sup>th</sup> .
June	R=4/13	2 on the 6 <sup>th</sup> , 1 on the 22 <sup>nd</sup> , 2 on the 23 <sup>rd</sup> & 1 on the 30 <sup>th</sup> .
July	R=6/15	1 on the 5 <sup>th</sup> , 7 <sup>th</sup> , 11 <sup>th</sup> , 21 <sup>st</sup> , 23 <sup>rd</sup> & 25 <sup>th</sup> .
August	R=5/19	1 on the 2 <sup>nd</sup> , 6 <sup>th</sup> , 9 <sup>th</sup> , 11 <sup>th</sup> & 27 <sup>th</sup> .
September	R=2/13	1 on the 1 <sup>st</sup> & 18 <sup>th</sup> .
October	R=2/16	1 on the 13 <sup>th</sup> & 20 <sup>th</sup> .
November	R=1/12	1 on the 24 <sup>th</sup> .

---

### 0310 Hobby *Falco subbuteo*

May	R=4/18	1 flew over on the 6 <sup>th</sup> (J.E.A.), a male for 5 mins on the 10 <sup>th</sup> (R.B./J.E.A.), A male for 30 mins on the 13 <sup>th</sup> (R.B.), 1 on the 16 <sup>th</sup> for 1 hour (R.B./ I.D.W.)
June	R=1/13	1 on the 5 <sup>th</sup> (R.B./J.E.A.).
July	R=2/15	1 flew over on the 13 <sup>th</sup> , 2 chasing Sand Martins on the 18 <sup>th</sup> .
September	R=2/13	1 chasing Sparrowhawk on the 3 <sup>rd</sup> (I.D.W.), 1 on the 17 <sup>th</sup> (R.B./M.S.).

---

### Peregrine *Falco peregrinus*

January	R=2/16	1 on the 10 <sup>th</sup> & 11 <sup>th</sup> .
February	R=1/17	1 on the 7 <sup>th</sup> (J.E.A.).
July	R=1/15	1 juvenile on the 2 <sup>nd</sup> .
September	R=1/13	1 on the 20 <sup>th</sup> .
October	R=1/16	1 on the 8 <sup>th</sup> .
November	R=1/12	1 on the 21 <sup>st</sup> .
December	R=4/14	1 on the 19 <sup>th</sup> , 25 <sup>th</sup> , 26 <sup>th</sup> & 28 <sup>th</sup> .

---

### Magpie *Pica pica*

January	R=16/16	Present throughout, 16 on the 13 <sup>th</sup> .
February	R=16/17	Present throughout.
March	R=18/18	Present throughout, 10 on the 19 <sup>th</sup> .
April	R=19/19	Present throughout.
May	R=17/18	Present throughout.
June	R=13/13	Present throughout.
July	R=14/15	Present throughout.



August	R=19/19	Present throughout.
September	R=13/13	Present throughout.
October	R=16/16	Present throughout.
November	R=11/11	Present throughout.
December	R=14/14	Present throughout.

---

### Jay *Garrulus glandarius*

January	R=7/16	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 8 <sup>th</sup> , 13 <sup>th</sup> , 17 <sup>th</sup> , 25 <sup>th</sup> & 26 <sup>th</sup> .
February	R=10/17	Recorded on 10 scattered dates throughout, 3 on the 24 <sup>th</sup> .
March	R=9/18	Recorded on 9 scattered dates throughout, 4 on the 20 <sup>th</sup> .
April	R=15/19	1 to 3 birds throughout.
May	R=8/18	Recorded on 8 scattered dates throughout, 3 on the 5 <sup>th</sup> .
June	R=6/16	1 on the 3 <sup>rd</sup> & 6 <sup>th</sup> , 2 on the 11 <sup>th</sup> , 1 on the 16 <sup>th</sup> , 25 <sup>th</sup> & 28 <sup>th</sup> .
July	R=7/15	1 to 2 birds on 7 dates throughout.
August	R=11/19	1 to 4 birds throughout.
September	R=10/13	Recorded throughout, maximum 4 on the 18 <sup>th</sup> .
October	R=12/16	1 to 2 birds throughout.
November	R=1/12	1 on the 3 <sup>rd</sup> .
December	R=3/14	1 on the 2 <sup>nd</sup> , 2 on the 5 <sup>th</sup> , 1 on the 19 <sup>th</sup> .

---

### Jackdaw *Corvus monedula*

January	R=15/16	Recorded throughout.
February	R=15/17	Recorded throughout.
March	R=17/18	Recorded throughout, 100+ on the 21 <sup>st</sup> .
April	R=19/19	Recorded throughout.
May	R=18/18	Present throughout, c80 on the 3 <sup>rd</sup> .
June	R=13/13	Recorded throughout, 50+ on the 22 <sup>nd</sup> & 25 <sup>th</sup> .
July	R=15/15	Recorded throughout, 150+ on the 2 <sup>nd</sup> .
August	R=19/19	Recorded throughout, 100+ on the 30 <sup>th</sup> .
September	R=13/13	Recorded throughout.
October	R=16/16	Recorded throughout.
November	R=12/12	Present throughout.
December	R=14/14	Recorded throughout, 50+ on the 2 <sup>nd</sup> .

---

### Rook *Corvus frugilegus*

January	R=2/16	Recorded on the 3 <sup>rd</sup> & 14 <sup>th</sup> .
February	R=2/17	Recorded on the 16 <sup>th</sup> & 25 <sup>th</sup> .
April	R=1/19	1 on the 8 <sup>th</sup> .
July	R=1/15	1 on the 2 <sup>nd</sup> .
August	R=4/19	1 on the 2 <sup>nd</sup> , 5 on the 4 <sup>th</sup> , 27 flew over on the 6 <sup>th</sup> , 1 on the 23 <sup>rd</sup> .
September	R=1/13	1 on the 6 <sup>th</sup> .
November	R=2/12	1 on the 10 <sup>th</sup> & 17 <sup>th</sup> .
December	R=1/14	1 on the 28 <sup>th</sup> .

---

## Carrion Crow *Corvus corone*

January	R=16/16	Present throughout.
February	R=17/17	Present throughout.
March	R=18/18	Present throughout.
April	R=19/19	Present throughout.
May	R=18/18	Present throughout.
June	R=13/13	Present throughout.
July	R=15/15	Present throughout.
August	R=19/19	Present throughout.
September	R=13/13	Present throughout.
October	R=16/16	Present throughout.
November	R=12/12	Recorded throughout.
December	R=12/14	Present throughout.

---

## Goldcrest *Regulus regulus*

January	R=3/16	1 on the 1 <sup>st</sup> & 15 <sup>th</sup> , 2 on the 25 <sup>th</sup> .
February	R=4/17	1 on the 1 <sup>st</sup> , 12 <sup>th</sup> , 15 <sup>th</sup> & 22 <sup>nd</sup> .
March	R=6/18	1 on the 15 <sup>th</sup> , 15 <sup>th</sup> & 20 <sup>th</sup> , 3 on the 22 <sup>nd</sup> , 1 on the 23 <sup>rd</sup> & 25 <sup>th</sup> .
April	R=1/19	1 on the 4 <sup>th</sup> .
May	R=1/18	1 on the 9 <sup>th</sup> .
August	R=1/19	1 on the 25 <sup>th</sup> .
September	R=7/13	3 on the 1 <sup>st</sup> , 1 on the 3 <sup>rd</sup> , 6 <sup>th</sup> & 13 <sup>th</sup> , 3 on the 14 <sup>th</sup> , 2 on the 26 <sup>th</sup> & 27 <sup>th</sup> .
October	R=2/16	1 on the 4 <sup>th</sup> & 3 on the 11 <sup>th</sup> .
November	R=5/12	1 on the 1 <sup>st</sup> , 2 on the 3 <sup>rd</sup> , 1 on the 10 <sup>th</sup> , 17 <sup>th</sup> & 24 <sup>th</sup> .
December	R=4/14	1 on the 2 <sup>nd</sup> & 4 <sup>th</sup> , 3 on the 13 <sup>th</sup> , 2 on the 15 <sup>th</sup> .

---

## Blue Tit *Cyanistes caeruleus*

January	R=16/16	Present throughout.
February	R=17/17	Present throughout.
March	R=18/18	Present throughout.
April	R=19/19	Present throughout.
May	R=18/18	Present throughout, 16 on the 3 <sup>rd</sup> .
June	R=13/13	Recorded throughout, 8 fledged from box on the 7 <sup>th</sup> .
July	R=15/15	Recorded throughout.
August	R=19/19	Present throughout.
September	R=12/13	Present throughout.
October	R=16/16	Present throughout.
November	R=12/12	Present throughout.
December	R=14/14	Present throughout..Nest Boxes 4 pairs bred, 16 fledged young- see nest box data end of report.

---

## Great Tit *Parus major*

January	R=16/16	Present throughout.
February	R=17/17	Present throughout.
March	R=18/18	Present throughout.

April	R=19/19	Present throughout.
May	R=18/18	Present throughout, 7- 5 singing on the 3 <sup>rd</sup> .
June	R=13/13	Recorded throughout, 2 juveniles on the 7 <sup>th</sup> .
July	R=15/15	Recorded throughout.
August	R=19/19	Present throughout.
September	R=12/13	Present throughout.
October	R=16/16	Present throughout.
November	R=12/12	Present throughout.
December	R=14/14	Present throughout..Nest Boxes 6 pairs bred, 16 fledged young- see nest box data end of report.

---

### Coal Tit *Periparus ater*

January	R=14/16	Present throughout, 2 on the 30 <sup>th</sup> .
February	R=17/17	Present throughout.
March	R=16/18	Present throughout.
April	R=5/19	1 on the 2 <sup>nd</sup> , 4 <sup>th</sup> , 12 <sup>th</sup> , 17 <sup>th</sup> & 18 <sup>th</sup> .
May	R=1/18	1 on the 3 <sup>rd</sup> .
June	R=2/13	1 on the 25 <sup>th</sup> & 30 <sup>th</sup> .
July	R=2/15	1 on the 2 <sup>nd</sup> & 27 <sup>th</sup> .
August	R=4/19	2 on the 2 <sup>nd</sup> , 1 on the 6 <sup>th</sup> , 22 <sup>nd</sup> & 25 <sup>th</sup> .
September	R=4/13	1 on the 1 <sup>st</sup> & 6 <sup>th</sup> , 3 on the 14 <sup>th</sup> , 1 on the 18 <sup>th</sup> .
October	R=15/16	Recorded throughout, 2 on the 27 <sup>th</sup> .
November	R=10/12	Recorded throughout.
December	R=12/14	Recorded throughout, 3 on the 4 <sup>th</sup> .

---

### Marsh Tit *Poecile palustris*

January	R=16/16	Present throughout, 4 on the 1 <sup>st</sup> & 4 on the 25 <sup>th</sup> included 1 ringed bird.
February	R=15/17	Present throughout.
March	R=17/18	Present throughout, 3 on the 5 <sup>th</sup> & 12 <sup>th</sup> .
April	R=11/18	Recorded on 11 dates throughout, 2 on the 13 <sup>th</sup> .
May	R=4/18	1 on the 2 <sup>nd</sup> , 3 <sup>rd</sup> , 9 <sup>th</sup> & 13 <sup>th</sup> .
June	R=3/13	Family party with at least 7 young on the 9 <sup>th</sup> , a juv on the 11 <sup>th</sup> , 1 on 16 <sup>th</sup> .
July	R=4/15	1 on the 7 <sup>th</sup> , 18 <sup>th</sup> , 24 <sup>th</sup> & 31 <sup>st</sup> .
August	R=4/19	2 on the 20 <sup>th</sup> , 1 on the 23 <sup>rd</sup> , 25 <sup>th</sup> & 30 <sup>th</sup> .
September	R=7/13	3 on the 1 <sup>st</sup> , 2 on the 3 <sup>rd</sup> , 1 on the 8 <sup>th</sup> , 10 <sup>th</sup> , 14 <sup>th</sup> , 22 <sup>nd</sup> & 27 <sup>th</sup> .
October	R=10/16	Recorded throughout, 3 on the 13 <sup>th</sup> .
November	R=8/12	Recorded on 8 scattered dates throughout.
December	R=13/14	Recorded throughout, 2 on the 15 <sup>th</sup> .

---

### Skylark *Alauda arvensis*

January	R=2/16	1 on the 1 <sup>st</sup> , 5 flew over on the 13 <sup>th</sup> .
February	R=2/17	1 flew over on the 14 <sup>th</sup> , 2 on the 21 <sup>st</sup> .
March	R=1/18	1 on the 7 <sup>th</sup> .
May	R=6/16	1 singing on the 2 <sup>nd</sup> , 4 <sup>th</sup> , 10 <sup>th</sup> , 13 <sup>th</sup> , 24 <sup>th</sup> & 30 <sup>th</sup> .
June	R=2/13	1 singing on the 1 <sup>st</sup> & 6 <sup>th</sup> .
October	R=9/16	Recorded on 9 scattered dates throughout, 14 flew over on the 18 <sup>th</sup> .

November	R=2/12	1 on the 1 <sup>st</sup> & 1 flew over on the 3 <sup>rd</sup> .
December	R=1/14	1 on the 2 <sup>nd</sup> .

---

### Sand Martin *Riparia riparia*

March	R=9/15	3 on the 14 <sup>th</sup> , 4 on the 18 <sup>th</sup> , 15 on the 21 <sup>st</sup> , 8 on the 22 <sup>nd</sup> , 4 on the 23 <sup>rd</sup> , .12 in hailstorm on the 24 <sup>th</sup> , 6 on the 25 <sup>th</sup> , 12 on the 30 <sup>th</sup> & 9 on the 31 <sup>st</sup> .
April	R=19/19	Present throughout, 350+ flew through on the 11 <sup>th</sup> , 250+ on the 29 <sup>th</sup> .
May	R=18/18	Present throughout, c100 on the 2 <sup>nd</sup> & 3 <sup>rd</sup> .
June	R=13/13	Present throughout, 19 <sup>th</sup> first brood, 59 holes occupied.
July	R=15/15	Present throughout.
August	R=19/19	Present throughout, 11 <sup>th</sup> second brood 47 holes occupied.
September	R=10/13	Present throughout c50 on the 1 <sup>st</sup> , last on the 27 <sup>th</sup> .

---

### Swallow *Hirundo rustica*

April	R=17/19	1 on the 1 <sup>st</sup> then present till month end, maximum c50 on the 12 <sup>th</sup> .
May	R=7/18	Present throughout, c50 on the 3 <sup>rd</sup> .
June	R=8/13	Present on 8 scattered dates throughout, 4 on the 1 <sup>st</sup> , 11 <sup>th</sup> , 16 <sup>th</sup> & 25 <sup>th</sup> .
July	R=12/15	Present throughout, 6 on the 2 <sup>nd</sup> & 18 <sup>th</sup> .
August	R=14/19	Present throughout, maximum 20+ on the 8 <sup>th</sup> .
September	R=8/13	Present throughout, c500 flew over S in 1 hour in the evening of the 17 <sup>th</sup> .
October	R=1/16	1 on the 4 <sup>th</sup> .

---

### House Martin *Delichon urbica*

April	R=4/19	4 on the 11 <sup>th</sup> , 1 on the 28 <sup>th</sup> , 6 on the 29 <sup>th</sup> & 3 on the 30 <sup>th</sup> .
May	R=3/18	2 on the 2 <sup>nd</sup> & 3 <sup>rd</sup> , 10 on the 12 <sup>th</sup> .
June	R=1/13	1 on the 1 <sup>st</sup> .
July	R=1/15	1 on the 11 <sup>th</sup> .
August	R=5/20	1 on the 8 <sup>th</sup> , 20+ on the 16 <sup>th</sup> , c50 on the 18 <sup>th</sup> , 2 on the 22 <sup>nd</sup> , 1 on the 23 <sup>rd</sup> .
September	R=5/13	2 on the 3 <sup>rd</sup> , 1 on the 5 <sup>th</sup> , 12 <sup>th</sup> & 14 <sup>th</sup> , c50 flew over S on the 18 <sup>th</sup> .
October	R=2/16	3 on the 6 <sup>th</sup> & 4 on the 9 <sup>th</sup> .

---

### Long-tailed Tit *Aegithalos caudatus*

January	R=10/16	Present on 10 dates throughout, maximum 14 on the 1 <sup>st</sup> .
February	R=7/17	1 to 4 birds on 7 dates throughout.
March	R=13/18	Present throughout, 8 on the 16 <sup>th</sup> .
April	R=14/19	Present throughout, pair on the 28 <sup>th</sup> .
May	R=10/19	Recorded throughout, family party on the 13 <sup>th</sup> .
June	R=8/13	Present throughout, family party on the 6 <sup>th</sup> .
July	R=10/15	Recorded throughout, family party on the 2 <sup>nd</sup> , 13 family party on the 7 <sup>th</sup> .
August	R=10/19	Recorded throughout, family party on the 8 <sup>th</sup> , 9 on the 24 <sup>th</sup> .
September	R=9/13	Present throughout, 15+ on the 14 <sup>th</sup> .
October	R=12/16	Recorded throughout, 16 on the 18 <sup>th</sup> .
November	R=7/12	Recorded throughout, 12 on the 1 <sup>st</sup> , 21 <sup>st</sup> & 24 <sup>th</sup> .
December	R=9/14	Present throughout, 12 on the 13 <sup>th</sup> .

---

### Chiffchaff *Phylloscopus collybita*

March	R=12/18	2 on the 14 <sup>th</sup> was the first, then present throughout month, 6 singing on the 20 <sup>th</sup> , 13 on the 25 <sup>th</sup> , 10 on the 31 <sup>st</sup> .
April	R=17/19	Recorded throughout, 19 on the 14 <sup>th</sup> .
May	R=17/18	Recorded throughout, 9 – 7 singing N lake & 6 singing S lake on the 3 <sup>rd</sup> .
June	R=13/13	Recorded throughout, at least 4 young being fed on the 2 <sup>nd</sup> , 3 fledged young .on the 17 <sup>th</sup> .
July	R=15/15	Recorded throughout.
August	R=19/19	Present throughout, maximum 15+ on the 25 <sup>th</sup> .
September	R=13/13	Present throughout, c30 on the 4 <sup>th</sup> ,5 <sup>th</sup> & 13 <sup>th</sup> .
October	R=7/16	3 on the 1 <sup>st</sup> , 1 on the 3 <sup>rd</sup> , 4 on the 4 <sup>th</sup> , 1 on the 5 <sup>th</sup> , 3 on the 9 <sup>th</sup> , 1 on the 11 <sup>th</sup> , 2 on the 13 <sup>th</sup> .

---

### Willow Warbler *Phylloscopus trochilus*

April	R=13/19	4 on the 12 <sup>th</sup> then recorded till month end, 13 on the 16 <sup>th</sup> .
May	R=18/18	Recorded throughout, 1 N lake & 3 S lake on the 3 <sup>rd</sup> .
June	R=12/13	Present throughout.
July	R=13/15	Record throughout, adult feeding fledglings on the 31 <sup>st</sup> .
August	R=16/19	Recorded throughout, 5+ on the 25 <sup>th</sup> .
September	R=9/13	4 on the 1 <sup>st</sup> , 1 on the 3 <sup>rd</sup> & 4 <sup>th</sup> , 2 on the 5 <sup>th</sup> & 6 <sup>th</sup> , 1 on the 8 <sup>th</sup> , 10 <sup>th</sup> & 14 <sup>th</sup> , 2 on the 18 <sup>th</sup> .
October	R=1/16	1 on the 1 <sup>st</sup> .

---

### Blackcap *Sylvia atricapilla*

April	R=16/19	1 on the 2 <sup>nd</sup> then recorded throughout, 13 on the 18 <sup>th</sup> .
May	R=18/18	Present throughout, 3 singing N lake & 10 singing S lake on the 3 <sup>rd</sup> .
June	R=13/13	Recorded throughout, carrying food on the 23 <sup>rd</sup> , well grown juv on the 27 <sup>th</sup> .
July	R=15/15	Recorded throughout, adult + 3 juveniles on the 5 <sup>th</sup> , adult feeding fledglings .on the 31 <sup>st</sup> .
August	R=15/19	Recorded throughout, 7 on the 25 <sup>th</sup> .
September	R=13/13	4 on the 1 <sup>st</sup> , 8 on the 3 <sup>rd</sup> , 1 on the 4 <sup>th</sup> , 3 on the 5 <sup>th</sup> , 8 on the 6 <sup>th</sup> , 3 on the 8 <sup>th</sup> & 10 <sup>th</sup> , 2 on the 12 <sup>th</sup> , 5 on the 14 <sup>th</sup> , 4 on the 18 <sup>th</sup> , 1 on the 22 <sup>nd</sup> , 26 <sup>th</sup> & 27 <sup>th</sup> .
October	R=2/16	1 on the 1 <sup>st</sup> , 2 on the 4 <sup>th</sup> .
December	R=1/14	A male on the 21 <sup>st</sup> .

---

### Garden Warbler *Sylvia borin*

April	R=5/19	1 on the 25 <sup>th</sup> , 2 on the 26 <sup>th</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> , 3 singing on the 30 <sup>th</sup> .
May	R=18/18	Recorded throughout, 7 on the 10 <sup>th</sup> .
June	R=13/13	Present throughout, carrying food on the 11 <sup>th</sup> .
July	R=14/15	Present throughout.
August	R=4/19	1 on the 19 <sup>th</sup> & 25 <sup>th</sup> , 3 on the 27 <sup>th</sup> , 1 on the 29 <sup>th</sup> .
September	R=2/11	1 on the 1 <sup>st</sup> , 2 on the 6 <sup>th</sup> .

---

### Lesser Whitethroat *Sylvia curruca*

April	R=4/19	1 on the 25 <sup>th</sup> & 28 <sup>th</sup> , 2 on the 29 <sup>th</sup> & 30 <sup>th</sup> .
May	R=14/18	Recorded throughout, 4 on the 1 <sup>st</sup> , 2 singing on the 3 <sup>rd</sup> & 14 <sup>th</sup> .
June	R=4/13	1 singing on the 3 <sup>rd</sup> , 9 <sup>th</sup> , 11 <sup>th</sup> & 23 <sup>rd</sup> .
July	R=3/15	1 on the 5 <sup>th</sup> , 21 <sup>st</sup> & 25 <sup>th</sup> .
September	R=1/13	1 on the 16 <sup>th</sup> .

---

### Whitethroat *Sylvia communis*

May	R=7/18	1 on the 3 <sup>rd</sup> & 7 <sup>th</sup> , 4 on the 13 <sup>th</sup> , 1 on the 16 <sup>th</sup> , 2 singing 23 <sup>rd</sup> , 2 on the 24 <sup>th</sup> & 1 on the 26 <sup>th</sup> .
June	R=4/13	1 singing on the 23 <sup>rd</sup> , 25 <sup>th</sup> , 27 <sup>th</sup> & 30 <sup>th</sup> .
July	R=2/15	1 on the 2 <sup>nd</sup> & 13 <sup>th</sup> .
August	R=4/19	2 on the 13 <sup>th</sup> , 1 on the 19 <sup>th</sup> , 22 <sup>nd</sup> & 31 <sup>st</sup> .
September	R=2/13	1 on the 1 <sup>st</sup> & 3 <sup>rd</sup> .

---

### Grasshopper Warbler *Locustella naevia*

August	R=1/19	1 reeling east bank on the 5 <sup>th</sup> (N.B.)
--------	--------	---

---

### Sedge Warbler *Acrocephalus schoenobaenus*

April	R=1/19	1 on the 25 <sup>th</sup> .
May	R=2/18	1 on the 1 <sup>st</sup> & 4 <sup>th</sup> .
August	R=1/19	1 on the 22 <sup>nd</sup> .

---

### Reed Warbler *Acrocephalus scirpaceus*

May	R=10/18	2 on the 13 <sup>th</sup> , 1 singing 14 <sup>th</sup> , 16 <sup>th</sup> & 19 <sup>th</sup> , 2 singing 20 <sup>th</sup> (1 below hide & 1 N. lake) & 23 <sup>rd</sup> , 3 on the 24 <sup>th</sup> , 3 singing 25 <sup>th</sup> , 2 pair 27 <sup>th</sup> & 30 <sup>th</sup> .
June	R=13/13	Recorded throughout, 2 pair nesting, 1 well grown juv on the 28 <sup>th</sup> .
July	R=15/15	1 nest with 5 chicks on the 2 <sup>nd</sup> , 2 pair feeding young at nests on 4 <sup>th</sup> & 5 <sup>th</sup> , 2 birds carrying food on the 18 <sup>th</sup> , large young in nest & 1 well grown juvenile in stick pile on the 25 <sup>th</sup> , at least 3 juveniles calling on the 29 <sup>th</sup> .
August	R=12/19	1 on the 2 <sup>nd</sup> , 4 <sup>th</sup> & 6 <sup>th</sup> , 5 on the 8 <sup>th</sup> , 1 on the 9 <sup>th</sup> & 11 <sup>th</sup> , feeding young on the 16 <sup>th</sup> , 2 on the 18 <sup>th</sup> , 1 on the 19 <sup>th</sup> & 20 <sup>th</sup> , 2 juveniles in stick pile on the 21 <sup>st</sup> , 2 juveniles on the 22 <sup>nd</sup> .

---

### Waxwing *Bombycilla garrulus*

October	R=1/16	3 over car park on the 26 <sup>th</sup> (J.E.A.).
---------	--------	---

---

### Nuthatch *Sitta europaea*

January	R=2/16	1 calling on the 17 <sup>th</sup> , 2 on the 25 <sup>th</sup> .
March	R=7/18	1 on the 3 <sup>rd</sup> , 14 <sup>th</sup> & 17 <sup>th</sup> , 2 on the 19 <sup>th</sup> , 1 on the 20 <sup>th</sup> , 2 singing on the 23 <sup>rd</sup> & 3 on the 25 <sup>th</sup> .
April	R=10/19	Recorded on 10 dates throughout, pair at nest hole on the 8 <sup>th</sup> .

May	R=3/18	1 on the 2 <sup>nd</sup> , 3 <sup>rd</sup> & 13 <sup>th</sup> .
June	R=3/13	1 on the 23 <sup>rd</sup> , 25 <sup>th</sup> & 28 <sup>th</sup> .
July	R=5/15	1 on the 5 <sup>th</sup> , 2 on the 19 <sup>th</sup> , 1 on the 21 <sup>st</sup> & 24 <sup>th</sup> , 2 on the 31 <sup>st</sup> .
August	R=8/19	1 on the 2 <sup>nd</sup> & 4 <sup>th</sup> , 2 on the 8 <sup>th</sup> & 11 <sup>th</sup> , 1 on the 13 <sup>th</sup> , 16 <sup>th</sup> , 19 <sup>th</sup> & 25 <sup>th</sup> .
September	R=4/13	1 on the 4 <sup>th</sup> , 3 on the 6 <sup>th</sup> , 1 on the 14 <sup>th</sup> & 26 <sup>th</sup> .
October	R=3/16	1 on the 3 <sup>rd</sup> , 2 on the 13 <sup>th</sup> , 1 on the 20 <sup>th</sup> .
December	R=1/14	1 on the 16 <sup>th</sup> .

---

### Treecreeper *Certhia familiaris*

January	R=5/16	1 on the 1 <sup>st</sup> , 8 <sup>th</sup> & 20 <sup>th</sup> , 4 on the 25 <sup>th</sup> , 1 on the 25 <sup>th</sup> .
February	R=7/17	1 on the 7 <sup>th</sup> , 12 <sup>th</sup> , 14 <sup>th</sup> , 15 <sup>th</sup> , 22 <sup>nd</sup> , 25 <sup>th</sup> & 28 <sup>th</sup> .
March	R=8/18	Present on 8 scattered dates throughout, 4 on the 15 <sup>th</sup> .
April	R=8/19	2 on the 2 <sup>nd</sup> & 4 <sup>th</sup> , 3 on the 7 <sup>th</sup> , 2 on the 8 <sup>th</sup> , 1 on the 16 <sup>th</sup> & 17 <sup>th</sup> , 1 singing in .copse on the 26 <sup>th</sup> & 1 on the 29 <sup>th</sup> .
May	R=2/18	1 N lake & 1 singing in copse on the 3 <sup>rd</sup> , 1 on the 5 <sup>th</sup> .
June	R=1/13	1 on the 1 <sup>st</sup> .
July	R=7/15	1 on the 2 <sup>nd</sup> , 3 on the 5 <sup>th</sup> , 1 on the 7 <sup>th</sup> , 18 <sup>th</sup> , 21 <sup>st</sup> & 23 <sup>rd</sup> , 2 on the 31 <sup>st</sup> .
August	R=4/19	1 on the 2 <sup>nd</sup> , 9 <sup>th</sup> , 16 <sup>th</sup> & 30 <sup>th</sup> .
September	R=5/13	1 on the 1 <sup>st</sup> , 4 <sup>th</sup> , 6 <sup>th</sup> , 18 <sup>th</sup> & 27 <sup>th</sup> ,
October	R=4/16	1 on the 9 <sup>th</sup> , 2 on the 13 <sup>th</sup> , 3 on the 18 <sup>th</sup> , 1 on the 31 <sup>st</sup> .
November	R=3/12	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> & 24 <sup>th</sup> .
December	R=4/14	1 on the 2 <sup>nd</sup> , 4 <sup>th</sup> , 13 <sup>th</sup> & 28 <sup>th</sup> .

---

### Wren *Troglodytes troglodytes*

January	R=15/16	Present throughout.
February	R=16/17	Present throughout.
March	R=17/18	Recorded throughout.
April	R=19/19	Present throughout.
May	R=18/18	Present throughout.
June	R=12/13	Recorded throughout, nest on the 11 <sup>th</sup> , feeding young at nest on the 23 <sup>rd</sup> .
July	R=13/15	Recorded throughout.
August	R=18/19	Recorded throughout.
September	R=13/13	Present throughout.
October	R=16/16	Present throughout.
November	R=10/12	Present throughout.
December	R=11/14	Present throughout.

---

### Starling *Sturnus vulgaris*

January	R=4/16	1 on the 6 <sup>th</sup> & 15 <sup>th</sup> , 28 on the 22 <sup>nd</sup> 1 on the 26 <sup>th</sup> .
February	R=2/17	1 on the 16 <sup>th</sup> & 25 <sup>th</sup> .
March	R=4/18	1 on the 10 <sup>th</sup> , 14 <sup>th</sup> , 20 <sup>th</sup> & 30 <sup>th</sup> .
April	R=2/19	1 on the 9 <sup>th</sup> & 12 <sup>th</sup> .
May	R=1/18	1 on the 24 <sup>th</sup> .
June	R=1/13	40 on the 27 <sup>th</sup> .
July	R=15/15	Recorded throughout, c100 on the 2 <sup>nd</sup> .
August	R=19/19	Recorded throughout, c100 on the 29 <sup>th</sup> .

September	R=9/13	Recorded throughout, c30 on the 4 <sup>th</sup> .
October	R=13/16	Recorded throughout, 30 flew over on the 20 <sup>th</sup> , 14 on the 27 <sup>th</sup> .
November	R=4/12	1 on the 1 <sup>st</sup> & 7 <sup>th</sup> , c20 flew over on the 24 <sup>th</sup> , c120 flew over on the 26 <sup>th</sup> .
December	R=4/14	1 on the 5 <sup>th</sup> & 15 <sup>th</sup> , 2 on the 28 <sup>th</sup> , 1 on the 29 <sup>th</sup> .

---

### Blackbird *Turdus merula*

January	R=16/16	Present throughout.
February	R=17/17	Present throughout.
March	R=18/18	Present throughout.
April	R=18/19	Present throughout.
May	R=18/18	Present throughout, 8-5 singing N lake & 6 S lake on the 3 <sup>rd</sup> .
June	R=13/13	Present throughout.
July	R=14/15	Present throughout.
August	R=16/19	Present throughout.
September	R=13/13	Present throughout, maximum 40 on the 27 <sup>th</sup> (L.L.).
October	R=16/16	Present throughout.
November	R=12/12	Present throughout, 25 on the 26 <sup>th</sup> .
December	R=12/14	Present throughout, 12 on the 4 <sup>th</sup> .

---

### Fieldfare *Turdus pilaris*

January	R=1/16	1 on the 21 <sup>st</sup> .
February	R=5/17	c60 on the 7 <sup>th</sup> , 1 on the 10 <sup>th</sup> , 11 on the 11 <sup>th</sup> , 1 on the 16 <sup>th</sup> , 8 on the 21 <sup>st</sup> .
March	R=3/18	4 on the 12 <sup>th</sup> , 1 singing on the 16 <sup>th</sup> , 5 flew over on the 21 <sup>st</sup> .
October	R=4/16	4 on the 18 <sup>th</sup> , 2 on the 24 <sup>th</sup> , c60 on the 29 <sup>th</sup> , 28 flew over on the 31 <sup>st</sup> .
November	R=3/12	3 on the 3 <sup>rd</sup> , 1 on the 10 <sup>th</sup> , 14 on the 21 <sup>st</sup> .
December	R=1/14	c40 flew over S on the 8 <sup>th</sup> .

---

### Song Thrush *Turdus philomelos*

January	R=1/16	1 on the 31 <sup>st</sup> .
February	R=5/17	1 on the 14 <sup>th</sup> , 15 <sup>th</sup> , 21 <sup>st</sup> & 25 <sup>th</sup> , 3 on the 28 <sup>th</sup> .
March	R=12/18	Recorded throughout, 4 (3 singing) on the 12 <sup>th</sup> .
April	R=18/19	Recorded throughout, maximum 4 singing on the 7 <sup>th</sup> , 16 <sup>th</sup> & 18 <sup>th</sup> .
May	R=18/18	Recorded throughout, 1 N lake & 2 singing S lake on the 3 <sup>rd</sup> , 5 on the 7 <sup>th</sup> .
June	R=10/13	Recorded throughout, 4 singing on the 16 <sup>th</sup> .
July	R=8/15	1 on the 2 <sup>nd</sup> , 4 <sup>th</sup> , 5 <sup>th</sup> , 7 <sup>th</sup> , 9 <sup>th</sup> , 13 <sup>th</sup> , 23 <sup>rd</sup> & 27 <sup>th</sup> .
August	R=1/19	1 on the 31 <sup>st</sup> .
September	R=4/13	2 on the 3 <sup>rd</sup> , 1 on the 10 <sup>th</sup> , 1 on the 26 <sup>th</sup> , 20 on the 27 <sup>th</sup> (L.L.).
October	R=4/16	1 on the 4 <sup>th</sup> , 2 on the 7 <sup>th</sup> , 1 on the 9 <sup>th</sup> & 11 <sup>th</sup> .
November	R=3/12	1 on the 1 <sup>st</sup> , 17 <sup>th</sup> & 24 <sup>th</sup> .
December	R=5/14	1 on the 4 <sup>th</sup> & 5 <sup>th</sup> , 2 on the 12 <sup>th</sup> , 1 on the 16 <sup>th</sup> .

---

### Redwing *Turdus iliacus*

January	R=11/16	Recorded on 11 dates throughout, c50 on the 21 <sup>st</sup> .
February	R=3/17	4 on the 5 <sup>th</sup> , c20 on the 7 <sup>th</sup> , 10 on the 16 <sup>th</sup> .
March	R=9/18	Recorded on 9 scattered dates throughout, 40 on the 7 <sup>th</sup> .



April	R=3/19	1 on the 2 <sup>nd</sup> , 4 on the 4 <sup>th</sup> & 2 on the 8 <sup>th</sup> .
October	R=9/16	Recorded on 9 scattered dates throughout, 1 on the 7 <sup>th</sup> , c150 on the 20 <sup>th</sup> .
November	R=7/12	Recorded on 7 scattered dates throughout, maximum 15 on the 3 <sup>rd</sup> .

---

### Mistle Thrush *Turdus viscivorus*

January	R=3/16	1 on the 1 <sup>st</sup> & 18 <sup>th</sup> , 2 on the 25 <sup>th</sup> .
February	R=4/17	2 on the 14 <sup>th</sup> , 1 on the 22 <sup>nd</sup> , 4 on the 25 <sup>th</sup> , 1 on the 28 <sup>th</sup> .
March	R=5/18	2 on the 3 <sup>rd</sup> & 5 <sup>th</sup> , 1 singing on the 20 <sup>th</sup> , 2 on the 23 <sup>rd</sup> & 1 on the 31 <sup>st</sup> .
April	R=7/19	2 on the 2 <sup>nd</sup> , 1 on the 4 <sup>th</sup> , 10 <sup>th</sup> , 15 <sup>th</sup> & 21 <sup>st</sup> , 2 on the 28 <sup>th</sup> & 1 on the 30 <sup>th</sup> .
May	R=13/18	1 to 2 birds recorded throughout, 1 singing on the 3 <sup>rd</sup> , .pair feeding 1 juvenile on the 17 <sup>th</sup> .
June	R=4/13	2 on the 3 <sup>rd</sup> , 1 on the 4 <sup>th</sup> , 4 on the 16 <sup>th</sup> & 10 on the 25 <sup>th</sup> .
July	R=5/15	2 on the 2 <sup>nd</sup> , 5 on the 9 <sup>th</sup> , 10 on the 11 <sup>th</sup> , 1 on the 18 <sup>th</sup> , 6 on the 21 <sup>st</sup> .
August	R=3/19	1 on the 2 <sup>nd</sup> , & 11 <sup>th</sup> , 15 on the 13 <sup>th</sup> .
September	R=1/13	1 on the 18 <sup>th</sup> .
October	R=3/16	1 on the 4 <sup>th</sup> , 2 on the 18 <sup>th</sup> & 4 on the 20 <sup>th</sup> .
November	R=4/12	1 on the 10 <sup>th</sup> , 17 <sup>th</sup> , 24 <sup>th</sup> & 26 <sup>th</sup> .

---

### Spotted Flycatcher *Muscicapa striata*

August	R=14/19	2 on the 8 <sup>th</sup> , 1 on the 9 <sup>th</sup> & 10 <sup>th</sup> , 2 on the 11 <sup>th</sup> , 1 on the 13 <sup>th</sup> , 5 with adults .feeding young, 5 on the 19 <sup>th</sup> , feeding juveniles on the 21 <sup>st</sup> , 8 on the 23 <sup>rd</sup> , .2 on the 24 <sup>th</sup> & 25 <sup>th</sup> , 3 on the 30 <sup>th</sup> , 1 on the 31 <sup>st</sup> .
September	R=1/13	2 on the 13 <sup>th</sup> .

---

### Robin *Erithacus rubecula*

January	R=16/16	Present throughout.
February	R=17/17	Present throughout.
March	R=17/18	Present throughout.
April	R=19/19	Present throughout.
May	R=18/18	Present throughout, 8-6 singing N lake & 6 singing S lake on the 3 <sup>rd</sup> , .a fledgling on the 1 <sup>st</sup> , 14 on the 3 <sup>rd</sup> .
June	R=13/13	Recorded throughout, a juv on the 1 <sup>st</sup> , feeding young on the 11 <sup>th</sup> .
July	R=15/15	Recorded throughout, 2 juveniles on the 5 <sup>th</sup> , 1 juvenile on the 18 <sup>th</sup> .
August	R=17/19	Present throughout.
September	R=13/13	Present throughout.
October	R=16/16	Present throughout.
November	R=12/12	Present throughout.
December	R=14/14	Present throughout.

---

### Pied Flycatcher *Ficedula hypoleuca*

August	R=1/19	1 on the 2 <sup>nd</sup> with mixed flock of Warblers & Tits (R.B.).
--------	--------	--

---

### Redstart *Phoenicurus phoenicurus*

April	R=2/19	A male on the 12 <sup>th</sup> & 16 <sup>th</sup> .
-------	--------	---

July	R=5/15	2 on the 22 <sup>nd</sup> , 3 on the 23 <sup>rd</sup> , 2 very speckled juveniles on the 27 <sup>th</sup> & 28 <sup>th</sup> , .1 on the 29 <sup>th</sup> .
August	R=3/19	2 on the 2 <sup>nd</sup> , 1 on the 8 <sup>th</sup> , 2 on the 23 <sup>rd</sup> .

---

### Dunnock *Prunella modularis*

January	R=16/16	Present throughout.
February	R=17/17	Present throughout.
March	R=18/18	Present throughout.
April	R=19/19	Present throughout.
May	R=18/18	Present throughout, 6 S lake & 2 N lake & pair nest building on the 3 <sup>rd</sup> .
June	R=13/13	Present throughout.
July	R=15/15	Present throughout.
August	R=19/19	Present throughout.
September	R=13/13	Present throughout.
October	R=15/16	Present throughout.
November	R=11/12	Present throughout.
December	R=14/14	Present throughout.

---

### Tree Sparrow *Passer montanus*

January	R=16/16	Present throughout.
February	R=17/17	Recorded throughout.
March	R=18/18	Recorded throughout, 30+ on the 31 <sup>st</sup> .
April	R=16/19	Recorded throughout.
May	R=18/18	Recorded throughout, 3 on the 13 <sup>th</sup> .
June	R=4/13	2 on the 1 <sup>st</sup> , 2 adults + 2 fledged young on the 7 <sup>th</sup> , 1 on the 9 <sup>th</sup> & 11 <sup>th</sup> .
July	R=2/15	3 on the 2 <sup>nd</sup> , 1 on the 18 <sup>th</sup> .
August	R=1/19	2 on the 11 <sup>th</sup> .
October	R=15/16	Recorded throughout, maximum 15 on the 18 <sup>th</sup> .
November	R=12/12	Recorded throughout, c30 on the 14 <sup>th</sup> .
December	R=14/14	Recorded throughout, maximum c50 on the 13 <sup>th</sup> .

---

### Yellow Wagtail *Motacilla flava*

April	R=1/19	A male on Island 4 for 10 minutes on the 21 <sup>st</sup> .
May	R=3/18	1 flew over on the 2 <sup>nd</sup> , 2 on the 3 <sup>rd</sup> , 1 flew over on the 10 <sup>th</sup> .
July	R=2/15	1 juvenile on the 18 <sup>th</sup> & 23 <sup>rd</sup> .

---

### Grey Wagtail *Motacilla cinerea*

March	R=3/18	1 on the 16 <sup>th</sup> & 17 <sup>th</sup> , a male & female on the 22 <sup>nd</sup> .
April	R=1/19	1 on the 8 <sup>th</sup> .
June	R=1/13	2 juveniles on the 25 <sup>th</sup> .
July	R=1/15	1 on the 31 <sup>st</sup> .
August	R=7/19	2 on the 4 <sup>th</sup> , 1 on the 11 <sup>th</sup> , 13 <sup>th</sup> , 18 <sup>th</sup> , 25 <sup>th</sup> , 27 <sup>th</sup> & 29 <sup>th</sup> .
September	R=3/13	2 on the 6 <sup>th</sup> , 1 on the 25 <sup>th</sup> & 26 <sup>th</sup> .
October	R=8/16	1 on the 4 <sup>th</sup> , 7 <sup>th</sup> , 11 <sup>th</sup> , 17 <sup>th</sup> , 18 <sup>th</sup> , 24 <sup>th</sup> , 27 <sup>th</sup> & 31 <sup>st</sup> .
November	R=1/12	1 on the 24 <sup>th</sup> .

---

## Pied Wagtail *Motacilla alba*

January	R=6/16	1 on the 13 <sup>th</sup> , 15 <sup>th</sup> , 17 <sup>th</sup> , 18 <sup>th</sup> , 20 <sup>th</sup> & 31 <sup>st</sup> .
February	R=7/17	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 14 <sup>th</sup> , 15 <sup>th</sup> , 16 <sup>th</sup> , 24 <sup>th</sup> & 28 <sup>th</sup> .
March	R=12/18	Recorded throughout, 2 on the 21 <sup>st</sup> & 23 <sup>rd</sup> .
April	R=9/19	Recorded on 9 scattered dates throughout, 3 on the 2 <sup>nd</sup> , 1 White Wagtail was recorded on the 4 <sup>th</sup> (J.E.A.), 2 on the 16 <sup>th</sup> & 1 on the 30 <sup>th</sup> .
May	R=4/18	Recorded throughout, pair N lake & 1 S lake on the 13 <sup>th</sup> .
June	R=11/13	Recorded throughout, a juvenile on the 22 <sup>nd</sup> , 3 on the 23 <sup>rd</sup> .
July	R=14/15	Present throughout, 5 on the 25 <sup>th</sup> .
August	R=19/19	Present throughout, c20 on the 18 <sup>th</sup> .
September	R=11/13	Present throughout, 30 in the evening of the 18 <sup>th</sup> .
October	R=14/16	Present throughout, 4 on the 1 <sup>st</sup> .
November	R=3/12	1 on the 7 <sup>th</sup> , 10 <sup>th</sup> & 17 <sup>th</sup> .

---

## Tree Pipit *Anthus trivialis*

July	R=1/15	1 singing top car park on the 5 <sup>th</sup> (J.E.A.).
------	--------	---

---

## Meadow Pipit *Anthus pratensis*

January	R=2/16	3 on the 15 <sup>th</sup> , 1 on the 24 <sup>th</sup> .
February	R=2/17	5 on the 7 <sup>th</sup> , 4 on the 12 <sup>th</sup> .
March	R=1/18	6 on the 25 <sup>th</sup> .
April	R=2/19	17 flew over on the 4 <sup>th</sup> , 30+ flew N in the evening of the 9 <sup>th</sup> .
October	R=1/16	2 flew over on the 17 <sup>th</sup> .
November	R=1/12	2 on the 26 <sup>th</sup> .
December	R=5/14	4 on the 4 <sup>th</sup> , 1 on the 5 <sup>th</sup> & 15 <sup>th</sup> , 8 on the 19 <sup>th</sup> , 3 on the 28 <sup>th</sup> .

---

## Brambling *Fringilla montifringilla*

November	R=3/12	A female under feeders on the 2 <sup>nd</sup> , 3 <sup>rd</sup> & 4 <sup>th</sup> .
----------	--------	---

---

## Chaffinch *Fringilla coelebs*

January	R=16/16	Present throughout.
February	R=17/17	Present throughout, c20 on the 28 <sup>th</sup> .
March	R=18/18	Present throughout.
April	R=19/19	Present throughout.
May	R=18/18	Present throughout, 12 on the 3 <sup>rd</sup> .
June	R=13/13	Present throughout.
July	R=15/15	Recorded throughout.
August	R=17/19	Recorded throughout.
September	R=12/13	Present throughout.
October	R=16/16	Present throughout, 6+ on the 7 <sup>th</sup> .
November	R=12/12	Present throughout, 8 on the 9 <sup>th</sup> .
December	R=13/14	Present throughout, 12 on the 25 <sup>th</sup> .

---

### Bullfinch *Pyrrhula pyrrhula*

January	R=16/16	Recorded throughout, maximum 14 on the 13 <sup>th</sup> .
February	R=15/17	Recorded throughout, maximum 6 on the 22 <sup>nd</sup> .
March	R=17/18	Recorded throughout.
April	R=18/19	Recorded throughout, maximum 8 on the 4 <sup>th</sup> .
May	R=11/18	Recorded throughout, 3 singing on the 12 <sup>th</sup> .
June	R=8/13	Recorded throughout.
July	R=13/15	Recorded throughout, family parties on the 21 <sup>st</sup> , 24 <sup>th</sup> & 31 <sup>st</sup>
August	R=17/19	Recorded throughout, adult feeding young on the 27 <sup>th</sup> .
September	R=12/13	Recorded throughout.
October	R=10/16	Recorded throughout, maximum c12 on the 4 <sup>th</sup> & 9 <sup>th</sup> .
November	R=10/12	Recorded throughout, maximum 12 on the 24 <sup>th</sup> .
December	R=12/14	Recorded throughout, maximum 8 on the 4 <sup>th</sup> .

---

### Greenfinch *Chloris chloris*

January	R=1/16	3 on the 13 <sup>th</sup> .
February	R=1/17	1 on the 15 <sup>th</sup> .
March	R=1/18	1 on the 20 <sup>th</sup> .
April	R=1/19	1 on the 12 <sup>th</sup> .
June	R=2/13	1 on the 11 <sup>th</sup> & 1 singing on the 25 <sup>th</sup> .
July	R=1/15	1 on the 9 <sup>th</sup> .
August	R=8/19	1 on the 2 <sup>nd</sup> & 11 <sup>th</sup> , 5 on the 16 <sup>th</sup> , 1 on the 22 <sup>nd</sup> & 25 <sup>th</sup> , 8 on the 27 <sup>th</sup> , .2 on the 29 <sup>th</sup> , 1 on the 31 <sup>st</sup> .
September	R=5/13	2 on the 1 <sup>st</sup> , 3 <sup>rd</sup> & 5 <sup>th</sup> , 1 on the 6 <sup>th</sup> , 2 on the 10 <sup>th</sup> .
October	R=6/16	1 on the 1 <sup>st</sup> , 4 on the 3 <sup>rd</sup> , 1 on the 4 <sup>th</sup> , 17 <sup>th</sup> , 20 <sup>th</sup> & 31 <sup>st</sup> .
November	R=2/12	2 on the 10 <sup>th</sup> , 6 on the 13 <sup>th</sup> .
December	R=1/14	1 on the 31 <sup>st</sup> .

---

### Linnet *Linaria cannabina*

August	R=7/19	1 on the 8 <sup>th</sup> , 2 on the 9 <sup>th</sup> , 3 on the 11 <sup>th</sup> & 13 <sup>th</sup> , 1 on the 19 <sup>th</sup> , 2 on the 20 <sup>th</sup> & .4 on the 23 <sup>rd</sup> .
September	R=1/13	1 on the 1 <sup>st</sup> .
October	R=1/16	1 on the 3 <sup>rd</sup> .

---

### Lesser Redpoll *Acanthis caberet*

September	R=1/13	1 on the 22 <sup>nd</sup> .
October	R=9/16	Recorded on 9 scattered dates throughout, 1 on the 17 <sup>th</sup> .
November	R=1/12	1 on the 3 <sup>rd</sup> .
December	R=5/14	1 on the 4 <sup>th</sup> , 8 on the 8 <sup>th</sup> , 1 on the 13 <sup>th</sup> , 15 <sup>th</sup> & 25 <sup>th</sup> .

---

### Goldfinch *Carduelis carduelis*

January	R=9/16	Recorded on 9 scattered dates throughout, c50 on the 1 <sup>st</sup> .
February	R=7/17	25 on the 3 <sup>rd</sup> , 5 on the 14 <sup>th</sup> , 1 on the 15 <sup>th</sup> , 2 on the 17 <sup>th</sup> , 1 on the 21 <sup>st</sup> & 22 <sup>nd</sup> , .10 on the 28 <sup>th</sup> .

March	R=14/18	Recorded throughout, 17 on the 12 <sup>th</sup> .
April	R=6/19	4 on the 2 <sup>nd</sup> , 2 on the 8 <sup>th</sup> & 16 <sup>th</sup> , 1 on the 19 <sup>th</sup> , 2 on the 21 <sup>st</sup> & 1 on the 25 <sup>th</sup> .
May	R=12/18	Recorded throughout, 5 on the 20 <sup>th</sup> .
June	R=12/13	1 to 3 birds recorded throughout.
July	R=12/15	Recorded throughout, 6 on the 29 <sup>th</sup> .
August	R=16/19	Present throughout, maximum 75+ on the 11 <sup>th</sup> , feeding young on the 16 <sup>th</sup> .
September	R=12/13	Present throughout, 70+ on the 8 <sup>th</sup> .
October	R=15/16	Recorded throughout, maximum 35 on the 5 <sup>th</sup> .
November	R=8/12	Recorded throughout, maximum 40+ on the 26 <sup>th</sup> .
December	R=11/14	Recorded throughout, 20 on the 5 <sup>th</sup> .

---

### Siskin *Spinus spinus*

January	R=1/16	5 on the 20 <sup>th</sup> .
February	R=1/17	1 on the 14 <sup>th</sup> .
September	R=6/13	3 on the 3 <sup>rd</sup> , 4 on the 4 <sup>th</sup> , 21 on the 10 <sup>th</sup> , 1 on the 14 <sup>th</sup> , 8 on the 26 <sup>th</sup> , .1 on the 27 <sup>th</sup> .
October	R=7/16	4 on the 1 <sup>st</sup> , 8 on the 3 <sup>rd</sup> , 3 on the 5 <sup>th</sup> , 1 on the 20 <sup>th</sup> , 8 on 24 <sup>th</sup> , 2 on the 27 <sup>th</sup> , .12 on the 31 <sup>st</sup> .
November	R=8/12	Recorded on 8 scattered dates throughout, c30 on the 1 <sup>st</sup> , c20 on the 14 <sup>th</sup> .
December	R=8/14	5 on the 4 <sup>th</sup> , 15 on the 5 <sup>th</sup> , 3 on the 8 <sup>th</sup> , c50 on the 13 <sup>th</sup> , 1 on 15 <sup>th</sup> , 4 on 16 <sup>th</sup> , .2 on the 19 <sup>th</sup> , 4 on the 31 <sup>st</sup> .

---

### Yellowhammer *Emberiza citrinella*

January	R=13/16	Recorded throughout, maximum 8 on the 26 <sup>th</sup> .
February	R=17/17	Recorded throughout, maximum 8 on the 22 <sup>nd</sup> & 28 <sup>th</sup> .
March	R=18/18	Recorded throughout, maximum 8 on the 16 <sup>th</sup> .
April	R=15/19	Recorded throughout, maximum 3 on the 9 <sup>th</sup> .
August	R=1/19	1 on the 19 <sup>th</sup> .
November	R=5/12	1 on the 13 <sup>th</sup> , 2 on the 14 <sup>th</sup> , 1 on the 21 <sup>st</sup> , 24 <sup>th</sup> & 28 <sup>th</sup> .
December	R=13/14	Recorded throughout, maximum 5 on the 12 <sup>th</sup> & 31 <sup>st</sup> .

---

### Reed Bunting *Emberiza schoeniclus*

January	R=16/16	Present throughout, maximum 4 on the 22 <sup>nd</sup> .
February	R=16/17	Present throughout, maximum 3 on the 14 <sup>th</sup> , 21 <sup>st</sup> & 22 <sup>nd</sup> .
March	R=18/18	Present throughout, maximum 4 on the 25 <sup>th</sup> .
April	R=18/19	Present throughout, maximum 6 on the 2 <sup>nd</sup> .
May	R=16/18	Present throughout, 1 singing below hide & 2 singing E side on the 3 <sup>rd</sup> .
June	R=13/13	Present throughout, 2 pair on the 3 <sup>rd</sup> , carrying food on the 15 <sup>th</sup> , 3 singing .males & female feeding young on the 25 <sup>th</sup> .
July	R=13/15	Recorded throughout, female carrying food on the 29 <sup>th</sup> .
August	R=6/19	1 on the 2 <sup>nd</sup> , 4 <sup>th</sup> , 11 <sup>th</sup> , 13 <sup>th</sup> , 19 <sup>th</sup> & 20 <sup>th</sup> .
September	R=2/11	1 on the 14 <sup>th</sup> & 18 <sup>th</sup> .
October	R=11/16	1 to 2 birds throughout.
November	R=6/10	1 on the 1 <sup>st</sup> , 2 <sup>nd</sup> , 10 <sup>th</sup> , 14 <sup>th</sup> , 21 <sup>st</sup> & 28 <sup>th</sup> .
December	R=10/14	1 to 2 birds throughout.

## Nest Boxes at Farnham Gravel Pit

4th June 2015

---

### Copse

Box	1	Great Tit – 3 well-grown young
	2	7 eggs
	3	Blue Tit – 2 well-grown young
	4	Great Tit – 4 well-grown young
	5	Empty
	6	Empty
	7	Empty
	8	Blue Tit – 4 well grown young

---

### West Field

Box	9	Empty
	10	Empty – replace lid
	11	Great Tit – 1 well-grown young, 3 eggs
	12	Great Tit – 5 young
	13	Some grassy nest material
	14	Empty
	15	Empty
	16	Empty
	17	Empty
	18	Empty
	19	Needs new top
	20	Empty

---

### Old Copse

Box	21	Empty
	22	1 young
	23	Empty
	24	Blue Tit – 4 young
	25	Great Tit – 3 young

---

### West Side

Box	26	Needs new plate
	27	Great Tit – 1 dead young
	28	Some nest material

---

### Area 5

Box	29	Replace box
	30	Some nest Material
	31	Eggs but deserted
	32	Eggs but deserted

---

**7th June**

Tree Sparrow – 2 adults and 2 fledged young.

## Farnham Monthly Statistics

Month	Day Coverage	Species	Records	Cum. Records
January 2015	16 / 31 = 51.6%	71	737	737
February	17 / 28 = 60.7%	68	779	1516
March	18 / 31 = 58.1%	78	868	2384
April	19 / 30 = 63.3%	88	965	3349
May	18 / 31 = 58.1%	86	946	4295
June	13 / 30 = 43.3%	79	618	4913
July	15 / 31 = 48.4%	87	738	5651
August	19 / 31 = 61.3%	90	920	6571
September	13 / 30 = 43.3%	79	594	7165
October	16 / 31 = 51.6%	79	726	7891
November	12 / 30 = 40.0%	75	508	8399
December	14 / 31 = 45.2%	65	553	8952
Year 2015	190 / 365 = 52.1%			

**Total Number of Species for the Year 2015 =126**