

# Farnham Summary Log 2016

## Systematic List

Note: R = Number of days species recorded / Number of recording days in month.

---

### Mute Swan *Cygnus olor*

January	R=25/25	Recorded throughout, maximum 12 on the 23 <sup>rd</sup> .
February	R=27/27	Recorded throughout, 16 on the 11 <sup>th</sup> .
March	R=25/25	Recorded throughout, maximum 8 on the 17 <sup>th</sup> .
April	R=24/24	Recorded throughout, maximum 7 on the 7 <sup>th</sup> .
May	R=20/20	Pair N lake & pair S lake throughout, pair S lake on nest on the 21 <sup>st</sup> .
June	R=15/15	Pair present S lake throughout, 1 cygnet seen on the 7 <sup>th</sup> , 3 N lake on the 23 <sup>rd</sup> .
July	R=15/15	Pair + 1 cygnet present S lake throughout, 2 adults present N lake throughout.
August	R=21/21	Pair + 1 juvenile present S lake throughout, 2 adults N lake throughout.
September	R=22/22	Pair + 1 juvenile present S lake throughout, 5 on N lake on the 2 <sup>nd</sup> including 1 with red darvik ring XDA.
October	R=23/23	Pair + 1 juvenile present S lake throughout, 3 juveniles on N lake on the 12 <sup>th</sup> had red darvik rings XDJ-XDL-XDT, 4 juveniles on N lake on the 17 <sup>th</sup> with red darvik ring extra to previous XDP, 3 Ads. + 4 juvs on N lake on the 27 <sup>th</sup> .
November	R=21/21	Present throughout, maximum 7 on the 8 <sup>th</sup> , 14 <sup>th</sup> , 16 <sup>th</sup> , 24 <sup>th</sup> & 26 <sup>th</sup> . 1 with red Darvik ring XDN found dead on the 14 <sup>th</sup> .
December	R=20/20	Present throughout, maximum 8 on the 21 <sup>st</sup> .

---

### Whooper Swan *Cygnus cygnus*

March	R=2/25	20+ flew over W on the 13 <sup>th</sup> , 25 flew over W on the 26 <sup>th</sup> .
April	R=1/24	3 flew over NW on the 7 <sup>th</sup> .
October	R=1/23	1 flew round lake with 3 Mute Swans but did not land on the 29 <sup>th</sup> (J.E.A.).
November	R=2/21	10 (3 adults & 7 juveniles) on N lake on the 1 <sup>st</sup> , 5 flew over S on the 26 <sup>th</sup> .

---

### Pink-footed Goose *Anser brachyrhynchus*

January	R=2/25	c40 flew over W on the 25 <sup>th</sup> , 44 flew over W on the 31 <sup>st</sup> .
February	R=3/27	40 flew W on the 7 <sup>th</sup> , c400 flew W on the 26 <sup>th</sup> , c60 flew W on the 27 <sup>th</sup> .
November	R=1/21	70 flew over NW on the 11 <sup>th</sup> .
December	R=3/20	19 flew over on the 17 <sup>th</sup> , 58 flew over E on the 18 <sup>th</sup> , c80 flew over on 27 <sup>th</sup> .

---

### Greylag Goose *Anser anser*

January	R=17/25	Present throughout, 3 on S lake and 35 flew over on the 2 <sup>nd</sup> .
February	R=14/27	Present throughout, maximum 30 on the 2 <sup>nd</sup> .
March	R=24/25	Present throughout, maximum 36 on the 6 <sup>th</sup> .
April	R=24/24	Present throughout, 5 goslings on the 28 <sup>th</sup> + 8 goslings on the 30 <sup>th</sup> .
May	R=20/20	Present throughout, 13 goslings on the 14 <sup>th</sup> , 9 young on the 31 <sup>st</sup> .
June	R=15/15	Recorded throughout, 13 juveniles on the 12 <sup>th</sup> , maximum 93 on the 23 <sup>rd</sup> .
July	R=15/15	Present throughout, maximum 62 on the 21 <sup>st</sup> .
August	R=21/21	Present throughout, maximum 258 on the 16 <sup>th</sup> .

September	R=22/22	Present throughout, 3 with orange neck collars SFV-SBB-SDX on the 2 <sup>nd</sup> , 480 on the 17 <sup>th</sup> , 2 with orange neck collars SLP-SCA on the 20 <sup>th</sup> .
October	R=21/23	Present throughout, 6 flew over on the 8 <sup>th</sup> .
November	R=15/21	Recorded throughout, 34 flew over on the 18 <sup>th</sup> .
December	R=13/20	Present on 13 dates throughout, 28 on the 21 <sup>st</sup> , c300 flew over on the 15 <sup>th</sup> .

---

### Canada Goose *Branta canadensis*

January	R=17/25	Present throughout, maximum 40 on 19 <sup>th</sup> .
February	R=17/27	Present throughout, maximum 40 on the 21 <sup>st</sup> .
March	R=25/25	Present throughout, maximum 31 on the 8 <sup>th</sup> .
April	R=24/24	Present throughout, 4 + 5 goslings on the 30 <sup>th</sup> .
May	R=20/20	Present throughout, 72 adults + 16 goslings on the 31 <sup>st</sup> .
June	R=15/15	Present throughout, 10 juveniles on the 12 <sup>th</sup> , maximum 99 on the 23 <sup>rd</sup> .
July	R=15/15	Present throughout, maximum 91 on the 21 <sup>st</sup> .
August	R=20/21	Present throughout, maximum c220 on the 28 <sup>th</sup> .
September	R=22/22	Present throughout, maximum 310 on the 17 <sup>th</sup> .
October	R=19/23	Present throughout, maximum 40 on the 8 <sup>th</sup> .
November	R=6/21	1 on the 1 <sup>st</sup> , 2 on the 13 <sup>th</sup> , 1 on the 14 <sup>th</sup> & 24 <sup>th</sup> , 4 on the 25 <sup>th</sup> & 1 on the 26 <sup>th</sup> .
December	R=7/20	Present on 7 dates between the 5 <sup>th</sup> & 23 <sup>rd</sup> , maximum 12 on the 14 <sup>th</sup> .

---

### Barnacle Goose *Branta leucopsis*

February	R=7/27	1 on the 13 <sup>th</sup> , 17 <sup>th</sup> , 21 <sup>st</sup> , 22 <sup>nd</sup> , 23 <sup>rd</sup> , 26 <sup>th</sup> & 27 <sup>th</sup> .
March	R=15/25	1 on 15 dates between the 6 <sup>th</sup> & 30 <sup>th</sup> .
April	R=7/24	1 on the 1 <sup>st</sup> , 4 <sup>th</sup> , 6 <sup>th</sup> , 9 <sup>th</sup> , 10 <sup>th</sup> , 11 <sup>th</sup> & 12 <sup>th</sup> .

---

### Brent Goose *Branta bernicla*

January	R=1/25	8 flew in from N then turned NE @ 9.45 a.m. on the 2 <sup>nd</sup> (I.D.W.).
---------	--------	--

---

### Egyptian Goose *Alopochen aegyptiacus*

May	R=3/20	3 on the 4 <sup>th</sup> circled round then flew N (J.E.A), 2 on the 6 <sup>th</sup> , 1 flew over on the 21 <sup>st</sup> .
June	R=1/15	2 on the 14 <sup>th</sup> .
December	R=2/20	2 on the 19 <sup>th</sup> & 22 <sup>nd</sup> .

---

### Shelduck *Tadorna tadorna*

January	R=1/25	1 on the 16 <sup>th</sup> .
March	R=1/25	5 flew over on the 15 <sup>th</sup> .
April	R=2/24	3 flew over on the 22 <sup>nd</sup> , 1 on the 25 <sup>th</sup> .
May	R=3/20	1 on the 23 <sup>rd</sup> , 1 flew over on the 27 <sup>th</sup> & 29 <sup>th</sup> .
June	R=2/15	1 on the 1 <sup>st</sup> & 1 flew over on the 4 <sup>th</sup> .

---

### Mandarin *Aix galericulata*

September	R=2/22	A female on the 8 <sup>th</sup> & 16 <sup>th</sup> .
-----------	--------	--

---

## Wigeon *Anas penelope*

January	R=25/25	Present throughout, maximum 45 on the 7 <sup>th</sup> .
February	R=25/27	Present throughout, maximum 30 on the 3 <sup>rd</sup> .
March	R=13/25	Present on 13 dates between the 1 <sup>st</sup> & 22 <sup>nd</sup> , maximum 20 on the 4 <sup>th</sup> .
August	R=1/21	1 on the 18 <sup>th</sup> .
September	R=12/22	Present from 8 <sup>th</sup> till month end, 8 on the 21 <sup>st</sup> .
October	R=23/23	Present throughout, maximum 33 on the 25 <sup>th</sup> .
November	R=21/21	Present throughout, maximum 26 + 30 flew over on the 6 <sup>th</sup> .
December	R=20/20	Present throughout, maximum 56 on the 23 <sup>rd</sup> .

---

## Gadwall *Anas strepera*

January	R=13/25	Present throughout, maximum 10 on the 1 <sup>st</sup> .
February	R=12/27	Present on 12 scattered dates throughout, maximum 4 on the 13 <sup>th</sup> .
March	R=14/25	Recorded on 14 scattered dates throughout, maximum 4 on the 13 <sup>th</sup> & 19 <sup>th</sup> .
April	R=19/24	Present throughout, maximum 2 pair S lake & 4 pair N lake on the 20 <sup>th</sup> .
May	R=18/20	Present throughout, maximum 8 on the 3 <sup>rd</sup> & 6 <sup>th</sup> .
June	R=15/15	Present throughout, 5 on the 4 <sup>th</sup> , 7 <sup>th</sup> & 23 <sup>rd</sup> .
July	R=15/15	Female with 6 ducklings on S lake on the 3 <sup>rd</sup> , 2 juveniles S lake on the 27 <sup>th</sup> , female with 1 large juvenile on N lake on the 28 <sup>th</sup> .
August	R=20/21	Present throughout, female with 2 juvs on the 1 <sup>st</sup> till 6 <sup>th</sup> , max. 8 on the 25 <sup>th</sup> .
September	R=21/22	Present throughout, maximum 8 on the 16 <sup>th</sup> .
October	R=21/23	Present throughout, maximum 32 on the 31 <sup>st</sup> .
November	R=21/21	Present throughout, maximum 24 on the 25 <sup>th</sup> .
December	R=20/20	Present throughout, maximum 21 on the 18 <sup>th</sup> .

---

## Teal *Anas crecca*

January	R=25/25	Recorded throughout, maximum 29 on the 11 <sup>th</sup> . Pike seen to take 2 females on the 13 <sup>th</sup> (J.E.A.).
February	R=20/27	Present throughout, maximum 15 on the 15 <sup>th</sup> .
March	R=5/25	2 on the 6 <sup>th</sup> , 8 <sup>th</sup> & 19 <sup>th</sup> , 1 on the 26 <sup>th</sup> & 28 <sup>th</sup> .
April	R=1/24	5 on the 9 <sup>th</sup> .
August	R=8/21	1 to 5 birds present on 8 dates between the 11 <sup>th</sup> & 31 <sup>st</sup> .
September	R=22/22	Recorded throughout, maximum 10 on the 6 <sup>th</sup> .
October	R=23/23	Present throughout, maximum 26 on the 29 <sup>th</sup> .
November	R=21/21	Present throughout, maximum 36 on the 18 <sup>th</sup> .
December	R=20/20	Present throughout, maximum 43 on the 23 <sup>rd</sup> .

---

## Mallard *Anas platyrhynchos*

January	R=22/25	Present throughout, maximum 14 on the 12 <sup>th</sup> .
February	R=27/27	Present throughout, maximum 33 on the 11 <sup>th</sup> .
March	R=25/25	Present throughout, maximum 16 on the 3 <sup>rd</sup> .
April	R=24/24	Present throughout, female on N lake with 11 ducklings on the 3 <sup>rd</sup> , female on S lake with 6 duckling on the 4 <sup>th</sup> , total of 17 ducklings on the 24 <sup>th</sup> .
May	R=19/20	Present throughout, 25 on the 3 <sup>rd</sup> , 4 new ducklings on the 21 <sup>st</sup> .
June	R=13/13	Present throughout, maximum 72 on the 23 <sup>rd</sup> , 7 new ducklings on the 26 <sup>th</sup> .

July	R=15/15	Present throughout, 3 new ducklings on the 16 <sup>th</sup> , maximum 47 on the 21 <sup>st</sup> .
August	R=20/21	Present throughout, maximum 52 on the 18 <sup>th</sup> .
September	R=22/22	Present throughout, maximum 101 on the 14 <sup>th</sup> .
October	R=23/23	Present throughout, maximum 35 on the 9 <sup>th</sup> .
November	R=21/21	Present throughout, maximum 38 on the 24 <sup>th</sup> .
December	R=19/20	Present throughout, maximum 52 on the 7 <sup>th</sup> .

---

### Pintail *Anas acuta*

January	R=3/25	2 females on the 10 <sup>th</sup> & 11 <sup>th</sup> , 1 female on the 15 <sup>th</sup> .
---------	--------	---

---

### Garganey *Anas querquedula*

September	R=9/22	An eclipse male on the 19 <sup>th</sup> (J.E.A./L.L.), eclipse male 22 <sup>nd</sup> (J.E.A./R.B./L.L./M.S.) & 23 <sup>rd</sup> (J.E.A.), eclipse male & female on the 24 <sup>th</sup> (J.E.A./B.F.D./I.D.W.) & 25 <sup>th</sup> , a female 26 <sup>th</sup> , 27 <sup>th</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> .
October	R=4/23	A female on the 1 <sup>st</sup> , 2 <sup>nd</sup> , 3 <sup>rd</sup> & 4 <sup>th</sup> .

---

### Shoveler *Anas clypeata*

January	R=2/25	1 on the 10 <sup>th</sup> , 1 male & 2 females on the 22 <sup>nd</sup> .
September	R=1/22	2 on the 13 <sup>th</sup> .
October	R=3/23	1 on the 7 <sup>th</sup> , 17 <sup>th</sup> & 30 <sup>th</sup> .
November	R=2/21	2 males & 1 female on the 9 <sup>th</sup> , 4 flew over on the 12 <sup>th</sup> .

---

### Pochard *Aythya ferina*

January	R=2/25	1 on the 1 <sup>st</sup> & 2 <sup>nd</sup> .
February	R=7/27	A male on the 6 <sup>th</sup> , 19 <sup>th</sup> , 23 <sup>rd</sup> , 25 <sup>th</sup> , 26 <sup>th</sup> , 27 <sup>th</sup> & 28 <sup>th</sup> .
March	R=12/25	Recorded on 12 dates between the 1 <sup>st</sup> & 24 <sup>th</sup> , 5 on the 22 <sup>nd</sup> & 24 <sup>th</sup> .
June	R=1/15	1 on the 25 <sup>th</sup> .
August	R=1/21	2 males on the 25 <sup>th</sup> .
September	R=4/22	A male on the 8 <sup>th</sup> & 13 <sup>th</sup> , 2 on the 20 <sup>th</sup> , 1 on the 21 <sup>st</sup> .
November	R=9/21	2 on the 14 <sup>th</sup> , 1 male on the 17 <sup>th</sup> , 21 <sup>st</sup> , 22 <sup>nd</sup> , 24 <sup>th</sup> , 25 <sup>th</sup> , 26 <sup>th</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> .
December	R=5/20	A male on the 14 <sup>th</sup> , 16 <sup>th</sup> , 25 <sup>th</sup> , 26 <sup>th</sup> & 27 <sup>th</sup> .

---

### Tufted Duck *Aythya fuligula*

January	R=25/25	Present throughout, maximum 32 on the 9 <sup>th</sup> .
February	R=27/27	Present throughout, maximum 47 on the 21 <sup>st</sup> .
March	R=25/25	Present throughout, maximum 40 on the 29 <sup>th</sup> .
April	R=24/24	Present throughout, maximum 54 on the 17 <sup>th</sup> .
May	R=20/20	Present throughout, maximum 35 on the 7 <sup>th</sup> .
June	R=15/15	Present throughout, maximum c20 on the 4 <sup>th</sup> .
July	R=15/15	Present throughout, 5 ducklings on the 7 <sup>th</sup> , 3 adults + 5 ducklings on S lake & female with 8 ducklings N lake on the 21 <sup>st</sup> .
August	R=20/21	Present throughout, female with 5 juvs & female with 6 juvs on the 3 <sup>rd</sup> , 11 on the 25 <sup>th</sup> .
September	R=22/22	Present throughout, 7 on the 14 <sup>th</sup> .

October	R=18/23	Present throughout, maximum 17 on the 27 <sup>th</sup> .
November	R=21/21	Present throughout, maximum 84 on the 24 <sup>th</sup> .
December	R=20/20	Present throughout, maximum 59 on the 7 <sup>th</sup> .

---

### Scaup *Aythya marila*

November	R=7/21	A first winter male on the 21 <sup>st</sup> (J.E.A.), 22 <sup>nd</sup> (R.B./L.L./J.E.A.), 23 <sup>rd</sup> , 24 <sup>th</sup> , 25 <sup>th</sup> , 26 <sup>th</sup> & 27 <sup>th</sup> .
----------	--------	---

---

### Common Scoter *Melanitta nigra*

March	R=1/25	A female on N lake on the 29 <sup>th</sup> (I.D.W.).
-------	--------	--

---

### Goldeneye *Bucephala clangula*

January	R=25/25	Present throughout, maximum 21 on the 9 <sup>th</sup> .
February	R=27/27	Present throughout, maximum 21 on the 11 <sup>th</sup> & 13 <sup>th</sup> .
March	R=11/25	Present on 11 scattered dates throughout, maximum 20 on the 1 <sup>st</sup> .
October	R=2/23	3 on the 16 <sup>th</sup> , 2 on the 17 <sup>th</sup> .
November	R=15/21	Present on 15 dates throughout, maximum 15 on the 24 <sup>th</sup> & 28 <sup>th</sup> .
December	R=19/20	Present throughout, maximum 29 on the 18 <sup>th</sup> .

---

### Goosander *Mergus merganser*

January	R=6/25	3 on the 2 <sup>nd</sup> & 3 <sup>rd</sup> , 1 female on the 5 <sup>th</sup> , 1 male on the 7 <sup>th</sup> , male & female on the 10 <sup>th</sup> , 1 male on the 24 <sup>th</sup> .
February	R=2/27	A male on the 7 <sup>th</sup> , 2 on the 8 <sup>th</sup> .
March	R=2/25	A female + 3 over on the 3 <sup>rd</sup> , a female on the 5 <sup>th</sup> .
September	R=1/22	1 on the 13 <sup>th</sup> .
November	R=6/21	3 on the 18 <sup>th</sup> , 6 on the 22 <sup>nd</sup> & 24 <sup>th</sup> , 1 on the 28 <sup>th</sup> , 3 over on the 29 <sup>th</sup> , 1 on the 30 <sup>th</sup> .
December	R=7/20	1 on the 2 <sup>nd</sup> , 2 on the 9 <sup>th</sup> , 1 on the 14 <sup>th</sup> , 16 <sup>th</sup> , 19 <sup>th</sup> & 27 <sup>th</sup> , 1 female & 2 males flew over on the 30 <sup>th</sup> .

---

### Red-legged Partridge *Alectoris rufa*

March	R=1/25	1 on the 11 <sup>th</sup> .
April	R=2/24	1 on the 5 <sup>th</sup> & 9 <sup>th</sup> .

---

### Pheasant *Phasianus colchicus*

January	R=5/25	Recorded on the 1 <sup>st</sup> , 2 <sup>nd</sup> , 5 <sup>th</sup> , 16 <sup>th</sup> & 20 <sup>th</sup> .
February	R=8/27	Recorded on 8 scattered dates throughout.
March	R=20/25	Recorded throughout.
April	R=19/24	Recorded throughout.
May	R=15/20	Recorded throughout, 4 on the 8 <sup>th</sup> .
June	R=5/15	1 on the 3 <sup>rd</sup> , 17 <sup>th</sup> , 18 <sup>th</sup> , 23 <sup>rd</sup> & 28 <sup>th</sup> .
July	R=2/15	1 on 21 <sup>st</sup> & 27 <sup>th</sup> .
August	R=8/21	Recorded on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 9 <sup>th</sup> , 11 <sup>th</sup> , 13 <sup>th</sup> , 18 <sup>th</sup> , 25 <sup>th</sup> & 31 <sup>st</sup> .

September	R=13/22	Present on 13 scattered dates throughout.
October	R=20/23	Present throughout, 4 on the 9 <sup>th</sup> .
November	R=19/21	Recorded throughout, 20 on the 15 <sup>th</sup> .
December	R=17/20	Recorded throughout, 48 on the 20 <sup>th</sup> .

---

### Cormorant *Phalacrocorax carbo*

January	R=25/25	Present throughout, maximum 12 on the 16 <sup>th</sup> , 6 including 2 race <i>P.c.sinensis</i> on the 30 <sup>th</sup> .
February	R=25/27	Present throughout, 1 race <i>P.c.sinensis</i> on the 3 <sup>rd</sup> , maximum 8 including 1 race <i>P.c.sinensis</i> on the 11 <sup>th</sup> .
March	R=25/25	Present throughout, maximum 5 on the 3 <sup>rd</sup> , 8 <sup>th</sup> & 10 <sup>th</sup> including 1 race <i>P.c.sinensis</i> .
April	R=17/24	1 to 3 birds recorded throughout.
May	R=5/20	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 5 <sup>th</sup> , 14 <sup>th</sup> & 31 <sup>st</sup> .
June	R=5/15	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 4 <sup>th</sup> , 5 <sup>th</sup> & 23 <sup>rd</sup> .
July	R=5/15	1 on the 2 <sup>nd</sup> , 3 <sup>rd</sup> , 10 <sup>th</sup> , 12 <sup>th</sup> & 30 <sup>th</sup> .
August	R=20/21	Present throughout, maximum 14 on the 23 <sup>rd</sup> .
September	R=22/22	Present throughout, maximum 25 on the 29 <sup>th</sup> .
October	R=23/23	Present throughout, maximum 25 on the 4 <sup>th</sup> .
November	R=21/21	Present throughout, maximum 21 on the 16 <sup>th</sup> .
December	R=20/20	Present throughout, maximum 15 on the 5 <sup>th</sup> .

---

### Little Egret *Egretta garzetta*

June	R=1/15	1 on the 15 <sup>th</sup> .
------	--------	-----------------------------

---

### Grey Heron *Ardea cinerea*

January	R=6/25	1 on the 12 <sup>th</sup> , 16 <sup>th</sup> , 19 <sup>th</sup> , 24 <sup>th</sup> , 30 <sup>th</sup> & 31 <sup>st</sup> .
February	R=14/27	Present throughout, 2 on the 3 <sup>rd</sup> .
March	R=12/25	1 to 2 birds on 12 dates throughout.
April	R=13/24	Present throughout, 4 on the 20 <sup>th</sup> .
May	R=18/20	Present throughout, 3 on the 8 <sup>th</sup> .
June	R=14/15	Present throughout, 4 on the 23 <sup>rd</sup> & 26 <sup>th</sup> .
July	R=14/15	Present throughout, 5 on the 10 <sup>th</sup> .
August	R=21/21	1 to 4 birds recorded throughout.
September	R=21/22	1 to 3 bird recorded throughout.
October	R=22/23	Recorded throughout, 4 on the 4 <sup>th</sup> & 11 <sup>th</sup> .
November	R=19/21	Recorded throughout, 3 on the 30 <sup>th</sup> .
December	R=17/20	Recorded throughout, 2 on the 2 <sup>nd</sup> , 5 <sup>th</sup> & 17 <sup>th</sup> .

---

### Little Grebe *Tachybaptus rufficollis*

January	R=25/25	Present throughout, maximum 12 on the 7 <sup>th</sup> , 8 <sup>th</sup> , 14 <sup>th</sup> & 20 <sup>th</sup> .
February	R=27/27	Present throughout, maximum 8 on the 16 <sup>th</sup> , 19 <sup>th</sup> , 20 <sup>th</sup> & 21 <sup>st</sup> .
March	R=16/25	Present throughout, 5 on the 4 <sup>th</sup> .
April	R=4/24	1 on the 2 <sup>nd</sup> , 12 <sup>th</sup> , 17 <sup>th</sup> & 19 <sup>th</sup> .
May	R=1/20	1 on the 3 <sup>rd</sup> .

June	R=3/13	1 on the 15 <sup>th</sup> , 18 <sup>th</sup> & 20 <sup>th</sup> .
July	R=8/15	1 on the 2 <sup>nd</sup> & 7 <sup>th</sup> , 2 on the 8 <sup>th</sup> , 1 on the 10 <sup>th</sup> , 1 well grown young on the 25 <sup>th</sup> , 2 adults on the 26 <sup>th</sup> , 1 on the 28 <sup>th</sup> & 30 <sup>th</sup> .
August	R=10/21	Present throughout, adult + 1 well grown juvenile on the 28 <sup>th</sup> .
September	R=13/13	Present throughout, pair + 1 juv on the 9 <sup>th</sup> , maximum 4 on the 16 <sup>th</sup> , 17 <sup>th</sup> & 28 <sup>th</sup> .
October	R=23/23	Present throughout, maximum 7 on the 5 <sup>th</sup> & 27 <sup>th</sup> .
November	R=21/21	Present throughout, 11 on the 29 <sup>th</sup> .
December	R=20/20	Present throughout, maximum 10 on the 17 <sup>th</sup> .

---

### Great Crested Grebe *Podiceps cristatus*

January	R=16/25	Present throughout, 5 on the 30 <sup>th</sup> .
February	R=26/27	Present throughout, maximum 5 on the 11 <sup>th</sup> .
March	R=25/25	Present throughout, nest on main island on the 12 <sup>th</sup> , on nest on the 13 <sup>th</sup> , maximum 10 on the 19 <sup>th</sup> , pair rebuilding nest on the 20 <sup>th</sup> .
April	R=24/24	Present throughout, nest with 1 egg on the 2 <sup>nd</sup> , nest washed away on the 6 <sup>th</sup> , maximum total 8 on the 15 <sup>th</sup> , pair on nest on the 19 <sup>th</sup> , nest gone on the 30 <sup>th</sup> .
May	R=20/20	Present throughout, 9 on the 7 <sup>th</sup> , pair with nest S lake on the 19 <sup>th</sup> , pair with nest N lake on the 21 <sup>st</sup> .
June	R=15/15	Present throughout, pair on nest S lake & 4 adults N lake on the 3 <sup>rd</sup> , 2 young hatched S lake on the 18 <sup>th</sup> + 3 adults N lake.
July	R=15/15	Present throughout, female on nest S lake & pair with 5 chicks N lake on the on the 30 <sup>th</sup> .
August	R=21/21	Present throughout, pair + 5 juvs N lake and pair with nest with 2 eggs S lake on the 9 <sup>th</sup> , pair with 5 juvs still present on the 20 <sup>th</sup> + pair with nest on the 20 <sup>th</sup> .
September	R=11/13	Pair present S lake throughout, pair + 5 juvs N lake on the 2 <sup>nd</sup> & 3 <sup>rd</sup> , Pair + 4 juvs N lake on the 19 <sup>th</sup> & 21 <sup>st</sup> , adult + 1 juv N lake on the 27 <sup>th</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> .
October	R=21/23	3 adults S lake & 2 juvs N lake on the 1 <sup>st</sup> , 2 adults S lake & 1 adult + 1 juv N lake on the 4 <sup>th</sup> , 5 <sup>th</sup> & 9 <sup>th</sup> , from 17 <sup>th</sup> till month end 2 birds recorded.
November	R=21/21	Present throughout, 6 on the 8 <sup>th</sup> .
December	R=17/20	Present throughout, 4 on the 7 <sup>th</sup> .

---

### Red Kite *Milvus milvus*

January	R=9/25	1 to 4 birds recorded on 9 scattered dates throughout.
February	R=21/27	Recorded throughout, 3 on the 3 <sup>rd</sup> , 13 <sup>th</sup> & 29 <sup>th</sup> .
March	R=19/25	Recorded throughout, 3 on the 3 <sup>rd</sup> , 5 <sup>th</sup> , 22 <sup>nd</sup> & 27 <sup>th</sup> .
April	R=17/24	Recorded throughout, 4 on the 16 <sup>th</sup> .
May	R=9/20	1 on the 1 <sup>st</sup> , 5 <sup>th</sup> , 6 <sup>th</sup> , 8 <sup>th</sup> , 21 <sup>st</sup> , 22 <sup>nd</sup> , & 23 <sup>rd</sup> , 2 on the 27 <sup>th</sup> , 1 on the 28 <sup>th</sup> .
June	R=6/15	1 on the 3 <sup>rd</sup> , 4 <sup>th</sup> , 17 <sup>th</sup> , 23 <sup>rd</sup> , 24 <sup>th</sup> & 26 <sup>th</sup> .
July	R=9/15	1 to 3 birds present on 9 scattered dates throughout.
August	R=5/21	1 on the 16 <sup>th</sup> , 2 on the 20 <sup>th</sup> & 23 <sup>rd</sup> , 1 on the 28 <sup>th</sup> & 30 <sup>th</sup> .
September	R=12/22	1 to 2 birds recorded on 12 scattered dates throughout.
October	R=15/23	Recorded throughout, maximum 4 on the 15 <sup>th</sup> & 16 <sup>th</sup> .
November	R=10/21	1 on the 1 <sup>st</sup> , 2 on the 3 <sup>rd</sup> , 1 on the 6 <sup>th</sup> , 11 <sup>th</sup> , 13 <sup>th</sup> & 14 <sup>th</sup> , 2 on the 15 <sup>th</sup> , 1 on the 16 <sup>th</sup> & 18 <sup>th</sup> , 3 on the 25 <sup>th</sup> .

December R=8/20 1 on the 2<sup>nd</sup>, 7<sup>th</sup> & 9<sup>th</sup>, 2 on the 10<sup>th</sup>, 3 on the 18<sup>th</sup>, 2 on the 23<sup>rd</sup>, 1 on the 25<sup>th</sup> & 30<sup>th</sup>.

---

### Marsh Harrier *Circus aeruginosus*

August R=1/21 A cream crown @ 10 a.m. on the 20<sup>th</sup> (I.D.W. et al).

---

### Sparrowhawk *Accipiter nisus*

January R=7/25 1 on the 1<sup>st</sup>, 3<sup>rd</sup>, 6<sup>th</sup>, 12<sup>th</sup>, 14<sup>th</sup>, 21<sup>st</sup> & 30<sup>th</sup>.  
February R=8/27 1 on the 7<sup>th</sup>, 10<sup>th</sup>, 11<sup>th</sup>, 15<sup>th</sup>, 19<sup>th</sup>, 23<sup>rd</sup>, 27<sup>th</sup> & 28<sup>th</sup>.  
March R=8/25 1 on the 2<sup>nd</sup>, 4<sup>th</sup>, 6<sup>th</sup>, 13<sup>th</sup>, 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup>, 2 on the 27<sup>th</sup>.  
April R=10/24 1 on the 7<sup>th</sup>, 9<sup>th</sup>, 10<sup>th</sup>, 11<sup>th</sup>, 14<sup>th</sup>, 17<sup>th</sup>, 19<sup>th</sup>, 24<sup>th</sup>, 25<sup>th</sup> & 29<sup>th</sup>.  
May R=5/20 1 on the 1<sup>st</sup>, 5<sup>th</sup>, 6<sup>th</sup>, 8<sup>th</sup> & 10<sup>th</sup>.  
June R=1/15 1 on the 23<sup>rd</sup>.  
July R=5/15 1 carrying food to Gibbet wood on the 1<sup>st</sup>, 1 on the 2<sup>nd</sup>, 8<sup>th</sup>, 23<sup>rd</sup> & 24<sup>th</sup>.  
August R=4/21 1 on the 6<sup>th</sup>, 18<sup>th</sup> & 25<sup>th</sup>, 2 on the 30<sup>th</sup>.  
September R=9/22 1 on 4<sup>th</sup>, 6<sup>th</sup>, 7<sup>th</sup>, 16<sup>th</sup>, 19<sup>th</sup>, 21<sup>st</sup>, 24<sup>th</sup>, 25<sup>th</sup> & 28<sup>th</sup>.  
October R=15/23 Recorded throughout, 2 on the 23<sup>rd</sup>.  
November R=10/21 1 on the 1<sup>st</sup>, 2 on the 3<sup>rd</sup>, 1 on the 6<sup>th</sup>, 8<sup>th</sup>, 13<sup>th</sup>, 25<sup>th</sup>, 26<sup>th</sup> & 28<sup>th</sup>, 2 on the 29<sup>th</sup>, 1 on the 30<sup>th</sup>.  
December R=9/20 3 on the 2<sup>nd</sup>, 1 on the 3<sup>rd</sup>, 7<sup>th</sup>, 9<sup>th</sup>, 10<sup>th</sup>, 20<sup>th</sup>, 23<sup>rd</sup>, 27<sup>th</sup> & 30<sup>th</sup>.

---

### Buzzard *Buteo buteo*

January R=11/25 Recorded 11 scattered dates throughout, 6 on the 24<sup>th</sup>.  
February R=26/27 Recorded throughout 12 on the 28<sup>th</sup>.  
March R=24/25 Recorded throughout, pair Coneygarth on the 18<sup>th</sup>, pair displaying + 6 to N, and 2 to S on the 19<sup>th</sup>.  
April R=22/24 Recorded throughout, 8 on the 24<sup>th</sup>.  
May R=19/20 Recorded throughout, 4 on the 5<sup>th</sup>, 17<sup>th</sup> & 21<sup>st</sup>.  
June R=10/15 Recorded throughout, 5 on the 3<sup>rd</sup>.  
July R=13/15 Recorded throughout, 5 on the 3<sup>rd</sup>.  
August R=17/21 Recorded throughout, 10 on the 23<sup>rd</sup>.  
September R=18/22 Recorded throughout, 9 on the 18<sup>th</sup>.  
October R=17/23 Recorded throughout, 8 on the 9<sup>th</sup>.  
November R=10/21 1 on the 1<sup>st</sup> & 3<sup>rd</sup>, 3 on the 6<sup>th</sup>, 1 on the 8<sup>th</sup>, 3 on the 11<sup>th</sup>, 1 on the 13<sup>th</sup>, 14<sup>th</sup> & 15<sup>th</sup>, 2 on the 25<sup>th</sup> & 29<sup>th</sup>.  
December R=10/20 2 on the 7<sup>th</sup>, 1 on the 10<sup>th</sup> & 16<sup>th</sup>, 4 on 16<sup>th</sup>, 1 on the 20<sup>th</sup>, 21<sup>st</sup>, 23<sup>rd</sup> & 24<sup>th</sup>, 2 on the 25<sup>th</sup>, 1 on the 30<sup>th</sup>.

---

### Osprey *Pandion haliaetus*

April R=2/24 1 over N lake for 10 min then circled off NE on the 2<sup>nd</sup> (J.E.A.), 1 over S lake for 5mins drifted off towards Bar Lane on the 25<sup>th</sup> (R.B.).  
August R=2/21 1 @ 3.15 p.m. trying to fish flew off over to Bar Lane, returned after 5 minutes flew around & landed on pipe S end of lake on the 15<sup>th</sup> (J.E.A.), seen again @ 5.10 p.m. caught fish & disappeared high over wood (C. B.). 1 on the 21<sup>st</sup>.

September R=2/22 1 drifted S @ 10.30 a.m. on the 4<sup>th</sup>, 1 @ 8.45- 9.00 a.m. on the 11<sup>th</sup> made fishing attempt before departing S.E.

---

### Moorhen *Gallinula chloropus*

January	R=25/25	Present throughout month, 10 on the 12 <sup>th</sup> .
February	R=27/27	Present throughout month, maximum 12 on the 11 <sup>th</sup> .
March	R=25/25	Present throughout, maximum 14 on the 3 <sup>rd</sup> , nest building g on the 8 <sup>th</sup> .
April	R=23/24	Present throughout, 10 on the 7 <sup>th</sup> .
May	R=20/20	Present throughout, 2 pair with nests on the 21 <sup>st</sup> .
June	R=15/15	Present throughout, pair with 2 young N lake & pair with 5 young S lake on the 17 <sup>th</sup> .
July	R=15/15	Present throughout, 11 & adult with 5 small chicks on the 21 <sup>st</sup> , pair + 5 chicks S lake & pair + 2 chicks N lake on the 26 <sup>th</sup> .
August	R=21/21	Present throughout, 32 on the 25 <sup>th</sup> .
September	R=21/22	Present throughout, 22 on the 17 <sup>th</sup> .
October	R=22/23	Present throughout, 12 on the 27 <sup>th</sup> .
November	R=21/21	Present throughout, 16 on the 24 <sup>th</sup> .
December	R=20/20	Present throughout, 15 on the 7 <sup>th</sup> .

---

### Coot *Fulica atra*

January	R=25/25	Present throughout month, maximum 12 on the 12 <sup>th</sup> .
February	R=27/77	Present throughout, maximum 10 on the 7 <sup>th</sup> & 11 <sup>th</sup> .
March	R=25/25	Present throughout, 4 on the 3 <sup>rd</sup> .
April	R=8/24	Present on 8 scattered dates throughout, 2 on the 7 <sup>th</sup> .
May	R=13/20	1 on the 8 <sup>th</sup> till the 22 <sup>nd</sup> , 3 on the 23 <sup>rd</sup> , pair with nest on the 27 <sup>th</sup> .
June	R=15/15	Present throughout, 2 pair with nests on the 1 <sup>st</sup> , 9 adults on the 14 <sup>th</sup> & 23 <sup>rd</sup> .
July	R=14/15	Present throughout, 2 on the 21 <sup>st</sup> .
August	R=21/21	Present throughout, 1 juvenile on the 2 <sup>nd</sup> , 3 <sup>rd</sup> & 6 <sup>th</sup> .
September	R=22/22	Present throughout, 14 on the 17 <sup>th</sup> .
October	R=17/23	Present throughout, 10 on the 2 <sup>nd</sup> .
November	R=17/21	Present throughout, 4 on the 24 <sup>th</sup> .
December	R=20/20	Present throughout, maximum 6 on the 23 <sup>rd</sup> & 25 <sup>th</sup> .

---

### Oystercatcher *Haematopus ostralegus*

January	R=3/25	1 on 10 <sup>th</sup> , 2 on the 30 <sup>th</sup> & 3 on the 31 <sup>st</sup> .
February	R=23/27	Recorded throughout, 11 on the 14 <sup>th</sup> .
March	R=24/25	Recorded throughout, maximum 10 on the 19 <sup>th</sup> .
April	R=24/24	Present throughout, 8 on the 6 <sup>th</sup> , 14 <sup>th</sup> , 15 <sup>th</sup> & 16 <sup>th</sup> .
May	R=20/20	Present throughout, 3 pair on the 21 <sup>st</sup> , nest on platform predated by Black-headed gull on the 28 <sup>th</sup> .
June	R=15/15	Present throughout, 12 on the 27 <sup>th</sup> , pair + 20 from N on island one on the 28 <sup>th</sup> .
July	R=15/15	Present throughout, 19 on the 3 <sup>rd</sup> , 12 adults & adult + 3 chicks taken into W crop field on the 10 <sup>th</sup> , 6 pair with chicks on the 12 <sup>th</sup> , no young seen on 15 <sup>th</sup> .
August	R=1/21	1 on the 2 <sup>nd</sup> .
September	R=2/22	1 on the 13 <sup>th</sup> & 16 <sup>th</sup> .

October R=1/23 1 on the 22<sup>nd</sup>.

---

### Golden Plover *Pluvialis apricaria*

March R=1/25 c40 flew over on the 20<sup>th</sup>.

---

### Lapwing *Vanellus vanellus*

January R=6/25 1 on the 1<sup>st</sup>, 80 flew over on the 2<sup>nd</sup>, 8 on the 3<sup>rd</sup>, 14 flew over on the 5<sup>th</sup>, 2 flew over on the 16<sup>th</sup>, c50 flew over on the 30<sup>th</sup>.

February R=12/27 Recorded on 12 scattered dates throughout, maximum 42 on the 12<sup>th</sup>, C100 flew over N on the 28<sup>th</sup>, c150 flew over NW on the 29<sup>th</sup>.

March R=6/25 Recorded on 6 scattered dates throughout, 40 flew over on the 11<sup>th</sup>.

April R=5/24 2 on the 2<sup>nd</sup>, 1 on the 10<sup>th</sup>, 4 on the 20<sup>th</sup>, 1 on the 25<sup>th</sup> & 30<sup>th</sup>.

May R=6/20 1 on the 10<sup>th</sup>, 12<sup>th</sup>, 15<sup>th</sup> & 20<sup>th</sup>, 2 on the 21<sup>st</sup>, 1 on the 27<sup>th</sup>.

June R=10/15 Present throughout, 9 on the 18<sup>th</sup>.

July R=12/15 Present throughout, maximum c250 on the 21<sup>st</sup> & 26<sup>th</sup>.

August R=21/21 Present throughout, maximum c500 on the 5<sup>th</sup>.

September R=22/22 Present throughout, c600 flew over N on the 1<sup>st</sup>, maximum 200+ on the 5<sup>th</sup>.

October R=21/23 Present throughout, maximum c120 on the 9<sup>th</sup>.

November R=12/21 Present on 12 scattered dates throughout, 120 on the 15<sup>th</sup>.

December R=12/20 Recorded on 12 scattered dates throughout, 43 on the 14<sup>th</sup>.

---

### Little Ringed Plover *Charadrius dubius*

June R=1/15 2 on the 24<sup>th</sup>.

---

### Curlew *Numenius arquata*

February R=1/27 2 on the 23<sup>rd</sup>.

March R=4/25 1 flew over on the 6<sup>th</sup> & 8<sup>th</sup>, 2 flew over on the 11<sup>th</sup> & 1 flew over on the 21<sup>st</sup>.

April R=2/24 2 on the 11<sup>th</sup> & 1 flew over on the 14<sup>th</sup>.

May R=4/20 2 on the 5<sup>th</sup> & 19<sup>th</sup>, 1 on the 20<sup>th</sup>, 2 on the 21<sup>st</sup>.

June R=1/15 1 on the 17<sup>th</sup>.

July R=1/15 1 on the 10<sup>th</sup>.

August R=1/21 1 on the 16<sup>th</sup>.

October R=1/23 2 flew over on the 6<sup>th</sup>.

December R=1/20 2 flew over on the 7<sup>th</sup>.

---

### Black-tailed Godwit *Limosa limosa*

April R=1/24 1 flew over on the 29<sup>th</sup> (R.B.)

September R=1/22 1 flew over N on the 4<sup>th</sup>.

---

### Ruff *Calidris pugnax*

October R=1/23 1 on the 3<sup>rd</sup>.

---

---

### Dunlin *Calidris alpina*

September R=5/22 6 on the 13<sup>th</sup>, 2 on the 18<sup>th</sup>, 19<sup>th</sup> & 20<sup>th</sup>, 1 on the 22<sup>nd</sup>.  
November R=1/21 1 on the 9<sup>th</sup>.

---

### Common Sandpiper *Actitis hypoleucos*

April R=5/24 1 on the 14<sup>th</sup>, 2 on the 16<sup>th</sup> & 22<sup>nd</sup>, 1 on the 28<sup>th</sup> & 30<sup>th</sup>.  
May R=4/20 1 on the 3<sup>rd</sup> & 5<sup>th</sup>, 2 on the 8<sup>th</sup>, 1 on the 10<sup>th</sup>.  
July R=9/15 3 on the 3<sup>rd</sup>, 1 on the 15<sup>th</sup>, 16<sup>th</sup>, 21<sup>st</sup>, 22<sup>nd</sup>, 23<sup>rd</sup>, 3 on the 24<sup>th</sup>, 1 on the 26<sup>th</sup> & 29<sup>th</sup>.  
August R=3/21 1 on the 4<sup>th</sup>, 19<sup>th</sup> & 25<sup>th</sup>.  
September R=1/22 1 on the 30<sup>th</sup>.

---

### Green Sandpiper *Tringa ochropus*

July R=2/15 2 on the evening of the 18<sup>th</sup>, 1 on the 26<sup>th</sup>.  
August R=2/21 1 on the 4<sup>th</sup> & 23<sup>rd</sup>.

---

### Greenshank *Tringa nebularia*

April R=1/24 1 on the 17<sup>th</sup> flew around N lake calling departed N.  
August R=1/21 1 on the 20<sup>th</sup>.  
September R=1/22 1 flew around calling then flew off S.E. on the 11<sup>th</sup>.

---

### Redshank *Tringa totanus*

February R=1/27 1 on the 19<sup>th</sup>.  
March R=2/25 1 on the 18<sup>th</sup> & 23<sup>rd</sup>.  
July R=1/15 2 on the 23<sup>rd</sup>.  
November R=1/21 1 on the 23<sup>rd</sup>.

---

### Jack Snipe *Lymnocyptes minimus*

October R=7/23 1 on the 6<sup>th</sup> (M.S./R.B.), 1 on the 13<sup>th</sup> & 16<sup>th</sup>, 2 on the 18<sup>th</sup>, 1 on the 19<sup>th</sup>, 2 on the 21<sup>st</sup> & 1 on the 25<sup>th</sup> (R.B./L.L.).  
November R=2/21 1 on the 9<sup>th</sup> & 17<sup>th</sup>.  
December R=1/20 1 on the 3<sup>rd</sup> (J.E.A.).

---

### Woodcock *Scolopax rusticola*

January R=3/25 1 on the 21<sup>st</sup>, 2/3 on the 24<sup>th</sup>, 1 on the 31<sup>st</sup>.  
February R=2/27 2 in shelter belt & 1 in ditch back field on the 9<sup>th</sup>, 1 on the 28<sup>th</sup>.  
March R=2/25 1 on the 3<sup>rd</sup> & 19<sup>th</sup>.  
November R=2/21 1 on the 12<sup>th</sup> & 14<sup>th</sup>.  
December R=1/20 1 on the 27<sup>th</sup>.

---

### Snipe *Gallinago gallinago*

January R=5/25 5 on the 16<sup>th</sup>, 4 on the 17<sup>th</sup>, 2 on the 19<sup>th</sup>, 1 on the 24<sup>th</sup> & 30<sup>th</sup>.

February	R=6/27	1 on the 3 <sup>rd</sup> , 6 <sup>th</sup> , 15 <sup>th</sup> , 26 <sup>th</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> .
March	R=4/25	2 on the 8 <sup>th</sup> , 1 on the 11 <sup>th</sup> , 6 on the 13 <sup>th</sup> & 1 on the 29 <sup>th</sup> .
April	R=9/24	1 on the 5 <sup>th</sup> , 7 <sup>th</sup> , 10 <sup>th</sup> , 11 <sup>th</sup> , 12 <sup>th</sup> & 19 <sup>th</sup> , 2 on the 21 <sup>st</sup> & 22 <sup>nd</sup> , 1 on the 23 <sup>rd</sup> .
August	R=1/21	2 on the 25 <sup>th</sup> .
September	R=13/22	Recorded on 13 scattered dates throughout, 4 on the 7 <sup>th</sup> , & 16 <sup>th</sup> .
October	R=22/23	Present throughout, 11 on the 15 <sup>th</sup> .
November	R=17/21	Recorded throughout, 11 on the 21 <sup>st</sup> .
December	R=17/20	Recorded throughout, 7 on the 14 <sup>th</sup> & 19 <sup>th</sup> .

---

### Black Tern *Chlidonias niger*

May	R=1/20	1 @ 11.30 a.m. joined by 13 @ 2 p.m. on the 8 <sup>th</sup> (J.E.A et al).
June	R=1/15	1 @ 1 p.m. (J.E.A.) and same or another @ 6.50 p.m. flew in from N fed for 10 mins before departing S on the 23 <sup>rd</sup> .

---

### Sandwich Tern *Sterna sandvicensis*

April	R=5/24	1 over lake on the 2 <sup>nd</sup> (J.E.A).
-------	--------	---

---

### Common Tern *Sterna hirundo*

April	R=7/24	4 on the 21 <sup>st</sup> , 1 on the 22 <sup>nd</sup> , 23 <sup>rd</sup> , 24 <sup>th</sup> & 25 <sup>th</sup> , 2 calling on the 26 <sup>th</sup> , 1 on the 30 <sup>th</sup> .
May	R=20/20	Present throughout, 3 pair on the 10 <sup>th</sup> till end of month
June	R=15/15	Present throughout, 3 pair till the 17 <sup>th</sup> , pair predated by Magpie on the 18 <sup>th</sup> .
July	R=13/15	Present throughout, 5 on the 8 <sup>th</sup> , 2 pair 26 <sup>th</sup> & 28 <sup>th</sup> .
August	R=6/21	1 on the 1 <sup>st</sup> , 2 on the 2 <sup>nd</sup> , 1 on the 3 <sup>rd</sup> , 2 on the 4 <sup>th</sup> , 1 on the 5 <sup>th</sup> , 2 on the 6 <sup>th</sup> .

---

### Arctic Tern *Sterna paradisaea*

April	R=1/24	1 on the 25 <sup>th</sup> (J.E.A).
May	R=2/20	1 at 8 a.m. & 1 at 3.30 p.m. on the 1 <sup>st</sup> , 1 flew over N on the 12 <sup>th</sup> .

---

### Black-headed Gull *Chroicocephalus ridibundus*

January	R=25/25	Present throughout, 110 on the 20 <sup>th</sup> , c400 on the 30 <sup>th</sup> .
February	R=27/27	Present throughout, 19 on the 16 <sup>th</sup> .
March	R=25/25	Present throughout, maximum 70 on the 8 <sup>th</sup> .
April	R=24/24	Present throughout, maximum 90 on the 7 <sup>th</sup> .
May	R=19/20	Present throughout, chicks seen on table on the 22 <sup>nd</sup> .
June	R=15/15	Present throughout, 1 young on the 5 <sup>th</sup> , 2 young on the 17 <sup>th</sup> , maximum 40 on the 23 <sup>rd</sup> .
July	R=15/15	Present throughout, Otter climbed on platform and devoured chicks on the 18 <sup>th</sup> , maximum 60 on the 21 <sup>st</sup> .
August	R=21/21	Present throughout, 7 on the 20 <sup>th</sup> .
September	R=22/22	Present throughout, maximum 140 on the 24 <sup>th</sup> .
October	R=23/23	Present throughout, 120 on the 7 <sup>th</sup> .
November	R=21/21	Present throughout, maximum 450 on the 16 <sup>th</sup> .
December	R=20/20	Present throughout, maximum 300 on the 14 <sup>th</sup> .

---

### Little Gull *Hydrocoloeus minutus*

May	R=5/20	1 adult @ 2.40 p.m. still present 3.45 p.m. on the 1 <sup>st</sup> (J.E.A.), 2 adults on the 5 <sup>th</sup> (R.B./L.L./M.S.), 1 adult on the 6 <sup>th</sup> & 7 <sup>th</sup> , 1 adult on the 10 <sup>th</sup> @ 11.30 a.m. left @ 1 p.m. (R.B.) & another @ 2 p.m. (J.E.A.)
July	R=1/15	1 adult on the 8 <sup>th</sup> (R.B.).

---

### Common Gull *Larus canus*

January	R=19/25	Recorded throughout, 6 on the 1 <sup>st</sup> & 2 <sup>nd</sup> .
February	R=13/27	Recorded throughout, 9 on the 15 <sup>th</sup> .
March	R=16/25	Recorded throughout, maximum 10 on the 17 <sup>th</sup> .
April	R=11/24	Recorded on 11 dates throughout, 3 on the 20 <sup>th</sup> .
May	R=6/20	1 on the 3 <sup>rd</sup> , 6 <sup>th</sup> , 7 <sup>th</sup> , 8 <sup>th</sup> , 14 <sup>th</sup> & 31 <sup>st</sup> .
July	R=2/15	2 on the 17 <sup>th</sup> , 1 on the 21 <sup>st</sup> .
August	R=5/21	2 on the 1 <sup>st</sup> & 9 <sup>th</sup> , 1 on the 18 <sup>th</sup> , 2 on the 21 <sup>st</sup> , 1 on the 25 <sup>th</sup> .
September	R=12/22	Recorded on 12 scattered dates throughout, 4 on 12 <sup>th</sup> , 35 drifted S on 20 <sup>th</sup> .
October	R=14/23	Recorded on 14 scattered dates throughout, 5 on the 27 <sup>th</sup> .
November	R=13/21	Recorded on 13 scattered dates throughout, 9 on the 24 <sup>th</sup> .
December	R=15/20	Recorded throughout, 8 on the 3 <sup>rd</sup> .

---

### Lesser Black-backed Gull *Larus fuscus*

January	R=3/25	1 on the 3 <sup>rd</sup> , 6 <sup>th</sup> & 10 <sup>th</sup> .
February	R=1/27	1 on the 11 <sup>th</sup> .
March	R=2/25	1 on the 10 <sup>th</sup> & 15 <sup>th</sup> .
April	R=3/24	1 on the 12 <sup>th</sup> , 3 flew over on the 23 <sup>rd</sup> , 1 on the 30 <sup>th</sup> .
May	R=1/20	2 on the 8 <sup>th</sup> .
June	R=1/15	2 on the 2 <sup>nd</sup> .
July	R=5/15	1 on the 1 <sup>st</sup> , 7 <sup>th</sup> , 12 <sup>th</sup> , 23 <sup>rd</sup> & 30 <sup>th</sup> .
August	R=2/21	1 on the 1 <sup>st</sup> & 4 <sup>th</sup> .
September	R=2/22	3 on the 14 <sup>th</sup> , 1 on the 25 <sup>th</sup> .
October	R=2/23	4 adults on the 1 <sup>st</sup> , 2 adults on the 11 <sup>th</sup> .
November	R=1/21	1 on the 4 <sup>th</sup> .

---

### Herring Gull *Larus argentatus*

January	R=13/25	Recorded on 13 scattered dates throughout, maximum 8 on the 2 <sup>nd</sup> .
February	R=11/27	Recorded on 11 scattered dates throughout, 8 on the 20 <sup>th</sup> .
March	R=14/25	Recorded throughout, maximum 4 on the 5 <sup>th</sup> .
April	R=10/24	Recorded on 10 dates throughout, 13 flew over on the 14 <sup>th</sup> .
May	R=14/20	Recorded throughout, 5 on the 5 <sup>th</sup> .
June	R=3/15	1 on the 2 <sup>nd</sup> , 3 <sup>rd</sup> & 4 <sup>th</sup> .
July	R=1/15	1 on the 17 <sup>th</sup> .
August	R=1/21	1 on the 9 <sup>th</sup> .
September	R=6/22	1 on the 2 <sup>nd</sup> & 12 <sup>th</sup> , 2 on the 14 <sup>th</sup> , 1 on the 19 <sup>th</sup> , 24 <sup>th</sup> & 28 <sup>th</sup> .
October	R=10/23	Recorded on 10 scattered dates throughout, 9 on the 1 <sup>st</sup> .
November	R=12/21	Recorded on 12 scattered dates throughout, 17 on the 26 <sup>th</sup> .
December	R=10/20	Recorded on 10 scattered dates throughout, 5 on the 25 <sup>th</sup> .

---

## Great Black-backed Gull *Larus marinus*

January	R=5/25	1 on the 5 <sup>th</sup> , 10 <sup>th</sup> , 17 <sup>th</sup> , 21 <sup>st</sup> & 23 <sup>rd</sup> .
February	R=3/27	1 on the 9 <sup>th</sup> , 2 on the 13 <sup>th</sup> & 20 <sup>th</sup> .
March	R=1/25	1 on the 1 <sup>st</sup> .
April	R=1/24	1 on the 20 <sup>th</sup> .
June	R=1/15	2 on the 23 <sup>rd</sup> .
July	R=1/15	2 on the 30 <sup>th</sup> .
August	R=2/21	3 on the 13 <sup>th</sup> , 2 on the 16 <sup>th</sup> .
November	R=2/21	1 on the 11 <sup>th</sup> & 22 <sup>nd</sup> .
December	R=1/20	1 on the 27 <sup>th</sup> .

---

## Stock Dove *Columba oenas*

January	R=1/25	2 on the 16 <sup>th</sup> .
February	R=5/27	1 on the 15 <sup>th</sup> , 19 <sup>th</sup> , 21 <sup>st</sup> , 23 <sup>rd</sup> , 4 on the 28 <sup>th</sup> .
March	R=5/25	1 on the 4 <sup>th</sup> , 11 <sup>th</sup> & 18 <sup>th</sup> , 4 on the 19 <sup>th</sup> , 1 on the 20 <sup>th</sup> .
April	R=6/24	1 on the 14 <sup>th</sup> , 2 on the 15 <sup>th</sup> , 1 on the 16 <sup>th</sup> , 2 on the 23 <sup>rd</sup> & 29 <sup>th</sup> , 1 on the 30 <sup>th</sup> .
May	R=4/20	2 on the 3 <sup>rd</sup> & 6 <sup>th</sup> , 4 on the 8 <sup>th</sup> , 1 on the 10 <sup>th</sup> .
June	R=4/15	2 on the 12 <sup>th</sup> , 1 on the 17 <sup>th</sup> , 3 on the 23 <sup>rd</sup> , 1 on the 26 <sup>th</sup> .
August	R=3/21	1 on the 5 <sup>th</sup> , 2 on the 16 <sup>th</sup> , 1 on the 21 <sup>st</sup> .
November	R=3/12	1 on the 10 <sup>th</sup> , 13 <sup>th</sup> & 22 <sup>nd</sup> .
December	R=1/20	1 on the 23 <sup>rd</sup> .

---

## Wood Pigeon *Columba palumbus*

January	R=24/25	Present throughout.
February	R=24/27	Present throughout, c20 on the 2 <sup>nd</sup> , c250 on the 27 <sup>th</sup> .
March	R=25/25	Present throughout.
April	R=24/24	Present throughout.
May	R=20/20	Present throughout.
June	R=15/15	Present throughout.
July	R=15/15	Present throughout.
August	R=21/21	Present throughout.
September	R=22/22	Present throughout.
October	R=23/23	Present throughout.
November	R=21/21	Present throughout.
December	R=20/20	Present throughout.

---

## Collared Dove *Streptopelia decaocto*

May	R=4/20	1 on the 5 <sup>th</sup> , 6 <sup>th</sup> , 10 <sup>th</sup> & 31 <sup>st</sup> .
June	R=1/15	1 on the 3 <sup>rd</sup> .
July	R=1/15	1 on the 15 <sup>th</sup> .
August	R=7/21	1 on the 2 <sup>nd</sup> & 3 <sup>rd</sup> , 2 on the 6 <sup>th</sup> & 9 <sup>th</sup> , 1 on the 11 <sup>th</sup> , 2 on the 14 <sup>th</sup> , 1 on 23 <sup>rd</sup> .
September	R=8/22	1 on the 3 <sup>rd</sup> , 5 <sup>th</sup> & 7 <sup>th</sup> , 2 on the 11 <sup>th</sup> , 1 on the 13 <sup>th</sup> & 17 <sup>th</sup> , 2 on the 19 <sup>th</sup> & 21 <sup>st</sup> .

---

### Turtle Dove *Streptopelia turtur*

September R=1/22 1 calling on the 18<sup>th</sup> but unable to locate (L.L./R.B.).

---

### Cuckoo *Cuculus canorus*

August R=1/21 1 juvenile on the 9<sup>th</sup> (R.B.).

---

### Tawny Owl *Strix aluco*

March R=1/25 1 calling on the 20<sup>th</sup>.  
April R=4/24 1 calling on the 13<sup>th</sup>, 1 on the 22<sup>nd</sup>, 24<sup>th</sup> & 26<sup>th</sup>.  
May R=2/20 1 on the 5<sup>th</sup> & 2 on the 8<sup>th</sup>.  
June R=2/15 The wings and feet remains found on the 2<sup>nd</sup>, chick in nest box on the 23<sup>rd</sup>.  
July R=3/15 1 on the 10<sup>th</sup> & 21<sup>st</sup>, 1 chick in nest N lake on the 23<sup>rd</sup>.  
August R=3/21 1 calling on the 23<sup>rd</sup> & 30<sup>th</sup>, 1 on the 31<sup>st</sup>.  
September R=4/22 1 calling on the 3<sup>rd</sup>, 7<sup>th</sup>, 18<sup>th</sup> & 21<sup>st</sup>.  
October R=3/23 1 calling on the 4<sup>th</sup>, 6<sup>th</sup> & 21<sup>st</sup>.  
November R=1/21 1 on the 8<sup>th</sup>.  
December R=1/20 1 calling on the 27<sup>th</sup>.

---

### Swift *Apus apus*

April R=4/24 1 on the 24<sup>th</sup>, 2 on the 25<sup>th</sup>, 1 on the 26<sup>th</sup> & 2 on the 30<sup>th</sup>.  
May R=16/20 Recorded throughout, c20 on the 14<sup>th</sup>.  
June R=9/15 Present throughout, 6 on the 23<sup>rd</sup>.  
July R=13/15 Present throughout, maximum c20 on the 8<sup>th</sup> & 12<sup>th</sup>.  
August R=10/21 Present on 10 scattered dates, 19 on the 1<sup>st</sup>, 1 on the 20<sup>th</sup> was the last.

---

### Kingfisher *Alcedo atthis*

February R=1/27 1 on the 28<sup>th</sup>.  
July R=6/15 1 on the 3<sup>rd</sup>, 18<sup>th</sup>, 21<sup>st</sup>, 23<sup>rd</sup> & 24<sup>th</sup>, 3 on the 30<sup>th</sup>.  
August R=7/21 1 on the 1<sup>st</sup>, 4<sup>th</sup>, 11<sup>th</sup> & 16<sup>th</sup>, 2 on the 23<sup>rd</sup>, 28<sup>th</sup> & 30<sup>th</sup>.  
September R=10/22 1 on the 3<sup>rd</sup>, 4<sup>th</sup> & 5<sup>th</sup>, 2 on the 7<sup>th</sup> & 9<sup>th</sup>, 1 on the 13<sup>th</sup>, 16<sup>th</sup> & 18<sup>th</sup>, 2 on the 19<sup>th</sup>, 1 on the 20<sup>th</sup>.  
October R=7/23 2 on the 1<sup>st</sup>, 1 on the 12<sup>th</sup>, 13<sup>th</sup>, 15<sup>th</sup>, 18<sup>th</sup>, 23<sup>rd</sup> & 26<sup>th</sup>.  
November R=9/21 1 on the 1<sup>st</sup>, 6<sup>th</sup>, 11<sup>th</sup>, 12<sup>th</sup>, 13<sup>th</sup>, 15<sup>th</sup>, 22<sup>nd</sup> & 25<sup>th</sup>, 2 on the 29<sup>th</sup>.  
December R=5/20 2 on the 3<sup>rd</sup>, 4<sup>th</sup> & 7<sup>th</sup>, 1 on the 14<sup>th</sup>, 2 on the 17<sup>th</sup>.

---

### Green Woodpecker *Picus viridis*

January R=6/25 1 on the 2<sup>nd</sup>, 5<sup>th</sup>, 8<sup>th</sup>, 10<sup>th</sup>, 21<sup>st</sup> & 24<sup>th</sup>.  
February R=2/27 1 on the 3<sup>rd</sup> & 28<sup>th</sup>.  
April R=1/24 1 on the 26<sup>th</sup>.  
June R=1/15 1 calling on the 25<sup>th</sup>.  
August R=12/21 Present on 12 dates throughout, 2 on the 4<sup>th</sup>.  
September R=8/22 1 on the 6<sup>th</sup>, 7<sup>th</sup>, 13<sup>th</sup>, 16<sup>th</sup>, 17<sup>th</sup>, 21<sup>st</sup>, 25<sup>th</sup> & 27<sup>th</sup>.  
October R=9/23 1 on the 1<sup>st</sup>, 6<sup>th</sup>, 8<sup>th</sup>, 9<sup>th</sup>, 15<sup>th</sup>, 17<sup>th</sup>, 21<sup>st</sup>, 22<sup>nd</sup> & 29<sup>th</sup>.

---

November	R=7/21	1 on the 4 <sup>th</sup> , 6 <sup>th</sup> , 11 <sup>th</sup> , 13 <sup>th</sup> , 22 <sup>nd</sup> & 26 <sup>th</sup> , 2 on the 28 <sup>th</sup> .
December	R=5/20	1 on the 4 <sup>th</sup> , 9 <sup>th</sup> , 10 <sup>th</sup> , 17 <sup>th</sup> & 20 <sup>th</sup> .

### Great Spotted Woodpecker *Dendrocopos major*

January	R=16/25	Recorded throughout.
February	R=9/27	1 recorded on 9 scattered dates throughout.
March	R=12/25	Recorded on 12 dates throughout, drumming on the 8 <sup>th</sup> , 2 on the 17 <sup>th</sup> .
April	R=16/24	Recorded throughout, 3 on the 5 <sup>th</sup> , 1 drumming S lake & 1 N lake on the 9 <sup>th</sup> .
May	R=12/20	1 N lake & 1 carrying food S lake on the 27 <sup>th</sup> .
June	R=9/15	Recorded throughout, pair with 2 young on the 14 <sup>th</sup> , 1 juv on the 24 <sup>th</sup> & 28 <sup>th</sup> .
July	R=6/15	1 on the 2 <sup>nd</sup> , 1 + 1 juv on the 3 <sup>rd</sup> , 1 juv on the 8 <sup>th</sup> , 15 <sup>th</sup> & 17 <sup>th</sup> , 2 on the 21 <sup>st</sup> .
August	R=12/21	A juvenile on the 5 <sup>th</sup> , 1 to 2 birds on 12 dates throughout.
September	R=10/22	Recorded on 10 scattered dates throughout, 2 on the 5 <sup>th</sup> , 18 <sup>th</sup> & 28 <sup>th</sup> .
October	R=10/23	2 on the 1 <sup>st</sup> , 1 on the 5 <sup>th</sup> , 9 <sup>th</sup> , 11 <sup>th</sup> , 15 <sup>th</sup> , 22 <sup>nd</sup> , 23 <sup>rd</sup> , 26 <sup>th</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> .
November	R=16/21	1 on the 3 <sup>rd</sup> , 4 <sup>th</sup> , 6 <sup>th</sup> , 8 <sup>th</sup> & 9 <sup>th</sup> , 2 on the 11 <sup>th</sup> & 12 <sup>th</sup> , 1 on the 13 <sup>th</sup> , 14 <sup>th</sup> , 15 <sup>th</sup> , 18 <sup>th</sup> , 22 <sup>nd</sup> , 25 <sup>th</sup> , 26 <sup>th</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> .
December	R=19/20	Recorded throughout, 2 on the 5 <sup>th</sup> & 19 <sup>th</sup> .

### Kestrel *Falco tinnunculus*

January	R=4/25	1 on the 12 <sup>th</sup> & 23 <sup>rd</sup> , 2 on the 24 <sup>th</sup> , 1 on the 31 <sup>st</sup> .
February	R=10/27	1 on the 2 <sup>nd</sup> , 9 <sup>th</sup> , 10 <sup>th</sup> , 11 <sup>th</sup> , 12 <sup>th</sup> , 13 <sup>th</sup> , 16 <sup>th</sup> , 17 <sup>th</sup> , 21 <sup>st</sup> & 27 <sup>th</sup> .
March	R=8/25	1 on the 5 <sup>th</sup> , 10 <sup>th</sup> , 15 <sup>th</sup> , 17 <sup>th</sup> , 20 <sup>th</sup> , 21 <sup>st</sup> , 27 <sup>th</sup> & 29 <sup>th</sup> .
April	R=13/24	1 on the 1 <sup>st</sup> , 2 <sup>nd</sup> , 5 <sup>th</sup> , 10 <sup>th</sup> , 16 <sup>th</sup> , 20 <sup>th</sup> , 2 on the 21 <sup>st</sup> , 1 on the 22 <sup>nd</sup> , 23 <sup>rd</sup> , 24 <sup>th</sup> , 25 <sup>th</sup> , 29 <sup>th</sup> & 30 <sup>th</sup> .
May	R=14/20	Recorded throughout, 1 in nest box + 1 on the 8 <sup>th</sup> , pair at nest box on the 14 <sup>th</sup> .
June	R=9/15	Recorded throughout, chick in nest box on the 28 <sup>th</sup> .
July	R=7/15	1 on the 2 <sup>nd</sup> , 10 <sup>th</sup> , 12 <sup>th</sup> , 15 <sup>th</sup> , 17 <sup>th</sup> , 27 <sup>th</sup> & 30 <sup>th</sup> .
August	R=7/21	1 on the 2 <sup>nd</sup> , 4 <sup>th</sup> , 5 <sup>th</sup> , 9 <sup>th</sup> , 11 <sup>th</sup> , 13 <sup>th</sup> & 30 <sup>th</sup> .
September	R=6/22	1 on the 4 <sup>th</sup> , 6 <sup>th</sup> & 13 <sup>th</sup> , 2 on the 17 <sup>th</sup> , 1 on the 18 <sup>th</sup> & 27 <sup>th</sup> .
October	R=5/23	2 on the 4 <sup>th</sup> , 1 on the 5 <sup>th</sup> , 2 on the 7 <sup>th</sup> , 13 <sup>th</sup> & 18 <sup>th</sup> .
November	R=7/21	1 on the 1 <sup>st</sup> , 11 <sup>th</sup> , 12 <sup>th</sup> , 13 <sup>th</sup> , 16 <sup>th</sup> , 28 <sup>th</sup> & 30 <sup>th</sup> .
December	R=1/20	1 on the 23 <sup>rd</sup> .

### 0310 Hobby *Falco subbuteo*

May	R=1/20	1 flew over back field on the 1 <sup>st</sup> (L.L./R.B./J.E.A.).
June	R=2/15	1 on the 26 <sup>th</sup> , 1 chasing Sand Martin on the 28 <sup>th</sup> .
July	R=5/15	1 seen to pluck & eat Sand Martin on the 3 <sup>rd</sup> , 1 on the 9 <sup>th</sup> , 1 chasing Sand Martins on the 10 <sup>th</sup> , 1 on the 15 <sup>th</sup> & 26 <sup>th</sup> .
August	R=4/21	1 on the 4 <sup>th</sup> , 1 chasing Sand Martins on the 11 <sup>th</sup> , 1 on the 15 <sup>th</sup> , 2 on the 20 <sup>th</sup> (L.L.).
September	R=2/22	1 flew S on the 28 <sup>th</sup> , 1 on the 29 <sup>th</sup> .

### Peregrine *Falco peregrinus*

January	R=5/25	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 6 <sup>th</sup> , 25 <sup>th</sup> & 31 <sup>st</sup> .
---------	--------	--

February	R=1/17	1 on the 17 <sup>th</sup> .
March	R=4/25	1 on the 21 <sup>st</sup> , 22 <sup>nd</sup> , 27 <sup>th</sup> & 28 <sup>th</sup> .
September	R=2/22	1 Flew over on the 13 <sup>th</sup> , 1 on the 15 <sup>th</sup> .
October	R=1/23	1 adult on the 29 <sup>th</sup> .
November	R=3/21	1 juvenile on the 1 <sup>st</sup> , 6 <sup>th</sup> & 22 <sup>nd</sup> .
December	R=4/20	1 on the 4 <sup>th</sup> , 10 <sup>th</sup> , 13 <sup>th</sup> & 18 <sup>th</sup> .

---

### Magpie *Pica pica*

January	R=25/25	Present throughout.
February	R=27/27	Present throughout.
March	R=25/25	Present throughout, 13 on the 3 <sup>rd</sup> .
April	R=24/24	Present throughout.
May	R=20/20	Present throughout.
June	R=15/15	Present throughout.
July	R=14/15	Present throughout.
August	R=20/21	Present throughout.
September	R=22/22	Present throughout.
October	R=22/23	Present throughout.
November	R=21/21	Present throughout.
December	R=19/20	Present throughout.

---

### Jay *Garrulus glandarius*

January	R=9/16	1 on the 8 <sup>th</sup> , 10 <sup>th</sup> , 14 <sup>th</sup> , 16 <sup>th</sup> , 18 <sup>th</sup> , 3 on the 21 <sup>st</sup> , 1 on the 24 <sup>th</sup> , 26 <sup>th</sup> & 30 <sup>th</sup> .
February	R=7/27	Recorded on 7 scattered dates throughout, 2 on the 9 <sup>th</sup> , 13 <sup>th</sup> & 26 <sup>th</sup> .
March	R=9/25	Recorded on 9 scattered dates throughout, 4 on the 23 <sup>rd</sup> .
April	R=10/24	1 to 3 birds on 10 scattered dates throughout.
May	R=5/20	1 on the 1 <sup>st</sup> , 5 <sup>th</sup> , 8 <sup>th</sup> , 10 <sup>th</sup> & 17 <sup>th</sup> .
June	R=2/15	1 on the 1 <sup>st</sup> & 17 <sup>th</sup> .
July	R=4/15	2 on the 8 <sup>th</sup> , 1 on the 10 <sup>th</sup> & 21 <sup>st</sup> , 2 on the 23 <sup>rd</sup> .
August	R=9/21	1 on the 2 <sup>nd</sup> , 6 <sup>th</sup> , 9 <sup>th</sup> , 2 on the 14 <sup>th</sup> , 1 on the 16 <sup>th</sup> , 23 <sup>rd</sup> , 25 <sup>th</sup> , 30 <sup>th</sup> & 31 <sup>st</sup> .
September	R=20/22	Recorded throughout, maximum 6 on the 18 <sup>th</sup> .
October	R=16/23	1 to 4 birds throughout.
November	R=8/21	1 on the 1 <sup>st</sup> , 12 <sup>th</sup> , 16 <sup>th</sup> & 18 <sup>th</sup> , 2 on the 22 <sup>nd</sup> & 28 <sup>th</sup> , 1 on the 29 <sup>th</sup> & 30 <sup>th</sup> .
December	R=4/20	1 on the 7 <sup>th</sup> , 16 <sup>th</sup> , 23 <sup>rd</sup> & 27 <sup>th</sup> .

---

### Jackdaw *Corvus monedula*

January	R=25/25	Recorded throughout, 65 on the 19 <sup>th</sup> .
February	R=27/27	Recorded throughout.
March	R=25/25	Recorded throughout.
April	R=24/24	Recorded throughout, 15 on the 11 <sup>th</sup> & 23 <sup>rd</sup> .
May	R=19/20	Present throughout.
June	R=15/15	Recorded throughout, c120 on the 23 <sup>rd</sup> .
July	R=15/15	Recorded throughout, c70 on the 2 <sup>nd</sup> .
August	R=20/21	Recorded throughout.
September	R=21/22	Recorded throughout, 40 on the 20 <sup>th</sup> .
October	R=23/23	Recorded throughout.

November	R=20/21	Present throughout.
December	R=20/20	Recorded throughout.

---

### Rook *Corvus frugilegus*

March	R=1/25	1 on the 15 <sup>th</sup> .
June	R=1/15	2 on the 23 <sup>rd</sup> .
July	R=2/15	27 on the 21 <sup>st</sup> , 1 on the 24 <sup>th</sup> .
August	R=2/21	1 on the 14 <sup>th</sup> , 3 on the 30 <sup>th</sup> .
November	R=4/21	1 on the 1 <sup>st</sup> , 18 <sup>th</sup> , 25 <sup>th</sup> & 29 <sup>th</sup> .
December	R=6/20	1 on the 2 <sup>nd</sup> , 16 on the 4 <sup>th</sup> , 1 on the 16 <sup>th</sup> , 20 <sup>th</sup> & 23 <sup>rd</sup> , c100 on the 27 <sup>th</sup> .

---

### Carrion Crow *Corvus corone*

January	R=25/25	Present throughout.
February	R=27/27	Present throughout.
March	R=25/25	Present throughout.
April	R=24/24	Present throughout.
May	R=20/20	Present throughout.
June	R=14/15	Present throughout.
July	R=15/15	Present throughout.
August	R=21/21	Present throughout.
September	R=22/22	Present throughout.
October	R=23/23	Present throughout.
November	R=20/21	Recorded throughout.
December	R=20/20	Present throughout.

---

### Goldcrest *Regulus regulus*

January	R=1/25	1 on the 22 <sup>nd</sup> .
February	R=1/27	1 on the 10 <sup>th</sup> .
April	R=1/24	2 on the 22 <sup>nd</sup> .
July	R=4/15	2 juveniles on the 3 <sup>rd</sup> , 1 on the 8 <sup>th</sup> , 12 <sup>th</sup> & 30 <sup>th</sup> .
August	R=4/21	1 on the 6 <sup>th</sup> , 9 <sup>th</sup> & 30 <sup>th</sup> , 3 on the 31 <sup>st</sup> .
September	R=6/13	1 on the 16 <sup>th</sup> , 17 <sup>th</sup> & 18 <sup>th</sup> , 3 on the 19 <sup>th</sup> , 1 on the 20 <sup>th</sup> & 2 on the 24 <sup>th</sup> .
October	R=10/23	1 on the 2 <sup>nd</sup> , 4 on the 4 <sup>th</sup> , 5 on the 5 <sup>th</sup> , 1 on the 11 <sup>th</sup> , 12 <sup>th</sup> & 13 <sup>th</sup> , 2 on the 17 <sup>th</sup> , 1 on the 18 <sup>th</sup> , 2 on the 23 <sup>rd</sup> & 4 on the 27 <sup>th</sup> .
November	R=14/21	Recorded on 14 scattered dates throughout, 7 on the 15 <sup>th</sup> .
December	R=11/20	2 on the 3 <sup>rd</sup> , 1 on the 4 <sup>th</sup> , 7 <sup>th</sup> , 9 <sup>th</sup> , & 10 <sup>th</sup> , 2 on the 15 <sup>th</sup> & 16 <sup>th</sup> , 1 on the 19 <sup>th</sup> , 2 on the 20 <sup>th</sup> , 3 on the 27 <sup>th</sup> , 2 on the 30 <sup>th</sup> .

---

### Blue Tit *Cyanistes caeruleus*

January	R=25/25	Present throughout.
February	R=27/27	Present throughout.
March	R=25/25	Present throughout.
April	R=24/24	Present throughout.
May	R=20/20	Present throughout, 6 S lake & 16 N lake on the 8 <sup>th</sup> .
June	R=15/15	Recorded throughout, 3 family parties on the 17 <sup>th</sup> , family party on the 24 <sup>th</sup> .

July	R=15/15	Recorded throughout.
August	R=21/21	Present throughout.
September	R=22/22	Present throughout.
October	R=22/23	Present throughout.
November	R=21/21	Present throughout.
December	R=20/20	Present throughout. Nest Boxes 5 pairs bred, 29 young- see nest box data end of report.

---

### Great Tit *Parus major*

January	R=25/25	Present throughout.
February	R=27/27	Present throughout.
March	R=25/25	Present throughout.
April	R=24/24	Present throughout.
May	R=20/20	Present throughout, 7 S lake & 9 N lake on the 8 <sup>th</sup> .
June	R=15/15	Recorded throughout, 1 juvenile on the 2 <sup>th</sup> , family party on the 24 <sup>th</sup> .
July	R=15/15	Recorded throughout.
August	R=21/21	Present throughout.
September	R=22/22	Present throughout.
October	R=21/23	Present throughout.
November	R=21/21	Present throughout.
December	R=20/20	Present throughout. Nest Boxes 4 pairs bred, 24 young- see nest box data end of report.

---

### Coal Tit *Periparus ater*

January	R=25/25	Present throughout.
February	R=27/27	Present throughout, 2 on the 16 <sup>th</sup> .
March	R=21/25	Present throughout, 3 on the 21 <sup>st</sup> .
April	R=11/24	1 on 11 scattered dates throughout.
May	R=3/20	1 on the 1 <sup>st</sup> & 5 <sup>th</sup> , 2 on the 8 <sup>th</sup> .
June	R=2/15	1 on the 3 <sup>rd</sup> , 3+ family party on the 23 <sup>rd</sup> .
July	R=2/15	1 on the 8 <sup>th</sup> & 15 <sup>th</sup> .
August	R=4/21	1 on the 2 <sup>nd</sup> & 3 <sup>rd</sup> , 2 on the 9 <sup>th</sup> , 1 on the 31 <sup>st</sup> .
September	R=7/22	1 on the 2 <sup>nd</sup> , 3 on the 9 <sup>th</sup> , 1 on the 11 <sup>th</sup> , 4 on the 17 <sup>th</sup> , 1 on 21 <sup>st</sup> , 24 <sup>th</sup> & 28 <sup>th</sup> .
October	R=17/23	Recorded throughout, 2 on the 13 <sup>th</sup> .
November	R=21/21	Recorded throughout.
December	R=20/20	Recorded throughout.

---

### Marsh Tit *Poecile palustris*

January	R=25/25	Present throughout.
February	R=23/27	Present throughout, 2 on the 9 <sup>th</sup> .
March	R=21/25	Present throughout, 2 on the 11 <sup>th</sup> & 18 <sup>th</sup> .
April	R=21/24	Recorded on throughout, 2 on the 5 <sup>th</sup> , 14 <sup>th</sup> , 20 <sup>th</sup> , 23 <sup>rd</sup> & 29 <sup>th</sup> .
May	R=9/20	1 on the 1 <sup>st</sup> & 8 <sup>th</sup> , 1 carrying food on the 10 <sup>th</sup> , 1 on the 12 <sup>th</sup> , 15 <sup>th</sup> , & 17 <sup>th</sup> , 2 on the 19 <sup>th</sup> , 1 on the 20 <sup>th</sup> & 21 <sup>st</sup> .
June	R=1/15	1 on the 3 <sup>rd</sup> .

August	R=12/21	2 on the 1 <sup>st</sup> , 1 on the 4 <sup>th</sup> , 5 <sup>th</sup> , 9 <sup>th</sup> & 11 <sup>th</sup> , 2 on the 13 <sup>th</sup> , 1 on the 18 <sup>th</sup> 20 <sup>th</sup> , 23 <sup>rd</sup> , 25 <sup>th</sup> , 28 <sup>th</sup> & 31 <sup>st</sup> .
September	R=16/22	Recorded throughout, 2 on the 4 <sup>th</sup> , 16 <sup>th</sup> & 17 <sup>th</sup> .
October	R=18/23	Recorded throughout, 4 on the 13 <sup>th</sup> & 23 <sup>rd</sup> .
November	R=20/21	Recorded throughout, 5 on the 11 <sup>th</sup> .
December	R=20/20	Recorded throughout, 3 on the 19 <sup>th</sup> .

---

### Skylark *Alauda arvensis*

March	R=2/25	1 singing on the 11 <sup>th</sup> , 2 flew over on the 13 <sup>th</sup> .
April	R=1/24	1 flew over on the 5 <sup>th</sup> .
June	R=2/15	1 singing on the 12 <sup>th</sup> & 26 <sup>th</sup> .
September	R=1/22	33 flew over S on the 28 <sup>th</sup> .
October	R=13/23	1 to 8 birds on 13 scattered dates throughout, 33 flew over on the 17 <sup>th</sup> .
November	R=8/21	1 on the 4 <sup>th</sup> , 2 on the 8 <sup>th</sup> , 1 on the 11 <sup>th</sup> , 13 <sup>th</sup> , 15 <sup>th</sup> , 25 <sup>th</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> .
December	R=1/20	1 flew over on the 10 <sup>th</sup> .

---

### Sand Martin *Riparia riparia*

March	R=5/25	3 on the 20 <sup>th</sup> , 6 on the 26 <sup>th</sup> , c15 on the 27 <sup>th</sup> , 1 on the 28 <sup>th</sup> & c20 on the 29 <sup>th</sup> .
April	R=24/24	Present throughout, c60 on the 5 <sup>th</sup> .
May	R=19/20	Present throughout, c80 on the 6 <sup>th</sup> & 8 <sup>th</sup> .
June	R=15/15	Present throughout, 59 holes occupied on the 26 <sup>th</sup> , young out of wall on 30 <sup>th</sup> .
July	R=15/15	Present throughout.
August	R=21/21	Present throughout, 1 pure white bird on the 5 <sup>th</sup> , second brood counted on the 9 <sup>th</sup> , 59 holes occupied.
September	R=13/22	Present on 13 dates from 2 <sup>nd</sup> till 28 <sup>th</sup> , 40+ flew N on the 14 <sup>th</sup> , 1 flew S on the 28 <sup>th</sup> was the last.

---

### Swallow *Hirundo rustica*

March	R=3/25	1 on the 26 <sup>th</sup> & 27 <sup>th</sup> , 5 on the 29 <sup>th</sup> .
April	R=14/24	Present throughout, c30 on the 29 <sup>th</sup> .
May	R=12/20	Present throughout, 2 on the 12 <sup>th</sup> & 23 <sup>rd</sup> .
June	R=5/15	1 on the 3 <sup>rd</sup> & 17 <sup>th</sup> , 4 on the 18 <sup>th</sup> , 2 on the 23 <sup>rd</sup> & 28 <sup>th</sup> .
July	R=6/15	1 on the 3 <sup>rd</sup> & 17 <sup>th</sup> , 4 on the 21 <sup>st</sup> & 23 <sup>rd</sup> , 2 on the 27 <sup>th</sup> , 4 on the 30 <sup>th</sup> .
August	R=16/21	Present throughout, maximum 35 on the 18 <sup>th</sup> .
September	R=17/22	Present throughout, c50 + several hundred thro in the evening of the 13 <sup>th</sup> , 110+ flying S on the 28 <sup>th</sup> was the last for the month.
October	R=4/23	1 on the 1 <sup>st</sup> , 6 on the 2 <sup>nd</sup> , 4 on the 4 <sup>th</sup> & 1 flying S on the 14 <sup>th</sup> .

---

### House Martin *Delichon urbica*

April	R=5/24	2 on the 1 <sup>st</sup> , 1 on the 5 <sup>th</sup> , 25 <sup>th</sup> , 26 <sup>th</sup> & 29 <sup>th</sup> .
May	R=5/20	1 on the 1 <sup>st</sup> & 8 <sup>th</sup> , c20 on the 10 <sup>th</sup> , 2 on the 19 <sup>th</sup> , 5 on the 21 <sup>st</sup> .
June	R=3/15	1 on the 12 <sup>th</sup> , 14 <sup>th</sup> & 18 <sup>th</sup> .
July	R=7/15	1 on the 1 <sup>st</sup> , 2 <sup>nd</sup> , 8 <sup>th</sup> , 10 <sup>th</sup> , 12 <sup>th</sup> , 15 <sup>th</sup> & 17 <sup>th</sup> .
August	R=8/21	2 on the 1 <sup>st</sup> , 1 on the 6 <sup>th</sup> , 2 on the 9 <sup>th</sup> , 1 on the 13 <sup>th</sup> , 200+ flew thro on the 19 <sup>th</sup> , 1 on the 23 <sup>rd</sup> & 28 <sup>th</sup> , 20 on the 30 <sup>th</sup> .

September R=8/22 1 on the 3<sup>rd</sup> & 6<sup>th</sup>, 4 on the 7<sup>th</sup>, 1 on the 9<sup>th</sup>, 11<sup>th</sup> & 18<sup>th</sup>, 160+ flew over S on the 28<sup>th</sup>, 8 flew over S on the 29<sup>th</sup>.

---

### Long-tailed Tit *Aegithalos caudatus*

January	R=22/25	Present throughout, maximum 18 on the 2 <sup>nd</sup> .
February	R=23/27	1 to 6 birds throughout.
March	R=19/25	Present throughout, 8 on the 19 <sup>th</sup> .
April	R=12/24	Present on 12 scattered dates throughout, 2 on the 14 <sup>th</sup> & 20 <sup>th</sup> .
May	R=9/20	Recorded on 9 scattered dates throughout, 6 on the 8 <sup>th</sup> .
June	R=8/15	Present throughout, family party 10 young on the 3 <sup>rd</sup> , 12+ on the 23 <sup>rd</sup> .
July	R=8/15	Recorded on 8 scattered dates throughout, family party on the 3 <sup>rd</sup> .
August	R=20/21	Recorded throughout, 12+ on the 1 <sup>st</sup> .
September	R=20/22	Present throughout, 8 on the 5 <sup>th</sup> .
October	R=18/23	Recorded throughout, c20 on the 5 <sup>th</sup> & 13 <sup>th</sup> .
November	R=16/21	Recorded throughout, c20 on the 4 <sup>th</sup> .
December	R=15/20	Present throughout, 10 on the 24 <sup>th</sup> .

---

### Chiffchaff *Phylloscopus collybita*

March	R=5/25	2 on the 19 <sup>th</sup> was the first, 2 singing on the 26 <sup>th</sup> , 9 on the 27 <sup>th</sup> , 1 on the 28 <sup>th</sup> & 13 on the 29 <sup>th</sup> .
April	R=24/24	Recorded throughout, 12 N lake & 14 S lake on the 14 <sup>th</sup> .
May	R=20/20	Recorded throughout, 8 N lake & 13 S lake on the 8 <sup>th</sup> , 1 carrying food on the 22 <sup>nd</sup> .
June	R=14/15	Recorded throughout.
July	R=15/15	Recorded throughout.
August	R=21/21	Present throughout, several E bank on the 28 <sup>th</sup> .
September	R=22/22	Present throughout, c40 on the 2 <sup>nd</sup> , 1 on the 29 <sup>th</sup> was the last for month.
October	R=11/23	1 on the 1 <sup>st</sup> , 2 on the 2 <sup>nd</sup> , 7 on the 4 <sup>th</sup> , 4 on the 5 <sup>th</sup> , 1 on the 6 <sup>th</sup> , 7 <sup>th</sup> & 8 <sup>th</sup> , 5 on the 9 <sup>th</sup> , 1 on the 12 <sup>th</sup> , 14 <sup>th</sup> & 16 <sup>th</sup> .
November	R=2/21	1 on the 25 <sup>th</sup> & 26 <sup>th</sup> .
December	R=3/20	1 on the 2 <sup>nd</sup> , 3 <sup>rd</sup> & 16 <sup>th</sup> .

---

### Willow Warbler *Phylloscopus trochilus*

April	R=20/24	1 singing on the 5 <sup>th</sup> then recorded till month end, 10 on the 19 <sup>th</sup> .
May	R=19/20	Recorded throughout, 6 N lake & 2 S lake on the 8 <sup>th</sup> .
June	R=12/15	Present throughout, 2 singing on the 3 <sup>rd</sup> .
July	R=8/15	Record on the 1 <sup>st</sup> , 2 <sup>nd</sup> , 10 <sup>th</sup> , 12 <sup>th</sup> , 17 <sup>th</sup> , 21 <sup>st</sup> , 27 <sup>th</sup> & 30 <sup>th</sup> .
August	R=19/21	Recorded throughout.
September	R=17/22	Recorded throughout, 1 on the 29 <sup>th</sup> was the last for month.
October	R=1/23	1 singing on the 11 <sup>th</sup> .

---

### Blackcap *Sylvia atricapilla*

April	R=20/24	1 singing on the 5 <sup>th</sup> then recorded throughout, 9 on the 19 <sup>th</sup> .
May	R=20/20	Present throughout, 8 singing N lake & 13 singing + 5 females S lake on the 8 <sup>th</sup> .

June	R=14/15	Recorded throughout.
July	R=14/15	Recorded throughout, family party on the 27 <sup>th</sup> .
August	R=18/21	Recorded throughout.
September	R=18/22	1 on the 2 <sup>nd</sup> , 3 <sup>rd</sup> , 4 <sup>th</sup> , 5 <sup>th</sup> , 6 <sup>th</sup> , 7 <sup>th</sup> , 9 <sup>th</sup> , 11 <sup>th</sup> & 12 <sup>th</sup> , 3 on the 13 <sup>th</sup> , 1 on the 14 <sup>th</sup> & 16 <sup>th</sup> , 4 on the 17 <sup>th</sup> , 3 on the 18 <sup>th</sup> , 1 on the 19 <sup>th</sup> , 8 on the 20 <sup>th</sup> , 4 on the 22 <sup>nd</sup> & 1 on the 25 <sup>th</sup> .
October	R=2/23	2 on the 2 <sup>nd</sup> & 1 on the 4 <sup>th</sup> .

---

### Garden Warbler *Sylvia borin*

April	R=1/24	1 on the 30 <sup>th</sup> .
May	R=19/20	Recorded throughout, 7 S lake & 2 N lake on the 8 <sup>th</sup> .
June	R=15/15	Present throughout, carrying food on the 26 <sup>th</sup> .
July	R=9/15	1 on the 2 <sup>nd</sup> , 3 <sup>rd</sup> & 10 <sup>th</sup> , 2 juvs on the 12 <sup>th</sup> , taking food to nest on the 15 <sup>th</sup> , 3 + 1 feeding young @ nest on the 17 <sup>th</sup> , 1 on the 21 <sup>st</sup> , 27 <sup>th</sup> & 30 <sup>th</sup> .
August	R=6/21	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 4 <sup>th</sup> , 14 <sup>th</sup> & 19 <sup>th</sup> , 2 on the 31 <sup>st</sup> .
September	R=2/22	1 on the 13 <sup>th</sup> & 17 <sup>th</sup> .

---

### Lesser Whitethroat *Sylvia curruca*

April	R=4/19	1 singing on the 21 <sup>st</sup> , 1 on the 23 <sup>rd</sup> , 25 <sup>th</sup> & 26 <sup>th</sup> .
May	R=2/20	2 on the 5 <sup>th</sup> , 1 on the 6 <sup>th</sup> .
June	R=1/14	1 singing on the 18 <sup>th</sup> .
July	R=3/15	1 on the 16 <sup>th</sup> & 23 <sup>rd</sup> , 2 on the 24 <sup>th</sup> .
August	R=4/21	1 on the 1 <sup>st</sup> & 8 <sup>th</sup> , 2 top car park, 1 W side & 1 bottom car park on the 9 <sup>th</sup> , 1 on the 21 <sup>st</sup> .
September	R=1/22	1 on the 20 <sup>th</sup> .

---

### Whitethroat *Sylvia communis*

April	R=1/24	1 on the 25 <sup>th</sup> .
May	R=14/20	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> & 5 <sup>th</sup> , 4 on the 13 <sup>th</sup> , 2 on the 10 <sup>th</sup> , 1 singing 12 <sup>th</sup> , 2 on the 17 <sup>th</sup> , 1 singing on the 19 <sup>th</sup> , 20 <sup>th</sup> , 21 <sup>st</sup> , 23 <sup>rd</sup> , 27 <sup>th</sup> , 28 <sup>th</sup> , 29 <sup>th</sup> & 31 <sup>st</sup> .
June	R=10/15	Recorded throughout 1 singing on the 7 <sup>th</sup> , 9 <sup>th</sup> , 18 <sup>th</sup> , 23 <sup>rd</sup> & 25 <sup>th</sup> .
July	R=9/15	1 on the 1 <sup>st</sup> , 2 <sup>nd</sup> , 3 <sup>rd</sup> , 8 <sup>th</sup> , 12 <sup>th</sup> , 15 <sup>th</sup> & 17 <sup>th</sup> , 2 singing on the 21 <sup>st</sup> , 1 singing on the 23 <sup>rd</sup> .
August	R=3/21	1 on the 16 <sup>th</sup> , 21 <sup>st</sup> & 27 <sup>th</sup> .
September	R=2/22	1 on the 3 <sup>rd</sup> & 9 <sup>th</sup> .

---

### Sedge Warbler *Acrocephalus schoenobaenus*

May	R=2/20	1 singing on the 3 <sup>rd</sup> & 10 <sup>th</sup> .
August	R=1/21	1 on the 19 <sup>th</sup> .

---

### Reed Warbler *Acrocephalus scirpaceus*

May	R=18/20	1 on the 5 <sup>th</sup> , 2 on the 6 <sup>th</sup> , 3 on the 10 <sup>th</sup> , 2 birds singing till month end, at least 1 pair on the 23 <sup>rd</sup> .
June	R=11/15	Recorded throughout, 2 singing on the 1 <sup>st</sup> & 4 <sup>th</sup> , 1 singing on the 18 <sup>th</sup> & 25 <sup>th</sup> .

July	R=11/15	1 sing in phragmites on the 12 <sup>th</sup> 13 <sup>th</sup> , 15 <sup>th</sup> , 17 <sup>th</sup> , 18 <sup>th</sup> , 21 <sup>st</sup> & 22 <sup>nd</sup> , nest with 1 egg on the 23 <sup>rd</sup> , 1 on the 26 <sup>th</sup> , 4 eggs in nest on the 27 <sup>th</sup> , 1 on the 30 <sup>th</sup> .
August	R=18/21	On nest 1 <sup>st</sup> & 3 <sup>rd</sup> , feeding young @ nest on the 5 <sup>th</sup> , adult with 3 young on the 9 <sup>th</sup> , feeding young on the 16 <sup>th</sup> , 1 fledged bird in willow on the 17 <sup>th</sup> , 3+ on the 18 <sup>th</sup> , adults carrying food on the 19 <sup>th</sup> , 1 on the 21 <sup>st</sup> , 23 <sup>rd</sup> , 25 <sup>th</sup> & 27 <sup>th</sup> , 2 juvs on the 28 <sup>th</sup> , 1 adult 30 <sup>th</sup> & 31 <sup>st</sup> .
September	R=6/22	1 on the 2 <sup>nd</sup> , 3 on the 3 <sup>rd</sup> & 4 <sup>th</sup> , 1 on the 5 <sup>th</sup> , 7 <sup>th</sup> & 13 <sup>th</sup> .

---

### Waxwing *Bombycilla garrulus*

November	R=1/21	12 on the 10 <sup>th</sup> (J.E.A.)
----------	--------	-------------------------------------

---

### Nuthatch *Sitta europaea*

January	R=1/25	2 on the 24 <sup>th</sup> .
February	R=1/27	2 on the 26 <sup>th</sup> .
March	R=2/25	1 on the 19 <sup>th</sup> & 21 <sup>st</sup> .
April	R=5/24	1 calling on the 5 <sup>th</sup> , 1 on the 15 <sup>th</sup> , 2 S lake & 1 N lake on the 19 <sup>th</sup> , 1 on the 20 <sup>th</sup> , 2 S lake & 1 N lake on the 21 <sup>st</sup> & 1 on the 22 <sup>nd</sup> .
May	R=4/20	1 on the 8 <sup>th</sup> , 19 <sup>th</sup> & 21 <sup>st</sup> , pair feeding young @ nest hole on the 23 <sup>rd</sup> .
June	R=3/15	Feeding young @ nest hole 2 <sup>nd</sup> & 3 <sup>rd</sup> , 1 on the 26 <sup>th</sup> .
July	R=1/15	1 on the 1 <sup>st</sup> .
August	R=1/21	2 on the 23 <sup>rd</sup> .
September	R=2/22	1 on the 5 <sup>th</sup> & 20 <sup>th</sup> .
October	R=2/23	1 on the 1 <sup>st</sup> & 29 <sup>th</sup> .
November	R=5/21	1 on the 25 <sup>th</sup> & 26 <sup>th</sup> , 4 on the 28 <sup>th</sup> , 1 on the 29 <sup>th</sup> & 30 <sup>th</sup> .
December	R=19/20	Recorded throughout, 2 on the 9 <sup>th</sup> & 30 <sup>th</sup> .

---

### Treecreeper *Certhia familiaris*

January	R=9/25	1 on the 1 <sup>st</sup> & 3 <sup>rd</sup> , 2 on the 6 <sup>th</sup> , 1 on the 17 <sup>th</sup> , 19 <sup>th</sup> , 23 <sup>rd</sup> , 24 <sup>th</sup> , 30 <sup>th</sup> & 31 <sup>st</sup> .
February	R=7/27	1 on the 1 <sup>st</sup> , 3 on the 2 <sup>nd</sup> , 1 on the 7 <sup>th</sup> , 9 <sup>th</sup> , 2 on the 13 <sup>th</sup> , 19 <sup>th</sup> & 23 <sup>rd</sup> .
March	R=6/25	1 on the 5 <sup>th</sup> , 8 <sup>th</sup> , 15 <sup>th</sup> , 20 <sup>th</sup> , 23 <sup>rd</sup> & 29 <sup>th</sup> .
April	R=9/24	2 N lake & 2 S lake on the 5 <sup>th</sup> , 1 on the 10 <sup>th</sup> , 2 on the 12 <sup>th</sup> , 1 on the 13 <sup>th</sup> , 14 <sup>th</sup> & 15 <sup>th</sup> , 2 on the 19 <sup>th</sup> , 1 on the 24 <sup>th</sup> & 30 <sup>th</sup> .
May	R=4/20	1 on the 1 <sup>st</sup> , 8 <sup>th</sup> , 22 <sup>nd</sup> & 27 <sup>th</sup> .
June	R=5/15	1 on the 4 <sup>th</sup> & 18 <sup>th</sup> , adult+ juvenile on the 24 <sup>th</sup> , 1 on the 26 <sup>th</sup> & 28 <sup>th</sup> .
July	R=6/15	1 juvenile on the 1 <sup>st</sup> , 1 on the 8 <sup>th</sup> , 10 <sup>th</sup> & 12 <sup>th</sup> , 2 on the 17 <sup>th</sup> & 30 <sup>th</sup> .
August	R=8/21	3 on the 2 <sup>nd</sup> , 1 on the 3 <sup>rd</sup> , 2 on the 4 <sup>th</sup> , 1 on the 5 <sup>th</sup> & 6 <sup>th</sup> , 2 on 9 <sup>th</sup> , 14 <sup>th</sup> & 21 <sup>st</sup> .
September	R=5/22	1 on the 6 <sup>th</sup> , 9 <sup>th</sup> & 11 <sup>th</sup> , 2 on the 18 <sup>th</sup> & 1 on the 25 <sup>th</sup> ,
October	R=7/23	2 on the 2 <sup>nd</sup> , 1 on the 4 <sup>th</sup> , 7 <sup>th</sup> , 12 <sup>th</sup> & 13 <sup>th</sup> , 2 on the 21 <sup>st</sup> & 28 <sup>th</sup> .
November	R=6/21	1 on the 4 <sup>th</sup> , 2 on the 11 <sup>th</sup> & 13 <sup>th</sup> , 1 on the 25 <sup>th</sup> , 29 <sup>th</sup> & 30 <sup>th</sup> .
December	R=10/20	2 on 2 <sup>nd</sup> , 1 on 3 <sup>rd</sup> , 4 on 4 <sup>th</sup> , 1 on 9 <sup>th</sup> , 14 <sup>th</sup> , 16 <sup>th</sup> , 17 <sup>th</sup> , 18 <sup>th</sup> , 19 <sup>th</sup> & 20 <sup>th</sup> .

---

### Wren *Troglodytes troglodytes*

January	R=24/25	Present throughout.
February	R=21/27	Present throughout.
March	R=23/25	Recorded throughout.

April	R=24/24	Present throughout.
May	R=20/20	Present throughout, 11 S lake & 10 N lake on the 8 <sup>th</sup> .
June	R=13/15	Recorded throughout, feeding young on the 17 <sup>th</sup> .
July	R=13/15	Recorded throughout, 6 on the 21 <sup>st</sup> .
August	R=20/21	Recorded throughout, family party on the 21 <sup>st</sup> .
September	R=22/22	Present throughout.
October	R=22/23	Present throughout.
November	R=18/21	Present throughout.
December	R=16/20	Present throughout.

---

### Starling *Sturnus vulgaris*

January	R=1/25	1 on the 1 <sup>st</sup> .
February	R=2/27	1 on the 21 <sup>st</sup> & 23 <sup>rd</sup> .
March	R=3/18	1 on the 15 <sup>th</sup> , 18 <sup>th</sup> & 23 <sup>rd</sup> .
May	R=1/20	5 flew over on the 31 <sup>st</sup> .
July	R=3/15	1 on the 17 <sup>th</sup> , c50 on the 26 <sup>th</sup> , 1 on the 30 <sup>th</sup> .
August	R=12/21	Recorded throughout, c600 tried to land on island 4 on the 22 <sup>nd</sup> .
September	R=16/22	Recorded throughout, 15 on the 14 <sup>th</sup> .
October	R=7/23	Recorded on 7 dates between the 1 <sup>st</sup> & 21 <sup>st</sup> , 14 on the 6 <sup>th</sup> .
November	R=7/21	1 on the 1 <sup>st</sup> , c200 flew over on the 8 <sup>th</sup> , 1 on the 11 <sup>th</sup> , c200 flew over on the 13 <sup>th</sup> , 6 flew over on the 14 <sup>th</sup> , 1 on the 15 <sup>th</sup> , 50 flew over on the 24 <sup>th</sup> .

---

### Blackbird *Turdus merula*

January	R=24/25	Present throughout.
February	R=27/27	Present throughout.
March	R=25/25	Present throughout.
April	R=24/24	Present throughout.
May	R=20/20	Present throughout, 7 S lake & 6 N lake on the 8 <sup>th</sup> .
June	R=15/15	Present throughout.
July	R=15/15	Present throughout.
August	R=21/21	Present throughout.
September	R=22/22	Present throughout.
October	R=22/23	Present throughout, c30 on the 21 <sup>st</sup> .
November	R=20/21	Present throughout, 100+ on the 22 <sup>nd</sup> , c30 on the 25 <sup>th</sup> .
December	R=20/20	Present throughout, c40 on the 2 <sup>nd</sup> .

---

### Fieldfare *Turdus pilaris*

March	R=1/25	1 flew over on the 23 <sup>rd</sup> .
October	R=9/23	1 on the 12 <sup>th</sup> & 14 <sup>th</sup> , 26 flew over on the 15 <sup>th</sup> , 1 on the 16 <sup>th</sup> , 60 flew over on the 21 <sup>st</sup> , 1 on the 22 <sup>nd</sup> , 20 flew over on the 23 <sup>rd</sup> , 4 on the 27 <sup>th</sup> & 1 on the 28 <sup>th</sup> .
November	R=9/21	8 on the 1 <sup>st</sup> & 6 <sup>th</sup> , 2 on the 12 <sup>th</sup> , 4 on the 13 <sup>th</sup> , 32 on the 14 <sup>th</sup> , 1 on the 15 <sup>th</sup> & 22 <sup>nd</sup> , 2 on the 28 <sup>th</sup> , 4 on the 29 <sup>th</sup> .
December	R=5/20	94 on the 4 <sup>th</sup> , 1 on the 5 <sup>th</sup> , 17 on the 7 <sup>th</sup> , 3 on the 16 <sup>th</sup> , 1 on the 21 <sup>st</sup> .

---

## Song Thrush *Turdus philomelos*

January	R=5/25	1 on the 1 <sup>st</sup> , 6 <sup>th</sup> , 16 <sup>th</sup> , 19 <sup>th</sup> , 24 <sup>th</sup> & 31 <sup>st</sup> .
February	R=13/27	1 on the 3 <sup>rd</sup> , 7 <sup>th</sup> , 2 singing 11 <sup>th</sup> , 1 sing 12 & 13 <sup>th</sup> , 17 <sup>th</sup> , 18 <sup>th</sup> , 19 <sup>th</sup> & 20 <sup>th</sup> , 3 on the 21 <sup>st</sup> , 1 on the 26 <sup>th</sup> & 27 <sup>th</sup> , 2 on the 28 <sup>th</sup> .
March	R=14/25	Recorded throughout, 2 singing S lake & 4 N lake on the 8 <sup>th</sup> .
April	R=19/24	Recorded throughout, maximum 2 S lake & 3 N lake on the 15 <sup>th</sup> .
May	R=20/20	Recorded throughout, 3 S lake & 3 N lake on the 8 <sup>th</sup> .
June	R=11/15	Recorded throughout, 2 on the 24 <sup>th</sup> .
July	R=7/15	2 on the 1 <sup>st</sup> , 1 on the 3 <sup>rd</sup> , 8 <sup>th</sup> , 15 <sup>th</sup> , 17 <sup>th</sup> & 21 <sup>st</sup> , 2 juveniles on the 30 <sup>th</sup> .
August	R=5/21	1 on the 1 <sup>st</sup> & 11 <sup>th</sup> , 2 on the 16 <sup>th</sup> , 1 on the 18 <sup>th</sup> & 4 on the 23 <sup>rd</sup> .
September	R=10/22	Recorded on 10 scattered dates throughout, 12 on the 18 <sup>th</sup> .
October	R=14/23	Recorded on 14 scattered dates throughout, 6 on the 2 <sup>nd</sup> .
November	R=6/21	1 on the 4 <sup>th</sup> , 14 <sup>th</sup> , 22 <sup>nd</sup> , 24 <sup>th</sup> & 28 <sup>th</sup> , 2 on the 29 <sup>th</sup> .
December	R=4/20	2 on the 16 <sup>th</sup> , 1 on the 17 <sup>th</sup> , 19 <sup>th</sup> & 23 <sup>rd</sup> .

---

## Redwing *Turdus iliacus*

January	R=4/25	2 on the 3 <sup>rd</sup> & 10 <sup>th</sup> , 4 on the 12 <sup>th</sup> , 1 on the 24 <sup>th</sup> .
February	R=3/27	4 on the 9 <sup>th</sup> , 15 on the 27 <sup>th</sup> , 3 on the 28 <sup>th</sup> .
March	R=11/25	Recorded on 11 scattered dates throughout, 60 on the 17 <sup>th</sup> .
April	R=1/24	2 on the 1 <sup>st</sup> .
October	R=17/23	Recorded on 17 scattered dates throughout, c400 on the 15 <sup>th</sup> & 18 <sup>th</sup> .
November	R=19/21	Recorded throughout, maximum c300 on the 29 <sup>th</sup> .
December	R=13/20	Recorded on 13 scattered dates throughout, maximum 100+ on the 7 <sup>th</sup> .

---

## Mistle Thrush *Turdus viscivorus*

January	R=1/25	1 on the 24 <sup>th</sup> .
March	R=5/25	1 singing on the 11 <sup>th</sup> , 1 on the 18 <sup>th</sup> & 22 <sup>nd</sup> , 2 on the 23 <sup>rd</sup> & 1 on the 27 <sup>th</sup> .
April	R=5/24	1\singing on the 15 <sup>th</sup> , 1 on the 16 <sup>th</sup> , 2 on the 21 <sup>st</sup> & 22 <sup>nd</sup> , 1 on the 24 <sup>th</sup> .
May	R=15/20	Recorded throughout, 4 on the 12 <sup>th</sup> .
June	R=3/15	1 on the 3 <sup>rd</sup> , 4 on the 6 <sup>th</sup> & 2 on the 9 <sup>th</sup> .
July	R=1/15	1 on the 1 <sup>st</sup> .
September	R=1/22	1 on the 18 <sup>th</sup> .
October	R=6/23	2 on the 1 <sup>st</sup> , 1 on the 9 <sup>th</sup> , 12 <sup>th</sup> , 13 <sup>th</sup> & 15 <sup>th</sup> , 2 on the 17 <sup>th</sup> .
November	R=5/21	3 on the 1 <sup>st</sup> , 2 on the 18 <sup>th</sup> , 22 <sup>nd</sup> & 25 <sup>th</sup> , 1 on the 29 <sup>th</sup> .
December	R=2/20	1 on the 2 <sup>nd</sup> & 14 <sup>th</sup> .

---

## Spotted Flycatcher *Muscicapa striata*

July	R=1/15	1 on the 17 <sup>th</sup> .
August	R=8/21	1 on the 5 <sup>th</sup> , 14 <sup>th</sup> , 16 <sup>th</sup> , 18 <sup>th</sup> , 21 <sup>st</sup> & 22 <sup>nd</sup> , 2 on the 23 <sup>rd</sup> , 1 on the 31 <sup>st</sup> .

---

## Robin *Erithacus rubecula*

January	R=22/25	Present throughout, 3 on the 30 <sup>th</sup> .
February	R=25/27	Present throughout.
March	R=24/25	Present throughout.

April	R=24/24	Present throughout.
May	R=20/20	Present throughout, 22 S lake & 11 N lake on the 8 <sup>th</sup> .
June	R=14/15	Recorded throughout, a juvenile on the 5 <sup>th</sup> & 12 <sup>th</sup> .
July	R=14/15	Recorded throughout, 3 juveniles on the 10 <sup>th</sup> .
August	R=21/21	Present throughout.
September	R=21/22	Present throughout.
October	R=23/23	Present throughout.
November	R=21/21	Present throughout.
December	R=20/20	Present throughout.

---

### Pied Flycatcher *Ficedula hypoleuca*

May	R=1/20	Female West Bank on the 3 <sup>rd</sup> (I.D.W.).
July	R=1/15	1 juvenile on the 8 <sup>th</sup> (L.L./R.B.)

---

### Redstart *Phoenicurus phoenicurus*

July	R=4/15	1 on the 21 <sup>st</sup> , 1 on back hedge on the 24 <sup>th</sup> & 25 <sup>th</sup> , female in back hedge S lake & 2 juveniles N lake on the 30 <sup>th</sup> .
August	R=10/21	2 juveniles N lake on the 1 <sup>st</sup> , 1 on the 2 <sup>nd</sup> , 3 on the 8 <sup>th</sup> , 1 on the 14 <sup>th</sup> , 3 on the 16 <sup>th</sup> , 1 on the 21 <sup>st</sup> , 2 on the 22 <sup>nd</sup> , 1 on the 23 <sup>rd</sup> , 26 <sup>th</sup> & 31 <sup>st</sup> .
September	R=1/22	3 on the 11 <sup>th</sup> .

---

### Dunnock *Prunella modularis*

January	R=22/25	Present throughout.
February	R=27/27	Present throughout.
March	R=25/25	Present throughout.
April	R=24/24	Present throughout.
May	R=20/20	Present throughout, 7 S lake & 2 N lake on the 8 <sup>th</sup> .
June	R=15/15	Present throughout.
July	R=14/15	Present throughout.
August	R=21/21	Present throughout.
September	R=21/21	Present throughout.
October	R=22/23	Present throughout.
November	R=21/21	Present throughout.
December	R=19/20	Present throughout.

---

### House Sparrow *Passer domesticus*

June	R=1/15	2 on the 17 <sup>th</sup> .
July	R=1/15	1 female on the 3 <sup>rd</sup> .
December	R=1/20	1 on the 3 <sup>rd</sup> .

---

### Tree Sparrow *Passer montanus*

January	R=24/25	Present throughout, 80+ on the 20 <sup>th</sup> .
February	R=27/27	Recorded throughout, 91 on the 12 <sup>th</sup> .
March	R=25/25	Recorded throughout.

April	R=24/24	Recorded throughout, c10 on the 4 <sup>th</sup> , 8 on the 10 <sup>th</sup> .
May	R=17/20	Recorded throughout, 2 on the 8 <sup>th</sup> , 10 <sup>th</sup> & 17 <sup>th</sup> .
June	R=2/15	1 on the 5 <sup>th</sup> & 14 <sup>th</sup> .
October	R=17/23	Recorded on 17 dates between the 8 <sup>th</sup> & 29 <sup>th</sup> , maximum 7 on the 23 <sup>rd</sup> .
November	R=21/21	Recorded throughout, 10 on the 30 <sup>th</sup> .
December	R=19/20	Recorded throughout, maximum 23 on the 24 <sup>th</sup> .

---

### Yellow Wagtail *Motacilla flava*

May	R=1/20	1 flew over N on the 6 <sup>th</sup> .
July	R=2/15	1 juvenile on the 18 <sup>th</sup> & 23 <sup>rd</sup> .
August	R=1/21	A male on the 4 <sup>th</sup> .
September	R=3/22	A male on the 8 <sup>th</sup> , 4 on the 15 <sup>th</sup> , 1 on the 22 <sup>nd</sup> .

---

### Grey Wagtail *Motacilla cinerea*

June	R=1/15	1 flew over on the 5 <sup>th</sup> .
July	R=4/15	1 on the 16 <sup>th</sup> , 1 juvenile on the 21 <sup>st</sup> , 2 on the 23 <sup>rd</sup> , 1 N lake on the 27 <sup>th</sup> .
August	R=1/21	1 N lake on the 3 <sup>rd</sup> .
September	R=6/22	1 on the 3 <sup>rd</sup> , 17 <sup>th</sup> & 20 <sup>th</sup> , 2 on the 24 <sup>th</sup> , 1 on the 27 <sup>th</sup> & 2 on the 29 <sup>th</sup> .
October	R=11/23	1 on the 1 <sup>st</sup> , 2 on the 2 <sup>nd</sup> , 1 on the 6 <sup>th</sup> , 7 <sup>th</sup> , 8 <sup>th</sup> , 11 <sup>th</sup> & 13 <sup>th</sup> , 2 on the 18 <sup>th</sup> , 1 on the 22 <sup>nd</sup> , 2 on the 27 <sup>th</sup> & 1 on the 29 <sup>th</sup> .
November	R=16/21	1 on 16 dates between the 1 <sup>st</sup> & 29 <sup>th</sup> .
December	R=4/20	1 on the 2 <sup>nd</sup> , 5 <sup>th</sup> , 20 <sup>th</sup> & 21 <sup>st</sup> .

---

### Pied Wagtail *Motacilla alba*

January	R=1/25	2 on the 16 <sup>th</sup> .
February	R=1/27	1 on the 21 <sup>st</sup> .
March	R=8/25	1 on the 12 <sup>th</sup> , 13 <sup>th</sup> , 17 <sup>th</sup> , 19 <sup>th</sup> & 20 <sup>th</sup> , 3 on the 21 <sup>st</sup> , 1 on the 27 <sup>th</sup> & 28 <sup>th</sup> .
April	R=6/24	1 on the 10 <sup>th</sup> , 13 <sup>th</sup> , 16 <sup>th</sup> , 21 <sup>st</sup> , 29 <sup>th</sup> & 30 <sup>th</sup> .
May	R=13/20	Recorded throughout, 2 on the 7 <sup>th</sup> .
June	R=4/15	A well grown juv on the 2 <sup>nd</sup> , 1 on the 3 <sup>rd</sup> & 23 <sup>rd</sup> , carrying food on the 28 <sup>th</sup> .
July	R=6/15	1 on the 7 <sup>th</sup> , 1 + 2 juvs on the 21 <sup>st</sup> , 2 + 3 juvs on the 23 <sup>rd</sup> , 1 on the 26 <sup>th</sup> & 27 <sup>th</sup> , 3 on the 30 <sup>th</sup> .
August	R=13/21	Present throughout, 10 on the 4 <sup>th</sup> .
September	R=17/22	Present throughout, c60 on the 1 <sup>st</sup> .
October	R=12/23	1 to 2 birds on 12 scattered dates throughout.
November	R=12/21	1 on 12 dates between the 1 <sup>st</sup> & 28 <sup>th</sup> .
December	R=1/20	1 on the 5 <sup>th</sup> .

---

### Meadow Pipit *Anthus pratensis*

January	R=10/25	Recorded on 10 scattered dates throughout, 11 on the 24 <sup>th</sup> & 31 <sup>st</sup> .
February	R=5/27	1 on the 7 <sup>th</sup> , 5 on the 9 <sup>th</sup> , 1 on the 11 <sup>th</sup> , 8 on the 16 <sup>th</sup> , 1 on the 23 <sup>rd</sup> .
March	R=6/25	1 on the 6 <sup>th</sup> , 2 on the 11 <sup>th</sup> , 1 on the 12 <sup>th</sup> , 2 on the 20 <sup>th</sup> , 6 on the 21 <sup>st</sup> , 2 on 6 <sup>th</sup> .
September	R=3/22	1 flew over on the 12 <sup>th</sup> , 48 flew S on the 28 <sup>th</sup> , 4 flew S on the 29 <sup>th</sup> .
October	R=1/23	1 on the 28 <sup>th</sup> .
November	R=4/21	1 on the 10 <sup>th</sup> & 14 <sup>th</sup> , 2 on the 25 <sup>th</sup> , 9 on the 28 <sup>th</sup> .

December R=10/20 Recorded on 10 dates between the 2<sup>nd</sup> & 27<sup>th</sup>, c20 on the 20<sup>th</sup> & 23<sup>rd</sup>.

---

### Brambling *Fringilla montifringilla*

April R=1/24 1 at bird feeder on the 10<sup>th</sup> (R.B./J.E.A.).  
October R=1/23 1 called as it flew over hide on the 29<sup>th</sup> (J.E.A.)  
November R=4/21 1 on the 9<sup>th</sup>, 10<sup>th</sup>, 13<sup>th</sup> & 15<sup>th</sup>.

---

### Chaffinch *Fringilla coelebs*

January R=22/25 Present throughout, 10 on the 23<sup>rd</sup>.  
February R=27/27 Present throughout, 10 on the 6<sup>th</sup>.  
March R=25/25 Present throughout.  
April R=24/24 Present throughout.  
May R=20/20 Present throughout, 5 S lake & 8 N lake on the 8<sup>th</sup>.  
June R=15/15 Present throughout.  
July R=13/15 Recorded throughout.  
August R=16/21 Recorded throughout.  
September R=22/22 Present throughout.  
October R=20/23 Present throughout.  
November R=21/21 Present throughout, 20+ on the 12<sup>th</sup>.  
December R=20/20 Present throughout, 20+ on the 19<sup>th</sup>.

---

### Bullfinch *Pyrrhula pyrrhula*

January R=19/25 Recorded throughout, maximum 11 on the 30<sup>th</sup>.  
February R=26/27 Recorded throughout, maximum 10 on the 2<sup>nd</sup> & 19<sup>th</sup>.  
March R=23/25 Recorded throughout, 12 on the 8<sup>th</sup>.  
April R=21/24 Recorded throughout, maximum 8 on the 21<sup>st</sup>.  
May R=14/20 Recorded throughout, 4 on the 27<sup>th</sup>.  
June R=7/15 Recorded on scattered dates throughout, 2 adults + 2 juveniles on the 26<sup>th</sup>.  
July R=11/15 Recorded throughout.  
August R=20/21 Recorded throughout.  
September R=18/22 Recorded throughout, maximum 12 on the 13<sup>th</sup>.  
October R=21/23 Recorded throughout, maximum c12 on the 4<sup>th</sup>.  
November R=21/21 Recorded throughout.  
December R=16/20 Recorded throughout, maximum 15 on the 2<sup>nd</sup>.

---

### Greenfinch *Chloris chloris*

February R=8/27 1 on the 15<sup>th</sup> & 20<sup>th</sup>, 2 on the 21<sup>st</sup>, 1 on the 22<sup>nd</sup>, 23<sup>rd</sup>, 26<sup>th</sup>, 27<sup>th</sup> & 29<sup>th</sup>.  
March R=7/25 1 on the 1<sup>st</sup>, 4<sup>th</sup> & 6<sup>th</sup>, 2 on the 8<sup>th</sup>, 1 on the 20<sup>th</sup>, 2 on the 24<sup>th</sup>, 1 on the 29<sup>th</sup>.  
April R=8/24 1 on the 4<sup>th</sup>, 2 on the 12<sup>th</sup>, 1 on the 15<sup>th</sup>, 16<sup>th</sup>, 23<sup>rd</sup>, 25<sup>th</sup>, 29<sup>th</sup> & 30<sup>th</sup>.  
May R=6/20 1 on the 3<sup>rd</sup>, 2 on the 8<sup>th</sup>, 1 on the 12<sup>th</sup>, 14<sup>th</sup>, 23<sup>rd</sup> & 31<sup>st</sup>.  
June R=5/15 1 on the 3<sup>rd</sup>, 4<sup>th</sup>, 9<sup>th</sup>, 17<sup>th</sup> & 23<sup>rd</sup>.  
August R=4/21 1 on the 4<sup>th</sup>, 2 on the 9<sup>th</sup>, 1 on the 16<sup>th</sup>, 7 including juveniles on the 23<sup>rd</sup>.  
September R=3/22 1 on the 4<sup>th</sup>, 6<sup>th</sup> & 9<sup>th</sup>.  
October R=3/23 1 on the 4<sup>th</sup> & 11<sup>th</sup>, 4 on the 23<sup>rd</sup>.  
November R=19/21 1 to 4 birds on 19 dates between the 7<sup>th</sup> & 30<sup>th</sup>.

December R=6/20 1 on the 3<sup>rd</sup>, 7<sup>th</sup> & 10<sup>th</sup>, 4 on the 23<sup>rd</sup>, 1 on the 26<sup>th</sup>, 3 on the 27<sup>th</sup>.

---

### Linnet *Linaria cannabina*

June R=1/15 3 flew over on the 9<sup>th</sup>.  
July R=2/15 1 on the 10<sup>th</sup> & 2 on the 12<sup>th</sup>.  
August R=9/21 3 on the 1<sup>st</sup>, 1 on the 5<sup>th</sup> & 6<sup>th</sup>, 4 on the 7<sup>th</sup>, 3 on the 9<sup>th</sup> & 13<sup>th</sup>, 2 on the 14<sup>th</sup>, 16<sup>th</sup> & 23<sup>rd</sup>.  
September R=1/22 4 on the 4<sup>th</sup>.  
October R=2/23 7 on the 1<sup>st</sup> & 2 on the 9<sup>th</sup>.

---

### Lesser Redpoll *Acanthis caberet*

January R=6/25 1 on the 1<sup>st</sup>, 20 on the 3<sup>rd</sup>, 1 on the 12<sup>th</sup>, 5 on the 16<sup>th</sup>, 2 on the 14<sup>th</sup> & 4 on the 31<sup>st</sup>.  
February R=8/27 1 on the 7<sup>th</sup>, 2 on the 10<sup>th</sup>, 3 on the 13<sup>th</sup>, 1 on the 19<sup>th</sup>, 3 on the 20<sup>th</sup> & 21<sup>st</sup>, 4 on the 27<sup>th</sup> & 28<sup>th</sup>.  
March R=6/25 1 on the 1<sup>st</sup>, 2 on the 8<sup>th</sup>, 1 on the 10<sup>th</sup>, 3 on the 15<sup>th</sup>, 2 on the 18<sup>th</sup> & 20<sup>th</sup>.  
April R=9/24 4 on the 7<sup>th</sup>, 1 on the 9<sup>th</sup> & 10<sup>th</sup>, 4 on the 14<sup>th</sup>, 1 on the 19<sup>th</sup>, 2 on the 23<sup>rd</sup>, 1 on the 24<sup>th</sup>, 4 on the 25<sup>th</sup> & 26<sup>th</sup>.  
May R=2/20 2 on the 8<sup>th</sup> & 10<sup>th</sup>.  
August R=1/21 1 on the 1<sup>st</sup>.  
October R=2/23 6 on the 4<sup>th</sup>, c20 on the 23<sup>rd</sup>.  
November R=1/21 2 on the 6<sup>th</sup>.

---

### Goldfinch *Carduelis carduelis*

January R=17/25 Recorded throughout, 12 on the 3<sup>rd</sup>.  
February R=27/27 Recorded throughout, 7 on the 21<sup>st</sup>.  
March R=23/25 Recorded throughout, 11 on the 15<sup>th</sup>.  
April R=15/24 Recorded throughout, 3 on the 7<sup>th</sup>.  
May R=14/20 Recorded throughout, 4 on the 6<sup>th</sup>.  
June R=10/15 1 to 4 birds recorded throughout.  
July R=11/15 Recorded throughout, 15 on the 30<sup>th</sup>.  
August R=21/21 Present throughout, maximum c200 on the 23<sup>rd</sup>.  
September R=21/22 Present throughout, 80 on the 6<sup>th</sup>.  
October R=22/23 Recorded throughout, maximum c120 on the 6<sup>th</sup>.  
November R=21/21 Recorded throughout, maximum 50+ on the 24<sup>th</sup>.  
December R=20/20 Recorded throughout, 60+ on the 21<sup>st</sup>.

---

### Serin *Serinus serinus*

April R=24/24 Pair on east bank 11.00 a.m. – 11.20 a.m. on the 21<sup>st</sup> (I.D.W.) not seen again despite being searched for afternoon & evening, pair West side seen in the morning but not afternoon on the 23<sup>rd</sup> (I.D.W. / J.E.A.). A full description was submitted by I.D.W. to Harrogate Naturalists' bird recorder. This is the first record for the Harrogate area and very rare breeder for Britain (1 to 2 pair annually) mainly in the south and east Anglia.  
May R=1/20 A male sang briefly & was observed on the West Side on the 7<sup>th</sup> (I.D.W.).

---

## Siskin *Spinus spinus*

January	R=7/25	15 on the 1 <sup>st</sup> , 30 on the 2 <sup>nd</sup> , 1 on the 5 <sup>th</sup> , 15 on the 12 <sup>th</sup> , 6 on the 16 <sup>th</sup> , 15 on the 20 <sup>th</sup> & 1 on the 31 <sup>st</sup> .
February	R=18/27	Recorded throughout, c20 on the 7 <sup>th</sup> .
March	R=7/25	10 on the 1 <sup>st</sup> , 1 on the 3 <sup>rd</sup> & 6 <sup>th</sup> , 3 on the 8 <sup>th</sup> , 2 on the 19 <sup>th</sup> , 6 on the 21 <sup>st</sup> & 2 on the 23 <sup>rd</sup> .
April	R=1/24	1 on the 7 <sup>th</sup> .
August	R=2/21	1 on the 28 <sup>th</sup> & 30 <sup>th</sup> .
September	R=1/22	30+ flew S on the 28 <sup>th</sup> .
October	R=13/23	1 on the 1 <sup>st</sup> , c25 on the 4 <sup>th</sup> , 3 on the 5 <sup>th</sup> , 1 on the 11 <sup>th</sup> , 3 on the 12 <sup>th</sup> , c50 on the 14 <sup>th</sup> , c20 on the 15 <sup>th</sup> , 12 on the 17 <sup>th</sup> , 1 on the 18 <sup>th</sup> & 21 <sup>st</sup> , 5 on the 27 <sup>th</sup> , 1 on the 28 <sup>th</sup> & 20+ on the 29 <sup>th</sup> .
November	R=13/21	Recorded on 13 dates between the 9 <sup>th</sup> & 30 <sup>th</sup> , maximum 31 on the 18 <sup>th</sup> .
December	R=13/20	Recorded on 13 scattered dates throughout, 20+ on the 14 <sup>th</sup> .

---

## Yellowhammer *Emberiza citrinella*

January	R=23/25	Recorded throughout, maximum 5 on the 2 <sup>nd</sup> , 19 <sup>th</sup> & 24 <sup>th</sup> .
February	R=27/27	Recorded throughout, maximum 6 on the 15 <sup>th</sup> & 26 <sup>th</sup> .
March	R=24/25	Recorded throughout, maximum 6 on the 16 <sup>th</sup> .
April	R=19/24	Recorded throughout, 2 on the 16 <sup>th</sup> .
May	R=5/20	1 on the 1 <sup>st</sup> & 5 <sup>th</sup> , 1 singing on the 10 <sup>th</sup> & 11 <sup>th</sup> , 1 on the 27 <sup>th</sup> .
June	R=4/15	1 on the 12 <sup>th</sup> , 14 <sup>th</sup> , 24 <sup>th</sup> & 26 <sup>th</sup> .
September	R=1/22	1 on the 4 <sup>th</sup> .
November	R=1/21	1 on the 9 <sup>th</sup> .
December	R=13/20	Recorded on 13 scattered dates throughout, maximum 3 on the 3 <sup>rd</sup> .

---

## Reed Bunting *Emberiza schoeniclus*

January	R=24/25	Present throughout, 4 on the 30 <sup>th</sup> .
February	R=27/27	Present throughout, 2 on the 3 <sup>rd</sup> & 11 <sup>th</sup> .
March	R=24/25	Present throughout, 2 on the 3 <sup>rd</sup> & 8 <sup>th</sup> .
April	R=24/24	Present throughout, maximum 3 N lake & 2 pair S lake on the 19 <sup>th</sup> .
May	R=17/20	Present throughout.
June	R=15/15	Present throughout, 2 on the 23 <sup>rd</sup> .
July	R=4/15	1 on the 1 <sup>st</sup> , 2 <sup>nd</sup> , 3 <sup>rd</sup> & 8 <sup>th</sup> .
August	R=3/21	1 on the 13 <sup>th</sup> , 2 juveniles on the 14 <sup>th</sup> , 1 on the 25 <sup>th</sup> .
September	R=6/22	2 on the 4 <sup>th</sup> , 1 on the 5 <sup>th</sup> , 6 <sup>th</sup> , 13 <sup>th</sup> & 19 <sup>th</sup> , 2 on the 21 <sup>st</sup> .
October	R=8/23	1 on the 1 <sup>st</sup> , 5 <sup>th</sup> , 14 <sup>th</sup> , 17 <sup>th</sup> , 18 <sup>th</sup> , 21 <sup>st</sup> , 27 <sup>th</sup> & 29 <sup>th</sup> .
November	R=8/21	1 on the 6 <sup>th</sup> , 8 <sup>th</sup> , 12 <sup>th</sup> , 13 <sup>th</sup> , 26 <sup>th</sup> , 28 <sup>th</sup> , 29 <sup>th</sup> & 30 <sup>th</sup> .
December	R=15/20	1 to 2 birds throughout.

## Nest Boxes at Farnham Gravel Pit      2nd June 2016

---

### Copse

Box	1	Blue Tit – no eggs or young
	2	Some nest material
	3	Some nest material
	4	Great Tit – 5 young
	5	Empty
	6	Empty
	7	Blue Tit – 7/8 young
	8	Young dead in nest – Tree Sparrow?

---

### West Field

Box	9	Some nest material in boxes – no eggs or young
	10	Some nest material in boxes – no eggs or young
	11	Some nest material in boxes – no eggs or young
	12	Some nest material in boxes – no eggs or young
	13	Some nest material in boxes – no eggs or young
	14	Some nest material in boxes – no eggs or young
	15	Some nest material in boxes – no eggs or young
	16	Empty
	17	Blue Tit – 3 young
	18	Old box scraped
	19	Old box scraped
	20	Old box scraped

---

### Old Copse

Box	21	Empty
	22	Blue Tit - 4 young
	23	Empty
	24	Great Tit – 6 young
	25	Empty

---

### West Side

Box	26	Blue Tit – 7 young
	27	Empty
	28	Great Tit – 5 Young

---

### Area 5

Box	29	Blue Tit – 8 young
	30	Great Tit – 8 young
	31	Bumble Bee sp. nest
	32	Great Tit sitting – Later – 2 eggs deserted

## Farnham Monthly Statistics

<b>Month</b>	<b>Day Coverage</b>	<b>Species</b>	<b>Records</b>	<b>Cum. Records</b>
January 2016	25 / 31 = 80.6%	71	977	977
February	27 / 29 = 93.1%	71	1119	2096
March	25 / 31 = 80.6%	80	1084	3180
April	24 / 30 = 80.0%	85	1062	4242
May	20 / 31 = 64.5%	79	934	5176
June	15 / 30 = 50.0%	79	633	5809
July	15 / 31 = 48.4%	77	647	6456
August	21 / 31 = 67.7%	88	947	7403
September	22 / 30 = 73.3%	88	1033	8436
October	23 / 31 = 74.2%	78	1041	9477
November	21 / 30 = 70.0%	82	1005	10482
December	20 / 31 = 64.5%	75	912	11394
Year 2016	258 / 366 = 70.5%			

**Total Number of Species for the Year 2016 = 130**