

# Farnham Summary Log 2018

## Systematic List

Note: R = Number of days species recorded / Number of recording days in month.

---

### Canada Goose *Branta canadensis*

January	R=11/14	Present throughout, maximum 35 on 15 <sup>th</sup> .
February	R=13/13	Present throughout, maximum 36 on the 19 <sup>th</sup> .
March	R=12/12	Present throughout, maximum 35 on the 24 <sup>th</sup> .
April	R=9/9	Present throughout, maximum 35 on the 5 <sup>th</sup> .
May	R=15/15	Present throughout, 5 goslings on the 5 <sup>th</sup> , 37 adults + 15 goslings on the 13 <sup>th</sup> .
June	R=13/13	Present throughout, maximum 94 on the 11 <sup>th</sup> .
July	R=10/10	Present throughout, maximum 47 on the 23 <sup>rd</sup> .
August	R=8/8	Present throughout, maximum c130 on the 4 <sup>th</sup> & 18 <sup>th</sup> .
September	R=11/11	Present throughout, maximum 140 on the 12 <sup>th</sup> .
October	R=12/12	Present throughout.
November	R=10/10	Present throughout, maximum c70 on the 3 <sup>rd</sup> .
December	R=10/12	Present throughout, maximum 68 on the 13 <sup>th</sup> .

---

### Barnacle Goose *Branta leucopsis*

October	R=1/12	1 on the 28 <sup>th</sup> .
---------	--------	-----------------------------

---

### Greylag Goose *Anser anser*

January	R=11/14	Present throughout, maximum 66 on the 24 <sup>th</sup> .
February	R=13/13	Present throughout, maximum 6 on the 19 <sup>th</sup> & 26 <sup>th</sup> .
March	R=12/12	Present throughout, maximum 22 on the 24 <sup>th</sup> .
April	R=9/9	Present throughout, maximum 52 on the 5 <sup>th</sup> .
May	R=15/15	Present throughout, 2 goslings on the 1 <sup>st</sup> , 41 adults + 14 goslings on the 13 <sup>th</sup> .
June	R=13/13	Present throughout, maximum 110 on the 11 <sup>th</sup> .
July	R=10/10	Present throughout, 18 young on the 8 <sup>th</sup> , maximum 88 on the 23 <sup>rd</sup> .
August	R=8/8	Present throughout, maximum 238 on the 4 <sup>th</sup> , 1 with orange neck collar PZF on the 11 <sup>th</sup> .
September	R=11/11	Present throughout, 330 on the 12 <sup>th</sup> , 8 of the domestic variety on the 18 <sup>th</sup> .
October	R=10/12	Present throughout, 155 on the 13 <sup>th</sup> .
November	R=10/10	Present throughout, 6 on the 1 <sup>st</sup> , 21 flew over on the 24 <sup>th</sup> .
December	R=10/12	Present throughout.

---

### Pink-footed Goose *Anser brachyrhynchus*

January	R=3/14	1 on the 6 <sup>th</sup> , 1 flew over on the 12 <sup>th</sup> & 1 on the 23 <sup>rd</sup> .
February	R=1/13	c350 flew over N on 4 <sup>th</sup> (J.E.A./M.S.)
March	R=4/12	52 flew over N on the 7 <sup>th</sup> , 1 on the 24 <sup>th</sup> , 27 <sup>th</sup> & 30 <sup>th</sup> .
April	R=3/9	1 on the 9 <sup>th</sup> , 14 <sup>th</sup> & 16 <sup>th</sup> .
May	R=6/15	1 on the 5 <sup>th</sup> , 20 <sup>th</sup> , 23 <sup>rd</sup> , 26 <sup>th</sup> , 27 <sup>th</sup> & 29 <sup>th</sup> .
November	R=1/10	c 55 flew over S on the 24 <sup>th</sup> .
December	R=2/12	45 flew over W on the 25 <sup>th</sup> , c70 flew over NE on the 30 <sup>th</sup> .

---

## Mute Swan *Cygnus olor*

January	R=14/14	Pair + 4 juveniles on south lake throughout, 2 N lake throughout, 8 flew over on the 21 <sup>st</sup> .
February	R=13/13	Recorded throughout, maximum 12 adults + 3 juveniles on the 21 <sup>st</sup> .
March	R=12/12	Recorded throughout, maximum 11 on the 3 <sup>rd</sup> .
April	R=9/9	Recorded throughout, pair with nest on S lake on the 5 <sup>th</sup> , 1 egg in nest on the 11 <sup>th</sup> , maximum pair S lake & 5 N lake on the 14 <sup>th</sup> .
May	R=15/15	Recorded throughout, pair S lake & 6 N lake on the 7 <sup>th</sup> , 3 cygnets on the 24 <sup>th</sup> , 6 cygnets on the 26 <sup>th</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> .
June	R=13/13	Pair + 6 cygnets on S lake till the 9 <sup>th</sup> , then 5 cygnets till month end, 5 adults on N lake on the 4 <sup>th</sup> .
July	R=10/10	Pair + 5 cygnet present S lake throughout, 2 to 3 adults present N lake throughout.
August	R=8/8	Pair + 5 juveniles present S lake throughout, 3 adults N lake throughout, 4 adults N lake on the 28 <sup>th</sup> .
September	R=11/11	Pair + 5 juveniles present S lake throughout, 11 on N lake on the 6 <sup>th</sup> .
October	R=17/17	Pair + 5 juveniles present S lake throughout, 3 adults N lake on the 6 <sup>th</sup> .
November	R=10/10	Pair + 5 juveniles present S lake throughout, maximum 7 adults + 5 juveniles on the 29 <sup>th</sup> .
December	R=12/12	Pair + 5 juveniles present S lake from 1 <sup>st</sup> till 19 <sup>th</sup> , 6 adults + 5 juveniles on the 4 <sup>th</sup> & 6 <sup>th</sup> , 4 adults + 4 juveniles on 22 <sup>nd</sup> , then 6 adults 25 <sup>th</sup> & 29 <sup>th</sup> .

---

## Whooper Swan *Cygnus cygnus*

January	R=1/14	2 flew over W on the 20 <sup>th</sup> (J.E.A./B.F.D.)
March	R=1/12	1 on the 26 <sup>th</sup> .
April	R=1/9	13 flew over W on the 8 <sup>th</sup> .
December	R=3/12	2 flew over N on the 8 <sup>th</sup> , 1 juvenile on the 11 <sup>th</sup> , 3 juveniles flew N on 13 <sup>th</sup> .

---

## Egyptian Goose *Alopochen aegyptiacus*

June	R=3/13	2 on the 3 <sup>rd</sup> (L.L.), 21 <sup>st</sup> & 22 <sup>nd</sup> .
------	--------	--

---

## Shelduck *Tadorna tadorna*

January	R=11/14	1 recorded throughout.
February	R=6/13	2 on the 3 <sup>rd</sup> , 7 <sup>th</sup> , 8 <sup>th</sup> , 14 <sup>th</sup> , 17 <sup>th</sup> & 28 <sup>th</sup> .
March	R=4/12	2 on the 3 <sup>rd</sup> , 1 on the 26 <sup>th</sup> & 28 <sup>th</sup> , 2 on the 31 <sup>st</sup> .
April	R=6/9	2 on the 5 <sup>th</sup> , 1 on the 15 <sup>th</sup> & 16 <sup>th</sup> , 2 on the 19 <sup>th</sup> , 21 <sup>st</sup> & 24 <sup>th</sup> .
June	R=2/13	2 on the 4 <sup>th</sup> & 10 <sup>th</sup> .

---

## Shoveler *Spatula clypeata*

January	R=4/14	1 on the 2 <sup>nd</sup> , 3 <sup>rd</sup> , 4 <sup>th</sup> & 6 <sup>th</sup> .
March	R=1/12	A male on the 19 <sup>th</sup> .
April	R=2/9	Male & female on the 17 <sup>th</sup> , 2 males & 1 female on the 18 <sup>th</sup> .
May	R=1/15	A male on the 28 <sup>th</sup> .
September	R=2/11	1 on the 20 <sup>th</sup> & 22 <sup>nd</sup> .

October	R=2/12	1 on the 29 <sup>th</sup> & 30 <sup>th</sup> .
November	R=8/10	1 female on the 4 <sup>th</sup> , 1 male on the 11 <sup>th</sup> , 12 <sup>th</sup> , 13 <sup>th</sup> , 14 <sup>th</sup> , 17 <sup>th</sup> , 20 <sup>th</sup> & 24 <sup>th</sup> .
December	R=3/12	A male on the 6 <sup>th</sup> , 1 female on the 10 <sup>th</sup> & 17 <sup>th</sup> .

---

### Gadwall *Mareca strepera*

January	R=14/14	Present throughout, maximum 24 on the 20 <sup>th</sup> & 25 <sup>th</sup> .
February	R=13/13	Present throughout, maximum 20 on the 17 <sup>th</sup> .
March	R=12/12	Recorded throughout, maximum 36 on the 3 <sup>rd</sup> .
April	R=9/9	Present throughout, maximum 4 on the 7 <sup>th</sup> , 14 <sup>th</sup> & 18 <sup>th</sup> .
May	R=14/15	Present throughout, maximum 3 on the 7 <sup>th</sup> , 9 <sup>th</sup> , 13 <sup>th</sup> , 22 <sup>nd</sup> , 26 <sup>th</sup> & 29 <sup>th</sup> .
June	R=11/13	Present throughout, 3 on the 6 <sup>th</sup> , 9 <sup>th</sup> , 11 <sup>th</sup> , 13 <sup>th</sup> & 24 <sup>th</sup> .
July	R=3/10	1 on the 6 <sup>th</sup> , 2 on the 8 <sup>th</sup> & 1 on the 28 <sup>th</sup> .
August	R=7/8	Present throughout, 9 on the 28 <sup>th</sup> .
September	R=11/11	Present throughout, maximum 11 on the 27 <sup>th</sup> .
October	R=12/12	Present throughout, maximum 38 on the 20 <sup>th</sup> .
November	R=10/10	Present throughout, maximum 17 on the 1 <sup>st</sup> .
December	R=12/12	Present throughout, maximum 36 on the 17 <sup>th</sup> .

---

### Wigeon *Mareca penelope*

January	R=14/14	Present throughout, maximum 57 on the 21 <sup>st</sup> .
February	R=13/13	Present throughout, maximum 66 on the 14 <sup>th</sup> .
March	R=11/12	Present on 9 dates between the 3 <sup>rd</sup> & 21 <sup>st</sup> , maximum 69 on the 3 <sup>rd</sup> .
April	R=2/9	1 on the 4 <sup>th</sup> & 5 <sup>th</sup> .
May	R=1/15	Male & female on the 20 <sup>th</sup> .
September	R=3/11	1 on the 1 <sup>st</sup> , 3 on the 25 <sup>th</sup> , 23 flew over SE on the 29 <sup>th</sup> .
October	R=8/12	12 on the 8 <sup>th</sup> , 4 on the 13 <sup>th</sup> , 7 on the 20 <sup>th</sup> , 3 on the 22 <sup>nd</sup> , 7 on the 27 <sup>th</sup> , 23 on the 28 <sup>th</sup> , 20 on the 29 <sup>th</sup> , 24 on the 30 <sup>th</sup> .
November	R=10/10	Present throughout, maximum 23 on the 29 <sup>th</sup> .
December	R=12/12	Present throughout, maximum 42 on the 25 <sup>th</sup> .

---

### Mallard *Anas platyrhynchos*

January	R=13/14	Present throughout, maximum 22 on the 25 <sup>th</sup> .
February	R=13/13	Present throughout, maximum 36 on the 17 <sup>th</sup> .
March	R=11/12	Present throughout, maximum 19 on the 7 <sup>th</sup> .
April	R=9/9	Present throughout, maximum 20 on the 5 <sup>th</sup> .
May	R=15/15	Present throughout, 11 adults + 7 ducklings on the 13 <sup>th</sup> , 6 ducklings on the 19 <sup>th</sup> & 26 <sup>th</sup> .
June	R=13/13	Present throughout, 8 + 10 ducklings S lake & 9 adults N lake on the 4 <sup>th</sup> .
July	R=10/10	Present throughout, maximum 59 on the 17 <sup>th</sup> .
August	R=8/8	Present throughout, maximum 28 on the 19 <sup>th</sup> .
September	R=11/11	Present throughout, maximum 25 on the 25 <sup>th</sup> .
October	R=12/12	Present throughout, maximum 46 on the 28 <sup>th</sup> .
November	R=10/10	Present throughout, maximum c35 on the 24 <sup>th</sup> .
December	R=12/12	Present throughout, maximum 20 on the 4 <sup>th</sup> .

---

## Pintail *Anas acuta*

March R=1/12 A male on the 7<sup>th</sup>.

---

## Teal *Anas crecca*

January R=14/14 Recorded throughout, maximum 92 on the 16<sup>th</sup>.  
February R=13/13 Present throughout, maximum 70 on the 1<sup>st</sup>, pair mating on the 22<sup>nd</sup>.  
March R=12/12 Present throughout, maximum 32 on the 17<sup>th</sup>.  
April R=3/9 4 on the 4<sup>th</sup>, 3 on the 5<sup>th</sup>, 4 on the 7<sup>th</sup>.  
July R=3/10 1 on the 25<sup>th</sup>, 28<sup>th</sup> & 29<sup>th</sup>.  
August R=4/8 1 on the 19<sup>th</sup> & 26<sup>th</sup>, 2 on the 28<sup>th</sup>, 3 on the 30<sup>th</sup>.  
September R=11/11 Recorded throughout, maximum 7 on the 22<sup>nd</sup>.  
October R=12/12 Present throughout, maximum 18 on the 2<sup>nd</sup>.  
November R=10/10 Present throughout, maximum 28 on the 21<sup>st</sup>.  
December R=12/12 Present throughout, maximum 85 on the 19<sup>th</sup>.

---

## Red-crested Pochard *Netta rufina*

April R=9/9 Male on the 6<sup>th</sup> (J.E.A.), 8<sup>th</sup>, 9<sup>th</sup>, 10<sup>th</sup>, 13<sup>th</sup>, 14<sup>th</sup>, 26<sup>th</sup>, 27<sup>th</sup> & 28<sup>th</sup>.

---

## Pochard *Aythya ferina*

January R=12/14 1 male present throughout, 2 males on the 13<sup>th</sup>, 15<sup>th</sup> & 20<sup>th</sup>.  
February R=13/13 Present throughout, maximum 3 on the 17<sup>th</sup>, 19<sup>th</sup>, 24<sup>th</sup>, 26<sup>th</sup> & 28<sup>th</sup>.  
March R=12/12 Recorded throughout, maximum 13 on the 19<sup>th</sup> & 24<sup>th</sup>.  
July R=1/10 A male on the 8<sup>th</sup>.  
September R=1/11 2 males on the 8<sup>th</sup>.  
October R=8/12 2 on the 8<sup>th</sup>, 1 on the 17<sup>th</sup>, 20<sup>th</sup> & 22<sup>nd</sup>, 2 on the 27<sup>th</sup>, 2 + 6 flew over S on the 28<sup>th</sup>, 2 on the 29<sup>th</sup> & 30<sup>th</sup>.  
November R=3/10 2 on the 1<sup>st</sup>, 1 on the 11<sup>th</sup> & 13<sup>th</sup>.  
December R=2/12 A male on the 16<sup>th</sup>, 2 males on the 22<sup>nd</sup>.

---

## Tufted Duck *Aythya fuligula*

January R=14/14 Present throughout, maximum 87 on the 25<sup>th</sup>.  
February R=13/13 Present throughout, maximum 62 on the 3<sup>rd</sup>.  
March R=12/12 Present throughout, maximum 53 on the 7<sup>th</sup>.  
April R=9/9 Present throughout, maximum 41 on the 5<sup>th</sup>.  
May R=15/15 Present throughout, maximum 21 on the 13<sup>th</sup>.  
June R=13/13 Present throughout, 14 on the 4<sup>th</sup>, female + 5 ducklings on the 24<sup>th</sup> & 25<sup>th</sup>.  
July R=10/10 Present throughout, 26 on the 8<sup>th</sup>, 8 ducklings on the 14<sup>th</sup>.  
August R=8/8 Present throughout.  
September R=11/11 Present throughout, maximum 32 on the 25<sup>th</sup>.  
October R=12/12 Present throughout, maximum 61 on the 30<sup>th</sup>.  
November R=10/10 Present throughout, maximum 107 on the 26<sup>th</sup>.  
December R=12/12 Present throughout, maximum 102 on the 22<sup>nd</sup>.

---

## Scaup *Aythya marila*

January R=1/14 A male on the 1<sup>st</sup> (J.E.A. / P. & K. L.).

---

## Goldeneye *Bucephala clangula*

January R=14/14 Present throughout, maximum 18 on the 25<sup>th</sup>.  
February R=11/13 Present throughout, maximum 15 on the 3<sup>rd</sup>.  
March R=8/12 7 on the 1<sup>st</sup>, 1 on the 5<sup>th</sup>, 5 on the 7<sup>th</sup>, 1 on the 10<sup>th</sup>, 13<sup>th</sup>, 15<sup>th</sup>, 19<sup>th</sup> & 21<sup>st</sup>.  
April R=2/9 1 on the 7<sup>th</sup> & 10<sup>th</sup>.  
October R=2/12 1 on the 29<sup>th</sup> & 30<sup>th</sup>.  
November R=8/10 Present throughout, maximum 8 on the 24<sup>th</sup>.  
December R=12/12 Present throughout, maximum 18 on the 19<sup>th</sup>.

---

## Goosander *Mergus merganser*

January R=3/14 1 on the 8<sup>th</sup>, 2 flew over on the 23<sup>rd</sup>, 4 males + 1 female on the 27<sup>th</sup>.  
February R=3/13 1 on the 19<sup>th</sup>, 2 flew over on the 21<sup>st</sup>, 1 on the 25<sup>th</sup>.  
March R=4/12 A male on the 7<sup>th</sup> & 8<sup>th</sup>, a male + 2 flew over on the 10<sup>th</sup>, a male on the 13<sup>th</sup>.  
April R=1/9 A male on the 7<sup>th</sup>.  
September R=1/11 1 on the 22<sup>nd</sup>.  
October R=1/12 4 on the 14<sup>th</sup>.  
November R=4/10 2 on the 19<sup>th</sup>, 1 on the 21<sup>st</sup>, 6 on the 24<sup>th</sup>, 1 flew over on the 26<sup>th</sup>.  
December R=1/12 1 flew over on the 15<sup>th</sup>.

---

## Red-legged Partridge *Alectoris rufa*

April R=2/9 1 on the 16<sup>th</sup> & 2 on the 18<sup>th</sup>.  
May R=1/15 2 on the 5<sup>th</sup>.

---

## Pheasant *Phasianus colchicus*

January R=2/14 Recorded on the 23<sup>rd</sup> & 25<sup>th</sup>.  
February R=8/13 Recorded on 8 dates throughout.  
March R=4/12 1 on the 7<sup>th</sup>, 19<sup>th</sup>, 26<sup>th</sup> & 28<sup>th</sup>.  
April R=6/9 Recorded throughout.  
May R=10/15 Recorded throughout, 4 on the 13<sup>th</sup>.  
June R=7/13 1 on the 4<sup>th</sup>, 6<sup>th</sup>, 13<sup>th</sup>, 16<sup>th</sup>, 19<sup>th</sup>, 21<sup>st</sup> & 25<sup>th</sup>.  
July R=6/10 1 on the 17<sup>th</sup>, 19<sup>th</sup>, 23<sup>rd</sup>, 25<sup>th</sup>, 28<sup>th</sup> & 30<sup>th</sup>.  
August R=2/8 1 on the 28<sup>th</sup> & 30<sup>th</sup>.  
September R=7/11 Present on 7 dates throughout.  
October R=10/12 Present throughout, 2 on the 13<sup>th</sup>.  
November R=9/10 Recorded throughout.  
December R=9/12 Recorded throughout.

---

## Little Grebe *Tachybaptus rufficollis*

January R=14/14 Present throughout, maximum 6 on the 6<sup>th</sup>, 20<sup>th</sup> & 27<sup>th</sup>.  
February R=13/13 Present throughout, maximum 7 on the 7<sup>th</sup>.

March	R=12/12	Present throughout, maximum 7 on the 5 <sup>th</sup> .
April	R=3/9	1 on the 3 <sup>rd</sup> , 2 on the 5 <sup>th</sup> , 1 on the 7 <sup>th</sup> .
June	R=7/13	1 adult on the 11 <sup>th</sup> & 13 <sup>th</sup> , 2 on the 19 <sup>th</sup> , 21 <sup>st</sup> & 24 <sup>th</sup> , pair with nest & 1 well grown young on the 25 <sup>th</sup> , 1 on the 30 <sup>th</sup> .
July	R=10/10	Present throughout, pair with 4 chicks + 2 adults on the 28 <sup>th</sup> .
August	R=8/8	Pair with 4 young on the 1 <sup>st</sup> , 3 young on the 4 <sup>th</sup> , 2 young on the 8 <sup>th</sup> , 3 to 4 adults from 11 <sup>th</sup> till month end.
September	R=10/11	Present throughout, 7 on the 24 <sup>th</sup> & 25 <sup>th</sup> .
October	R=12/12	Present throughout, maximum 10 on the 20 <sup>th</sup> .
November	R=10/10	Present throughout, 10 on the 3 <sup>rd</sup> .
December	R=12/12	Present throughout, maximum 10 on the 11 <sup>th</sup>

---

### Great Crested Grebe *Podiceps cristatus*

January	R=12/14	Present throughout, 4 on the 12 <sup>th</sup> & 25 <sup>th</sup> .
February	R=13/13	Present throughout, maximum 5 on the 3 <sup>rd</sup> & 21 <sup>st</sup> .
March	R=12/12	Present throughout, maximum 6 on the 7 <sup>th</sup> , 19 <sup>th</sup> , 24 <sup>th</sup> , 26 <sup>th</sup> , 28 <sup>th</sup> & 31 <sup>st</sup> .
April	R=9/9	Present throughout, maximum pair on S lake & 5 N lake on the 3 <sup>rd</sup> , pair S. Lake + 2 pair N lake on the 16 <sup>th</sup> , nest with 1 egg on S lake on the 17 <sup>th</sup> .
May	R=15/15	Present throughout, pair on S lake with nest with 3 eggs + 2 pair N lake on the 1 <sup>st</sup> , pair with nest S lake & 5 N lake on the 5 <sup>th</sup> , pair with nest S lake + pair with nest N lake on the 9 <sup>th</sup> , pair on N lake with 1 young on the 12 <sup>th</sup> , 2 pair + 4 young on N lake on the 17 <sup>th</sup> , pair S lake + 2 young and 1 egg on the 22 <sup>nd</sup> , pair no young S lake & 2 pair with 4 young N lake on the 29 <sup>th</sup> .
June	R=13/13	Present throughout, pair S lake & 2 pair + 4 young N lake on the 2 <sup>nd</sup> , Pair with nest S lake on the 9 <sup>th</sup> , 2 pair + 4 young on N lake till month end.
July	R=10/10	Present throughout, pair with 1 chick, pair + 4 young on S lake & pair + 2 young N lake on the 17 <sup>th</sup> , 19 <sup>th</sup> , 21 <sup>st</sup> & 23 <sup>rd</sup> , 3 pair + 6 young total on the 25 <sup>th</sup> .
August	R=8/8	Present throughout, 4 adults with 2 juvs on S lake and 2 adults N lake on the 1 <sup>st</sup> , pair + 1 fledged young on the 4 <sup>th</sup> , pair + 3 young ( 2 <sup>nd</sup> Brood) & pair + 2 juvs on S lake on the 25 <sup>th</sup> , 2 par + 5 young N lake on the 28 <sup>th</sup> , 11 on N lake on the 30 <sup>th</sup> .
September	R=10/11	Recorded throughout, 11 on the 3 <sup>rd</sup> , 3 adults + 3 juveniles on the 22 <sup>nd</sup> .
October	R=12/12	Present throughout, 9 on the 2 <sup>nd</sup> & 6 <sup>th</sup> .
November	R=9/10	Present throughout, 5 on the 1 <sup>st</sup> , 13 <sup>th</sup> , 19 <sup>th</sup> , 26 <sup>th</sup> & 29 <sup>th</sup> .
December	R=12/12	Present throughout, 5 on the 4 <sup>th</sup> , 6 <sup>th</sup> , 11 <sup>th</sup> , 13 <sup>th</sup> , 15 <sup>th</sup> & 19 <sup>th</sup> .

---

### Grey Heron *Ardea cinerea*

January	R=12/14	1 to 2 birds throughout.
February	R=13/13	Present throughout, 3 on the 26 <sup>th</sup> .
March	R=10/12	1 to 2 birds throughout.
April	R=7/9	Present throughout, 2 on the 7 <sup>th</sup> .
May	R=14/15	Present throughout, 2 on the 7 <sup>th</sup> , 13 <sup>th</sup> , 15 <sup>th</sup> , 22 <sup>nd</sup> & 26 <sup>th</sup> .
June	R=10/13	Present throughout, 2 on the 4 <sup>th</sup> , 9 <sup>th</sup> , 21 <sup>st</sup> & 30 <sup>th</sup> .
July	R=10/10	Present throughout, 3 on the 19 <sup>th</sup> , 23 <sup>rd</sup> , 28 <sup>th</sup> & 30 <sup>th</sup> .
August	R=8/8	Present throughout, 4 on the 28 <sup>th</sup> .
September	R=11/11	Recorded throughout, 3 on the 25 <sup>th</sup> .

October	R=11/12	Recorded throughout, 3 on the 28 <sup>th</sup> .
November	R=8/10	1 to 2 birds recorded throughout.
December	R=12/12	1 to 2 birds recorded throughout.

---

### Little Egret *Egretta garzetta*

August	R=8/8	1 with orange ring on both legs on the 18 <sup>th</sup> (J.E.A./B.F.D.)
December	R=1/12	1 flew over lake N on the 3 <sup>rd</sup> (J.E.A.).

---

### Cormorant *Phalacrocorax carbo*

January	R=10/14	Present throughout, maximum 40 on the 27 <sup>th</sup> .
February	R=13/13	Present throughout, maximum 34 on the 8 <sup>th</sup> , 32 including 3 race <i>P.c.sinensis</i> on the 12 <sup>th</sup> , 28 including 2 race <i>P.c.sinensis</i> on the 17 <sup>th</sup> , 19 including 3 race <i>P.c.sinensis</i> on the 24 <sup>th</sup> .
March	R=12/12	Present throughout, 14 including 2 race <i>P.c.sinensis</i> on the 7 <sup>th</sup> , 13 including 2 race <i>P.c.sinensis</i> on the 19 <sup>th</sup> , maximum 16 on the 21 <sup>st</sup> .
April	R=7/9	Recorded throughout, 7 including 1 race <i>P.c.sinensis</i> on the 3 <sup>rd</sup> .
May	R=3/15	1 on the 3 <sup>rd</sup> , 5 <sup>th</sup> & 28 <sup>th</sup> .
June	R=4/13	1 on the 2 <sup>nd</sup> , 4 <sup>th</sup> , 6 <sup>th</sup> & 9 <sup>th</sup> .
July	R=8/10	Present throughout, 5 on the 23 <sup>rd</sup> .
August	R=8/8	Present throughout, maximum 9 on the 25 <sup>th</sup> .
September	R=11/11	Present throughout, maximum 11 on the 1 <sup>st</sup> .
October	R=12/12	Present throughout, maximum 14 on the 13 <sup>th</sup> .
November	R=10/10	Present throughout, maximum 19 on the 3 <sup>rd</sup> .
December	R=12/12	Present throughout, maximum 10 on the 6 <sup>th</sup> .

---

### Osprey *Pandion haliaetus*

April	R=1/9	1 flew N at 9.50 a.m. (I.D.W.) & 1 seen fishing over lake at midday on the 5 <sup>th</sup> seen by angler.
-------	-------	--

---

### Sparrowhawk *Accipiter nisus*

January	R=4/14	1 on the 1 <sup>st</sup> , 2 <sup>nd</sup> , 12 <sup>th</sup> & 25 <sup>th</sup> .
February	R=4/13	1 on the 1 <sup>st</sup> , 10 <sup>th</sup> , 12 <sup>th</sup> & 24 <sup>th</sup> .
March	R=3/12	1 on the 3 <sup>rd</sup> , 7 <sup>th</sup> & 17 <sup>th</sup> .
April	R=2/9	1 on the 5 <sup>th</sup> & 14 <sup>th</sup> .
May	R=3/15	1 on the 12 <sup>th</sup> , 13 <sup>th</sup> & 29 <sup>th</sup> .
August	R=5/8	1 on the 4 <sup>th</sup> , 11 <sup>th</sup> , 18 <sup>th</sup> , 19 <sup>th</sup> , & 25 <sup>th</sup> .
September	R=3/11	3 on the 1 <sup>st</sup> , 1 on the 15 <sup>th</sup> & 25 <sup>th</sup> .
October	R=7/12	1 on the 2 <sup>nd</sup> & 4 <sup>th</sup> , 2 on the 6 <sup>th</sup> , 1 on the 8 <sup>th</sup> , 2 on the 17 <sup>th</sup> , 1 on 27 <sup>th</sup> & 28 <sup>th</sup> .
November	R=6/10	1 on the 1 <sup>st</sup> , 2 on the 3 <sup>rd</sup> , 1 on the 11 <sup>th</sup> , 13 <sup>th</sup> , 19 <sup>th</sup> & 24 <sup>th</sup> .
December	R=5/12	2 males on the 8 <sup>th</sup> , 1 on the 13 <sup>th</sup> , 15 <sup>th</sup> & 17 <sup>th</sup> , 2 on the 22 <sup>nd</sup> .

---

### Red Kite *Milvus milvus*

January	R=8/14	Recorded on 8 scattered dates throughout, 4 on the 27 <sup>th</sup> .
February	R=6/13	Recorded on 6 dates throughout, 2 on the 24 <sup>th</sup> .

March	R=9/12	Recorded on 9 dates throughout, 2 on the 7 <sup>th</sup> , 24 <sup>th</sup> & 26 <sup>th</sup> .
April	R=7/9	1 on the 3 <sup>rd</sup> , 5 <sup>th</sup> , 14 <sup>th</sup> , 18 <sup>th</sup> , 21 <sup>st</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> .
May	R=5/15	1 on the 5 <sup>th</sup> , 12 <sup>th</sup> , 13 <sup>th</sup> , 19 <sup>th</sup> & 26 <sup>th</sup> .
June	R=6/13	1 on the 3 <sup>rd</sup> , 2 on the 11 <sup>th</sup> , 1 on the 16 <sup>th</sup> , 19 <sup>th</sup> , 21 <sup>st</sup> & 30 <sup>th</sup> .
July	R=5/10	1 on the 8 <sup>th</sup> , 14 <sup>th</sup> & 19 <sup>th</sup> , 2 on the 21 <sup>st</sup> & 28 <sup>th</sup> .
August	R=6/8	2 on the 11 <sup>th</sup> , 1 on the 18 <sup>th</sup> , 19 <sup>th</sup> & 25 <sup>th</sup> , 2 on the 28 <sup>th</sup> , 1 on the 30 <sup>th</sup> ..
September	R=8/11	Present throughout, 3 on the 22 <sup>nd</sup> & 29 <sup>th</sup> .
October	R=9/12	Recorded throughout, maximum 4 on the 17 <sup>th</sup> .
November	R=6/10	Recorded on 6 dates throughout, 6 on the 3 <sup>rd</sup> .
December	R=5/12	1 on the 4 <sup>th</sup> , 2 on the 8 <sup>th</sup> , 1 on the 15 <sup>th</sup> , 4 on the 22 <sup>nd</sup> , 3 on the 29 <sup>th</sup> .

---

### Buzzard *Buteo buteo*

January	R=11/14	Recorded throughout, 5 on the 27 <sup>th</sup> .
February	R=9/13	Recorded throughout 5 on the 8 <sup>th</sup> .
March	R=10/12	Recorded throughout, 6 on the 24 <sup>th</sup> .
April	R=9/9	Recorded throughout, 6 on the 3 <sup>rd</sup> .
May	R=12/15	Recorded throughout, 4 on the 5 <sup>th</sup> .
June	R=8/13	2 on the 4 <sup>th</sup> , 1 on the 6 <sup>th</sup> & 9 <sup>th</sup> , 2 on the 13 <sup>th</sup> , 1 on the 16 <sup>th</sup> , 2 on the 21 <sup>st</sup> , 1 on the 24 <sup>th</sup> & 30 <sup>th</sup> .
July	R=7/10	Recorded throughout, 3 on the 8 <sup>th</sup> & 28 <sup>th</sup> .
August	R=8/8	Recorded throughout, 5 + 2 juvenile over Coneygarth on the 11 <sup>th</sup> , 17 together on the 29 <sup>th</sup> .
September	R=8/11	Recorded throughout, 8 on the 15 <sup>th</sup> .
October	R=12/12	Recorded throughout, 4 on the 27 <sup>th</sup> .
November	R=10/10	Recorded throughout, 4 on the 3 <sup>rd</sup> .
December	R=7/12	Recorded throughout, 4 on the 22 <sup>nd</sup> & 29 <sup>th</sup> .

---

### Moorhen *Gallinula chloropus*

January	R=13/14	Present throughout month.
February	R=13/13	Present throughout month, maximum 18 on the 17 <sup>th</sup> .
March	R=12/12	Present throughout, maximum 15 on the 3 <sup>rd</sup> .
April	R=9/9	Present throughout, 12 on the 5 <sup>th</sup> .
May	R=15/15	Present throughout, 10 on the 13 <sup>th</sup> .
June	R=12/13	Present throughout.
July	R=9/10	Present throughout, pair with 6 young on the 21 <sup>st</sup> & 28 <sup>th</sup> .
August	R=8/8	Present throughout, pair with 3 chicks on the 4 <sup>th</sup> .
September	R=11/11	Present throughout, 2 on the 29 <sup>th</sup> .
October	R=12/12	Present throughout, 17 on the 4 <sup>th</sup> .
November	R=9/10	Present throughout.
December	R=12/12	Present throughout, 14 on the 6 <sup>th</sup> .

---

### Coot *Fulica atra*

January	R=14/14	Present throughout month, maximum 5 on the 13 <sup>th</sup> , 20 <sup>th</sup> & 25 <sup>th</sup> .
February	R=13/13	Present throughout, maximum 12 on the 17 <sup>th</sup> .
March	R=11/12	Present throughout, 10 on the 5 <sup>th</sup> .
April	R=3/9	1 on the 3 <sup>rd</sup> , 2 on the 5 <sup>th</sup> , 1 on the 16 <sup>th</sup> .



May	R=7/15	Present throughout, 2 on the 26 <sup>th</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> .
June	R=11/13	Pair present throughout, with nest on the 3 <sup>rd</sup> .
July	R=10/10	Present throughout, pair + 1 juvenile from the 8 <sup>th</sup> , 5 adults 17 <sup>th</sup> , 24 <sup>th</sup> & 28 <sup>th</sup> .
August	R=8/8	Present throughout, 9 on the 11 <sup>th</sup> .
September	R=11/11	Present throughout, 6 on the 10 <sup>th</sup> .
October	R=12/12	Present throughout, 14 on the 28 <sup>th</sup> .
November	R=10/10	Present throughout, 25 on the 24 <sup>th</sup> & 26 <sup>th</sup> ..
December	R=12/12	Present throughout, maximum 55 on the 22 <sup>nd</sup> .

---

### Oystercatcher *Haematopus ostralegus*

January	R=8/14	2 on the 5 <sup>th</sup> , 1 on the 8 <sup>th</sup> & 19 <sup>th</sup> , 2 on 20 <sup>th</sup> , 1 on 24 <sup>th</sup> , 25 <sup>th</sup> & 27 <sup>th</sup> , 5 on 29 <sup>th</sup> .
February	R=9/13	Recorded throughout, 6 on the 10 <sup>th</sup> & 21 <sup>st</sup> .
March	R=11/12	Recorded throughout, maximum 13 on the 11 <sup>th</sup> .
April	R=9/9	4 pair present throughout.
May	R=15/15	4 pair present throughout. All pairs bred but all were predated.
June	R=12/13	Present throughout, 5 on the 6 <sup>th</sup> & 16 <sup>th</sup> .
July	R=7/10	Present throughout, 5 on the 21 <sup>st</sup> .

---

### Lapwing *Vanellus vanellus*

January	R=14/14	Recorded throughout, 220 on the 19 <sup>th</sup> .
February	R=12/13	Recorded throughout, maximum 170 on the 3 <sup>rd</sup> .
March	R=8/12	Present throughout, c30 on the 24 <sup>th</sup> .
April	R=4/9	1 on the 7 <sup>th</sup> & 16 <sup>th</sup> , 2 on the 21 <sup>st</sup> , 1 on the 28 <sup>th</sup> .
May	R=10/15	Present throughout, maximum 3 on the 28 <sup>th</sup> .
June	R=13/13	Present throughout, maximum 55 on the 30 <sup>th</sup> .
July	R=10/10	Present throughout, maximum 152 on the 17 <sup>th</sup> .
August	R=8/8	Present throughout, maximum 420 on the 25 <sup>th</sup> ..
September	R=10/11	Present throughout, 510 on the 27 <sup>th</sup> .
October	R=7/12	Present throughout, maximum 200 on the 4 <sup>th</sup> .
November	R=9/10	Present throughout, 32 on the 21 <sup>st</sup> .
December	R=12/12	Recorded throughout, 150 on the 6 <sup>th</sup> .

---

### Ringed Plover *Charadrius hiaticula*

July	R=1/10	1 on the 23 <sup>rd</sup> .
------	--------	-----------------------------

---

### Little Ringed Plover *Charadrius dubius*

March	R=1/12	1 flew N & 1 @ 3 p.m. flew around calling on the 26 <sup>th</sup> .
April	R=1/9	1 flew over on the 18 <sup>th</sup> .
May	R=1/15	1 on the 26 <sup>th</sup> .
June	R=3/13	2 on the 2 <sup>nd</sup> , 1 on the 3 <sup>rd</sup> , 2 on the 15 <sup>th</sup> .
July	R=4/10	1 on the 17 <sup>th</sup> , 23 <sup>rd</sup> , 24 <sup>th</sup> & 2 on the 25 <sup>th</sup> .
August	R=1/8	1 on the 1 <sup>st</sup> .

---

### ***Curlew Numenius arquata***

January	R=1/14	1 flew over on the 10 <sup>th</sup> .
February	R=2/13	1 flew over on the 17 <sup>th</sup> , 2 on the 19 <sup>th</sup> .
March	R=4/12	1 flew over on the 5 <sup>th</sup> , 1 on the 10 <sup>th</sup> & 13 <sup>th</sup> , 1 flew over on the 24 <sup>th</sup> .
April	R=2/9	1 flew over on the 3 <sup>rd</sup> , 1 flew over on the 14 <sup>th</sup> .
June	R=3/13	1 on the 19 <sup>th</sup> & 21 <sup>st</sup> , 1 flew over on the 25 <sup>th</sup> .
July	R=2/10	1 flew over on the 8 <sup>th</sup> & 21 <sup>st</sup> .
August	R=1/8	1 on the 13 <sup>th</sup> .
September	R=1/11	1 flew over on the 1 <sup>st</sup> .

---

### **Black-tailed Godwit *Limosa limosa***

July	R=1/10	1 flew over on the 23 <sup>rd</sup> .
September	R=1/11	2 on the 1 <sup>st</sup> .

---

### **Ruff *Calidris pugnax***

January	R=1/14	8 flew over @ 2.45 p.m. on the 15 <sup>th</sup> (J.E.A.).
---------	--------	---

---

### **Woodcock *Scolopax rusticola***

January	R=4/14	1 on the 2 <sup>nd</sup> & 5 <sup>th</sup> , 3 on the 12 <sup>th</sup> , 1 on the 19 <sup>th</sup> .
February	R=1/13	1 on the 17 <sup>th</sup> (J.E.A.)
March	R=1/12	1 on the 21 <sup>st</sup> .
November	R=2/12	1 on the 28 <sup>th</sup> & 29 <sup>th</sup> .
December	R=1/12	1 on the 1 <sup>st</sup> .

---

### **Jack Snipe *Lymnocyptes minimus***

February	R=1/13	1 on the 7 <sup>th</sup> (I.D.W.).
October	R=1/12	1 on the 12 <sup>th</sup> (J.E.A.).
November	R=1/10	1 on the 17 <sup>th</sup> (J.E.A.).
December	R=1/12	1 on the 30 <sup>th</sup> (J.E.A.).

---

### **Snipe *Gallinago gallinago***

January	R=8/14	3 on the 7 <sup>th</sup> & 16 <sup>th</sup> , 10 on the 19 <sup>th</sup> , 2 on the 20 <sup>th</sup> , 3 on the 22 <sup>nd</sup> , 1 on the 23 <sup>rd</sup> , 8 on the 25 <sup>th</sup> & 1 on the 27 <sup>th</sup> .
February	R=11/13	Recorded throughout, maximum 21 on the 27 <sup>th</sup> .
March	R=12/12	Recorded throughout, c20 on the 4 <sup>th</sup> .
April	R=4/9	2 on the 3 <sup>rd</sup> , 4 on the 5 <sup>th</sup> , 3 on the 7 <sup>th</sup> , 1 on the 17 <sup>th</sup> .
July	R=7/10	2 on the 8 <sup>th</sup> , 1 on the 14 <sup>th</sup> , 21 <sup>st</sup> , 23 <sup>rd</sup> , 25 <sup>th</sup> , 28 <sup>th</sup> & 30 <sup>th</sup> .
August	R=8/8	Recorded throughout, 5 on the 28 <sup>th</sup> .
September	R=11/11	Recorded throughout, 13 on the 20 <sup>th</sup> .
October	R=12/12	Present throughout, 13 on the 13 <sup>th</sup> .
November	R=10/10	Recorded throughout, 30 on the 25 <sup>th</sup> .
December	R=12/12	Recorded throughout, 42 on the 25 <sup>th</sup> , c40 flying on the 29 <sup>th</sup> .

---

### Common Sandpiper *Actitis hypoleucos*

May	R=2/15	1 on the 3 <sup>rd</sup> & 5 <sup>th</sup> .
June	R=2/13	1 on the 19 <sup>th</sup> & 25 <sup>th</sup> .
July	R=10/10	1 on the 9 <sup>th</sup> , 13 <sup>th</sup> , 17 <sup>th</sup> , 19 <sup>th</sup> , 23 <sup>rd</sup> , 24 <sup>th</sup> & 25 <sup>th</sup> , 2 on the 28 <sup>th</sup> , 1 on 29 <sup>th</sup> & 30 <sup>th</sup> .
August	R=2/8	1 on the 1 <sup>st</sup> & 2 <sup>nd</sup> .

---

### Green Sandpiper *Tringa ochropus*

August	R=3/8	1 on the 3 <sup>rd</sup> & 19 <sup>th</sup> , 3 on the 20 <sup>th</sup> .
--------	-------	---

---

### Redshank *Tringa totanus*

March	R=4/12	1 on the 10 <sup>th</sup> , 2 on the 13 <sup>th</sup> , 1 on the 25 <sup>th</sup> & 27 <sup>th</sup> .
July	R=1/10	2 on the 17 <sup>th</sup> .
August	R=1/8	1 on the 19 <sup>th</sup> .
October	R=1/12	1 on the 6 <sup>th</sup> .
December	R=1/12	1 on the 13 <sup>th</sup> .

---

### Greenshank *Tringa nebularia*

August	R=3/8	1 calling on the 2 <sup>nd</sup> , 1 on the 5 <sup>th</sup> & 31 <sup>st</sup> .
--------	-------	--

---

### Black-headed Gull *Chroicocephalus ridibundus*

January	R=14/14	Present throughout, 25 on the 19 <sup>th</sup> .
February	R=13/13	Present throughout.
March	R=11/12	Present throughout, 100+ on the 17 <sup>th</sup> .
April	R=9/9	Present throughout.
May	R=15/15	Present throughout, 26 on the 13 <sup>th</sup> .
June	R=13/13	Present throughout.
July	R=10/10	Present throughout.
August	R=8/8	Present throughout, 40 on the 28 <sup>th</sup> .
September	R=11/11	Present throughout, maximum 120 on the 27 <sup>th</sup> .
October	R=12/12	Present throughout, c80 on the 9 <sup>th</sup> & 13 <sup>th</sup> .
November	R=10/10	Present throughout, c2000 at roost on the 23 <sup>rd</sup> .
December	R=12/12	Present throughout, large roost on the 8 <sup>th</sup> .

---

### Common Gull *Larus canus*

January	R=8/14	Recorded on 8 scattered dates throughout, 6 on the 21 <sup>st</sup> .
February	R=10/13	Recorded throughout, 10 on the 3 <sup>rd</sup> .
March	R=10/12	Recorded on 10 dates throughout, maximum 8 on the 31 <sup>st</sup> .
April	R=4/9	4 on the 3 <sup>rd</sup> , 5 on the 5 <sup>th</sup> , 2 on the 7 <sup>th</sup> , 2 on the 14 <sup>th</sup> .
July	R=2/10	1 on the 21 <sup>st</sup> & 28 <sup>th</sup> .
August	R=4/8	2 on the 11 <sup>th</sup> , 1 on the 17 <sup>th</sup> , 2 on the 25 <sup>th</sup> , 1 on the 28 <sup>th</sup> .
September	R=5/11	3 on the 3 <sup>rd</sup> , 2 on the 6 <sup>th</sup> , 6 on the 8 <sup>th</sup> , 1 on the 10 <sup>th</sup> , 2 on the 25 <sup>th</sup> .
October	R=11/12	Recorded throughout, 8 on the 6 <sup>th</sup> & 8 <sup>th</sup> .
November	R=9/10	Recorded throughout, 8 on the 13 <sup>th</sup> .

December R=12/12 Recorded throughout, 8 on the 6<sup>th</sup>.

---

### Great Black-backed Gull *Larus marinus*

January R=1/14 1 on the 12<sup>th</sup>.  
February R=1/13 1 on the 3<sup>rd</sup>.  
October R=2/12 1 on the 13<sup>th</sup>, 2 on the 28<sup>th</sup>.  
November R=1/10 1 on the 29<sup>th</sup>.  
December R=2/12 1 on the 22<sup>nd</sup>, 3 flew over on the 25<sup>th</sup>.

---

### Herring Gull *Larus argentatus*

January R=3/14 3 on the 6<sup>th</sup>, 1 on the 13<sup>th</sup> & 23<sup>rd</sup>.  
February R=8/13 Recorded throughout, 8+ on the 10<sup>th</sup>.  
March R=8/12 Recorded on 8 dates throughout, maximum 4 on the 7<sup>th</sup> & 17<sup>th</sup>.  
April R=3/9 9 on the 7<sup>th</sup>, 3 on the 28<sup>th</sup>, 2 on the 29<sup>th</sup>.  
May R=14/15 Recorded throughout, 2 adults + 42 immature flew through on the 2<sup>nd</sup>, 7 on the 26<sup>th</sup>.  
June R=9/13 Recorded on 9 dates throughout, 3 on the 2<sup>nd</sup>.  
July R=1/10 1 on the 25<sup>th</sup>.  
October R=8/12 Recorded throughout, 6 on the 28<sup>th</sup>.  
November R=8/10 Recorded throughout, 3 on the 1<sup>st</sup>.  
December R=11/12 Recorded throughout, 6 on the 13<sup>th</sup>.

---

### Lesser Black-backed Gull *Larus fuscus*

March R=1/12 5 flew over on the 10<sup>th</sup>.  
April R=1/9 2 on the 7<sup>th</sup>.  
May R=3/15 1 adults on the 19<sup>th</sup>, 26<sup>th</sup> & 29<sup>th</sup>.  
June R=2/13 1 on the 6<sup>th</sup> & 9<sup>th</sup>.  
July R=8/10 1 on the 6<sup>th</sup> & 8<sup>th</sup>, 2 on the 9<sup>th</sup>, 1 on the 17<sup>th</sup>, 19<sup>th</sup>, 21<sup>st</sup> & 25<sup>th</sup>, 2 on the 28<sup>th</sup>.  
August R=2/8 1 + 4 over on the 25<sup>th</sup> & 1 on the 28<sup>th</sup>.  
September R=5/11 1 on the 1<sup>st</sup>, 3<sup>rd</sup>, 10<sup>th</sup>, 19<sup>th</sup> & 25<sup>th</sup>.  
October R=6/12 1 on the 2<sup>nd</sup>, 2 on the 6<sup>th</sup>, 5 on the 8<sup>th</sup>, 1 on the 13<sup>th</sup>, 29<sup>th</sup> & 30<sup>th</sup>.  
November R=3/10 1 on the 1<sup>st</sup>, 3<sup>rd</sup> & 13<sup>th</sup>.

---

### Sandwich Tern *Sterna sandvicensis*

September R=1/11 6 flew over on the 18<sup>th</sup> (J.E.A.).

---

### Common Tern *Sterna hirundo*

April R=2/9 1 on the 20<sup>th</sup>, a pair on the 29<sup>th</sup>.  
May R=10/15 Present throughout, 5 on the 26<sup>th</sup>.  
June R=13/13 Present throughout, 4 on the 2<sup>nd</sup>, 2 pair present with 1 pair on nest 16<sup>th</sup>..  
July R=10/10 Present throughout, pair with 2 chicks on the 6<sup>th</sup>, 6 adults + 2 chicks on the 17<sup>th</sup>, 1 chick under platform on the 22<sup>nd</sup>, 1 juv fledged on 28<sup>th</sup>, 3 adults and 1 juvenile on the 30<sup>th</sup>.

August R=8/8 4 adults + 1 juvenile on the 1<sup>st</sup>, 2 adults + 1 juvenile till the 18<sup>th</sup> then 2 birds  
19<sup>th</sup> & 28<sup>th</sup>.

---

### Arctic Skua *Stercorarius parasitica*

October R=1/12 1 pale phase adult @ 1.30 p.m. on the 27<sup>th</sup> (J.E.A.).

---

### Stock Dove *Columba oenas*

January R=3/14 1 on the 5<sup>th</sup>, 2 on the 12<sup>th</sup>, 1 on the 23<sup>rd</sup>.  
March R=4/12 2 on the 24<sup>th</sup>, 26<sup>th</sup> & 28<sup>th</sup>, 5 on the 31<sup>st</sup>.  
May R=5/15 2 on the 5<sup>th</sup>, 1 on the 12<sup>th</sup> & 13<sup>th</sup>, 2 on the 15<sup>th</sup> & 24<sup>th</sup>.  
June R=1/13 1 on the 2<sup>nd</sup>.  
July R=2/10 1 on the 19<sup>th</sup> & 2 on the 28<sup>th</sup>.  
August R=3/8 2 on the 1<sup>st</sup> & 4<sup>th</sup>, 1 on the 30<sup>th</sup>.  
November R=1/10 2 on the 13<sup>th</sup>.

---

### Wood Pigeon *Columba palumbus*

January R=14/14 Present throughout.  
February R=13/13 Present throughout, c500 flew over on the 10<sup>th</sup>.  
March R=12/12 Present throughout.  
April R=9/9 Present throughout.  
May R=15/15 Present throughout.  
June R=12/13 Present throughout.  
July R=10/10 Present throughout.  
August R=8/8 Present throughout.  
September R=11/11 Present throughout.  
October R=12/12 Present throughout.  
November R=10/10 Present throughout.  
December R=12/12 Present throughout.

---

### Collared Dove *Streptopelia decaocto*

January R=1/14 1 flew over on the 19<sup>th</sup>.  
February R=1/13 1 flew over on the 16<sup>th</sup>.  
May R=1/15 1 on the 13<sup>th</sup>.  
August R=1/8 1 on the 19<sup>th</sup>.

---

### Barn Owl *Tyto alba*

January R=1/14 1 in box on the 27<sup>th</sup>.

---

### Tawny Owl *Strix aluco*

April R=1/9 1 calling on the 7<sup>th</sup>.  
July R=2/10 A fledged tawny owl found on ground was returned to a branch on the 14<sup>th</sup>,  
1 calling on the 30<sup>th</sup>.  
September R=2/11 1 on the 3<sup>rd</sup> & 1 calling on the 29<sup>th</sup>.

October	R=1/12	1 calling on the 29 <sup>th</sup> .
November	R=1/10	1 calling on the 4 <sup>th</sup> .

---

### Swift *Apus apus*

April	R=1/9	5 on the 28 <sup>th</sup> .
May	R=9/15	Recorded on 9 dates between the 12 <sup>th</sup> & 29 <sup>th</sup> , 15 on the 26 <sup>th</sup> .
June	R=12/13	Present throughout, 19 on the 4 <sup>th</sup> .
July	R=10/10	Present throughout, 7 on the 28 <sup>th</sup> .
August	R=2/8	1 on the 11 <sup>th</sup> & 20 <sup>th</sup> .
September	R=1/11	1 on the 8 <sup>th</sup> .

---

### Kingfisher *Alcedo atthis*

January	R=7/14	1 on the 1 <sup>st</sup> , 6 <sup>th</sup> , 19 <sup>th</sup> & 20 <sup>th</sup> , 2 on the 23 <sup>rd</sup> , 1 on the 25 <sup>th</sup> & 27 <sup>th</sup> .
February	R=1/13	1 on the 3 <sup>rd</sup> .
March	R=1/12	1 on the 7 <sup>th</sup> .
July	R=1/10	1 on the 28 <sup>th</sup> .
August	R=2/8	1 on the 18 <sup>th</sup> & 19 <sup>th</sup> .
September	R=2/11	1 on the 20 <sup>th</sup> & 29 <sup>th</sup> .
October	R=1/12	1 on the 2 <sup>nd</sup> .

---

### Great Spotted Woodpecker *Dendrocopos major*

January	R=13/14	Recorded throughout, 2 on the 20 <sup>th</sup> .
February	R=11/13	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 7 <sup>th</sup> , 8 <sup>th</sup> , 10 <sup>th</sup> , 12 <sup>th</sup> , 17 <sup>th</sup> , 19 <sup>th</sup> , 21 <sup>st</sup> , 26 <sup>th</sup> & 27 <sup>th</sup> .
March	R=12/12	Recorded throughout, a male & female on the 3 <sup>rd</sup> .
April	R=8/9	Recorded throughout.
May	R=14/15	Recorded throughout, 3 on the 7 <sup>th</sup> .
June	R=5/13	1 on the 2 <sup>nd</sup> , 2 on the 6 <sup>th</sup> , 1 on the 9 <sup>th</sup> & 13 <sup>th</sup> , 2 on the 25 <sup>th</sup> .
July	R=4/10	1 on the 17 <sup>th</sup> & 25 <sup>th</sup> , 2 on the 28 <sup>th</sup> , 1 on the 30 <sup>th</sup> .
August	R=4/8	1 on the 1 <sup>st</sup> , 4 <sup>th</sup> , 25 <sup>th</sup> & 28 <sup>th</sup> .
September	R=7/11	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 6 <sup>th</sup> , 2 on the 10 <sup>th</sup> , 1 on the 15 <sup>th</sup> , 22 <sup>nd</sup> & 29 <sup>th</sup> .
October	R=5/12	1 on the 6 <sup>th</sup> , 17 <sup>th</sup> , 20 <sup>th</sup> & 22 <sup>nd</sup> , 2 on the 29 <sup>th</sup> .
November	R=7/10	1 on the 1 <sup>st</sup> , 11 <sup>th</sup> , 13 <sup>th</sup> , 17 <sup>th</sup> , 19 <sup>th</sup> , 24 <sup>th</sup> & 26 <sup>th</sup> .
December	R=4/12	1 on the 4 <sup>th</sup> , 6 <sup>th</sup> , 17 <sup>th</sup> & 19 <sup>th</sup> .

---

### Green Woodpecker *Picus viridis*

January	R=4/14	1 on the 2 <sup>nd</sup> , 5 <sup>th</sup> , 12 <sup>th</sup> & 23 <sup>rd</sup> .
February	R=3/13	1 on the 17 <sup>th</sup> , 2 on the 19 <sup>th</sup> , 1 on the 21 <sup>st</sup> .
March	R=5/12	1 on the 11 <sup>th</sup> , 13 <sup>th</sup> , 15 <sup>th</sup> , 24 <sup>th</sup> & 28 <sup>th</sup> .
April	R=3/9	1 on the 3 <sup>rd</sup> , 1 calling on the 5 <sup>th</sup> , 1 on the 14 <sup>th</sup> .
May	R=4/15	1 on the 5 <sup>th</sup> , 12 <sup>th</sup> , 15 <sup>th</sup> & 19 <sup>th</sup> .
June	R=1/13	1 on the 9 <sup>th</sup> .
July	R=4/10	1 on the 21 <sup>st</sup> , 23 <sup>rd</sup> , 25 <sup>th</sup> & 30 <sup>th</sup> .
August	R=5/8	1 on the 1 <sup>st</sup> , family party on the 5 <sup>th</sup> , 1 on the 11 <sup>th</sup> , 19 <sup>th</sup> & 25 <sup>th</sup> ..
September	R=2/11	1 on the 1 <sup>st</sup> & 15 <sup>th</sup> .
October	R=2/12	1 on the 6 <sup>th</sup> & 8 <sup>th</sup> .

December R=2/12 1 on the 6<sup>th</sup> & 22<sup>nd</sup>.

---

### Kestrel *Falco tinnunculus*

January R=6/14 1 on the 1<sup>st</sup>, 2<sup>nd</sup>, 15<sup>th</sup>, 20<sup>th</sup>, 21<sup>st</sup> & 27<sup>th</sup>.  
February R=2/13 1 on the 8<sup>th</sup> & 12<sup>th</sup>.  
March R=9/12 1 on the 7<sup>th</sup>, 10<sup>th</sup>, 13<sup>th</sup>, 17<sup>th</sup>, 19<sup>th</sup>, 21<sup>st</sup>, 24<sup>th</sup>, 26<sup>th</sup> & 28<sup>th</sup>.  
April R=5/9 1 on the 3<sup>rd</sup>, 5<sup>th</sup>, 7<sup>th</sup>, 21<sup>st</sup> & 28<sup>th</sup>.  
May R=9/15 1 on the 3<sup>rd</sup>, 5<sup>th</sup>, 7<sup>th</sup>, 13<sup>th</sup>, 17<sup>th</sup>, 19<sup>th</sup>, 22<sup>nd</sup>, 24<sup>th</sup> & 26<sup>th</sup>.  
June R=3/13 1 on the 3<sup>rd</sup>, 6<sup>th</sup> & 16<sup>th</sup>.  
July R=5/10 1 on the 14<sup>th</sup>, 17<sup>th</sup>, 19<sup>th</sup>, 28<sup>th</sup> & 30<sup>th</sup>.  
August R=3/8 1 on the 1<sup>st</sup>, 28<sup>th</sup> & 30<sup>th</sup>.  
September R=4/11 1 on the 1<sup>st</sup>, 22<sup>nd</sup>, 27<sup>th</sup> & 29<sup>th</sup>.  
October R=7/12 1 on the 2<sup>nd</sup>, 6<sup>th</sup>, 17<sup>th</sup>, 20<sup>th</sup>, 22<sup>nd</sup>, 27<sup>th</sup> & 28<sup>th</sup>.  
November R=4/10 1 on the 3<sup>rd</sup>, 19<sup>th</sup>, 26<sup>th</sup> & 29<sup>th</sup>.  
December R=5/12 1 on the 15<sup>th</sup>, 19<sup>th</sup>, 22<sup>nd</sup>, 25<sup>th</sup> & 29<sup>th</sup>.

---

### Hobby *Falco subbuteo*

May R=2/15 1 on the 23<sup>rd</sup> (L.L.), 1 on the 26<sup>th</sup> (L.L./B.D.).  
August R=1/8 1 on the 5<sup>th</sup>.  
September R=5/11 Adult & 1 juvenile hunting Dragonflies on the 23<sup>rd</sup>, juvenile hunting in front of hide on the 24<sup>th</sup>, juvenile on the 25<sup>th</sup>, 28<sup>th</sup> & 29<sup>th</sup>. (J.E.A.)

---

### Peregrine *Falco peregrinus*

January R=1/14 1 on the 1<sup>st</sup>.  
April R=1/9 1 on the 4<sup>th</sup>.  
September R=1/11 An adult on the 5<sup>th</sup>.

---

### Jay *Garrulus glandarius*

January R=4/14 1 on the 2<sup>nd</sup> & 8<sup>th</sup>, 2 on the 12<sup>th</sup> & 1 on the 15<sup>th</sup>.  
February R=7/19 1 on the 3<sup>rd</sup>, 8<sup>th</sup> & 10<sup>th</sup>, 3 on the 12<sup>th</sup>, 1 on the 17<sup>th</sup> & 19<sup>th</sup>, 2 on the 21<sup>st</sup>.  
March R=7/12 2 on the 3<sup>rd</sup>, 7<sup>th</sup>, 21<sup>st</sup>, 24<sup>th</sup>, 26<sup>th</sup> & 28<sup>th</sup>, 4 on the 31<sup>st</sup>.  
April R=5/9 3 on the 3<sup>rd</sup>, 1 on the 5<sup>th</sup>, 7<sup>th</sup> & 14<sup>th</sup>, 2 on the 16<sup>th</sup>.  
May R=3/15 1 on the 5<sup>th</sup>, 13<sup>th</sup> & 19<sup>th</sup>.  
June R=4/13 1 on the 3<sup>rd</sup>, 4<sup>th</sup>, 6<sup>th</sup> & 25<sup>th</sup>.  
July R=2/10 4 on the 21<sup>st</sup>, 2 on the 23<sup>rd</sup>.  
August R=4/8 1 on the 4<sup>th</sup>, 25<sup>th</sup>, 28<sup>th</sup> & 30<sup>th</sup>.  
September R=7/11 Recorded throughout, maximum 4 on the 10<sup>th</sup>.  
October R=9/12 1 to 2 birds throughout.  
November R=5/10 1 on the 3<sup>rd</sup>, 17<sup>th</sup>, 21<sup>st</sup>, 24<sup>th</sup> & 26<sup>th</sup>.  
December R=4/12 1 on the 4<sup>th</sup>, 6<sup>th</sup>, 19<sup>th</sup> & 29<sup>th</sup>.

---

### Magpie *Pica pica*

January R=13/14 Present throughout.  
February R=13/13 Present throughout.

---

March	R=12/12	Present throughout.
April	R=9/9	Present throughout.
May	R=15/15	Present throughout.
June	R=13/13	Present throughout.
July	R=10/10	Present throughout.
August	R=8/8	Present throughout.
September	R=11/11	Present throughout.
October	R=12/12	Present throughout.
November	R=10/10	Present throughout.
December	R=12/12	Present throughout.

---

### Jackdaw *Coloeus monedula*

January	R=11/14	Recorded throughout.
February	R=13/13	Recorded throughout.
March	R=12/12	Recorded throughout, 7 on the 17 <sup>th</sup> .
April	R=9/9	Recorded throughout.
May	R=15/15	Present throughout.
June	R=12/13	Recorded throughout, c250 on the 30 <sup>th</sup> .
July	R=10/10	Recorded throughout.
August	R=8/8	Recorded throughout.
September	R=10/11	Recorded throughout.
October	R=12/12	Recorded throughout.
November	R=9/10	Present throughout.
December	R=12/12	Recorded throughout.

---

### Rook *Corvus frugilegus*

April	R=1/9	1 on the 17 <sup>th</sup> .
July	R=1/10	7 on the 14 <sup>th</sup> .
October	R=2/12	2 on the 20 <sup>th</sup> , 1 on the 28 <sup>th</sup> .

---

### Carrion Crow *Corvus corone*

January	R=14/14	Present throughout.
February	R=13/13	Present throughout.
March	R=12/12	Present throughout.
April	R=9/9	Present throughout.
May	R=14/15	Present throughout.
June	R=13/13	Present throughout.
July	R=10/10	Present throughout.
August	R=8/8	Present throughout.
September	R=11/11	Present throughout.
October	R=12/12	Present throughout.
November	R=10/10	Recorded throughout.
December	R=11/12	Present throughout.



---

### Coal Tit *Periparus ater*

January	R=14/14	Present throughout.
February	R=13/13	Present throughout, 2 on the 10 <sup>th</sup> .
March	R=12/12	Present throughout.
April	R=8/15	1 on 3 <sup>rd</sup> , 5 <sup>th</sup> , 7 <sup>th</sup> , 14 <sup>th</sup> , 16 <sup>th</sup> , 18 <sup>th</sup> , 21 <sup>st</sup> & 28 <sup>th</sup> .
May	R=10/15	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 7 <sup>th</sup> , 9 <sup>th</sup> , 13 <sup>th</sup> , 15 <sup>th</sup> , 17 <sup>th</sup> , 22 <sup>nd</sup> , 24 <sup>th</sup> & 29 <sup>th</sup> .
June	R=9/13	1 on the 4 <sup>th</sup> , 6 <sup>th</sup> , 9 <sup>th</sup> , 11 <sup>th</sup> , 13 <sup>th</sup> , 16 <sup>th</sup> , 19 <sup>th</sup> , 21 <sup>st</sup> & 25 <sup>th</sup> .
July	R=1/10	1 on the 28 <sup>th</sup> .
August	R=2/8	1 on the 18 <sup>th</sup> & 19 <sup>th</sup> .
September	R=1/11	2 on the 10 <sup>th</sup> .
October	R=2/12	1 on the 17 <sup>th</sup> , 3 on the 29 <sup>th</sup> .
November	R=5/10	1 on the 3 <sup>rd</sup> , 19 <sup>th</sup> , 21 <sup>st</sup> , 26 <sup>th</sup> & 29 <sup>th</sup> .
December	R=8/12	Recorded throughout.

---

### Marsh Tit *Poecile palustris*

January	R=14/14	Present throughout.
February	R=13/13	Present throughout.
March	R=12/12	Present throughout.
April	R=7/9	1 on the 3 <sup>rd</sup> , 5 <sup>th</sup> , 7 <sup>th</sup> , 16 <sup>th</sup> , 18 <sup>th</sup> , 21 <sup>st</sup> & 29 <sup>th</sup> .
May	R=10/15	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 7 <sup>th</sup> & 9 <sup>th</sup> , 2 on the 13 <sup>th</sup> , 1 on the 15 <sup>th</sup> , 17 <sup>th</sup> , 22 <sup>nd</sup> , 24 <sup>th</sup> & 29 <sup>th</sup> .
June	R=9/13	1 on the 4 <sup>th</sup> , 6 <sup>th</sup> , 9 <sup>th</sup> , 11 <sup>th</sup> , 13 <sup>th</sup> , 16 <sup>th</sup> , 19 <sup>th</sup> , 21 <sup>st</sup> & 25 <sup>th</sup> .
July	R=1/10	1 on the 29 <sup>th</sup> .
August	R=2/8	1 on the 1 <sup>st</sup> & 30 <sup>th</sup> .
September	R=7/11	Recorded throughout, 3 on the 12 <sup>th</sup> .
October	R=6/12	Recorded throughout, 3 on the 30 <sup>th</sup> .
November	R=6/10	Recorded throughout, 4 on the 1 <sup>st</sup> .
December	R=7/12	Recorded throughout.

---

### Blue Tit *Cyanistes caeruleus*

January	R=14/14	Present throughout.
February	R=13/13	Present throughout.
March	R=12/12	Present throughout.
April	R=9/9	Present throughout.
May	R=15/15	Present throughout, 16 on the 13 <sup>th</sup> .
June	R=12/13	Recorded throughout.
July	R=8/10	Recorded throughout.
August	R=8/8	Present throughout.
September	R=11/11	Present throughout, 40+ on the 10 <sup>th</sup> .
October	R=10/12	Present throughout.
November	R=10/10	Present throughout.
December	R=12/12	Present throughout.

---

### Great Tit *Parus major*

January	R=14/14	Present throughout.
February	R=13/13	Present throughout.

March	R=12/12	Present throughout.
April	R=9/9	Present throughout.
May	R=15/15	Present throughout, 10 on the 13 <sup>th</sup> .
June	R=12/12	Recorded throughout.
July	R=7/10	Recorded throughout.
August	R=8/8	Present throughout.
September	R=11/11	Present throughout, 30+ on the 10 <sup>th</sup> .
October	R=9/12	Present throughout.
November	R=10/10	Present throughout.

---

### Skylark *Alauda arvensis*

January	R=1/14	3 flew over on the 5 <sup>th</sup> .
September	R=1/11	1 on the 27 <sup>th</sup> .
October	R=5/12	2 flew over S on the 6 <sup>th</sup> , 1 on the 17 <sup>th</sup> , 22 <sup>nd</sup> , 28 <sup>th</sup> & 29 <sup>th</sup> .
November	R=1/10	1 on the 13 <sup>th</sup> .

---

### Sand Martin *Riparia riparia*

March	R=5/17	2 on the 28 <sup>th</sup> .
April	R=9/9	Present throughout, 10 at wall on 14 <sup>th</sup> , c20 on the 28 <sup>th</sup> .
May	R=15/15	Present throughout, c20 pair at wall on 12 <sup>th</sup> , maximum c40 on the 13 <sup>th</sup> .
June	R=13/13	Present throughout, young fledged on the 24 <sup>th</sup> .
July	R=10/10	Present throughout, 40+ on the 1 <sup>st</sup> , still feeding young on the 11 <sup>th</sup> , young still in wall on the 19 <sup>th</sup> , 3 holes still occupied on the 25 <sup>th</sup> .
August	R=8/8	Present throughout..
September	R=4/11	c50 on the 1 <sup>st</sup> , some in flock of c200 hirundines on the 3 <sup>rd</sup> , 2 on the 6 <sup>th</sup> , 20 on the 10 <sup>th</sup> . 30 Holes were occupied in the Sand Martin wall this year, there was no second brood.

---

### Swallow *Hirundo rustica*

April	R=9/9	2 on the 14 <sup>th</sup> then recorded till month end, 8 on the 28 <sup>th</sup> .
May	R=9/15	Present throughout, 3 on the 13 <sup>th</sup> .
June	R=5/13	2 on 2 <sup>nd</sup> , 1 on the 4 <sup>th</sup> , 3 on the 6 <sup>th</sup> , 2 on the 11 <sup>th</sup> , family party of 5 on the 25 <sup>th</sup> .
July	R=7/10	Present throughout, 26 on the 19 <sup>th</sup> .
August	R=6/8	Present throughout, 15 on the 25 <sup>th</sup> , 9 on the 30 <sup>th</sup> .
September	R=8/11	Present throughout, c200 through on the 1 <sup>st</sup> , some in hirundine flock on the 3 <sup>rd</sup> , c30 on the 12 <sup>th</sup> , 15 <sup>th</sup> & 22 <sup>nd</sup> , 4 on the 29 <sup>th</sup> .
October	R=2/12	2 on the 4 <sup>th</sup> & 7 on the 17 <sup>th</sup> .

---

### House Martin *Delichon urbica*

April	R=2/9	2 on the 18 <sup>th</sup> & 3 on the 28 <sup>th</sup> .
May	R=1/15	2 on the 12 <sup>th</sup> .
July	R=7/10	2 on the 17 <sup>th</sup> , 26 on the 19 <sup>th</sup> , 1 on the 21 <sup>st</sup> & 23 <sup>rd</sup> , 2 on the 25 <sup>th</sup> , 8 on the 28 <sup>th</sup> & 1 on the 30 <sup>th</sup> .
August	R=5/8	4 on the 11 <sup>th</sup> , 1 on the 19 <sup>th</sup> , 2 on the 25 <sup>th</sup> , 12 on the 26 <sup>th</sup> , 16 on the 30 <sup>th</sup> .

September R=7/11 5 on the 1<sup>st</sup>, c150 in flock of c200 hirundines on the 3<sup>rd</sup>, c20 on the 8<sup>th</sup> & 9<sup>th</sup>, c150 flew over N on the 12<sup>th</sup>, 4 on the 15<sup>th</sup>, c80 on the 22<sup>nd</sup>.

---

### Long-tailed Tit *Aegithalos caudatus*

January	R=9/14	Present throughout.
February	R=12/13	Present throughout.
March	R=12/12	Present throughout, pair with nest on the 24 <sup>th</sup> .
April	R=6/9	Present on 6 dates between 3 <sup>rd</sup> & 18 <sup>th</sup> .
May	R=7/15	Recorded on 7 dates throughout, 3 on the 17 <sup>th</sup> , family party on the 26 <sup>th</sup> .
June	R=11/13	Present throughout, family party on the 9 <sup>th</sup> .
July	R=6/14	Present throughout, 6 on the 21 <sup>st</sup> .
August	R=5/8	Recorded throughout, c10 on the 1 <sup>st</sup> & 19 <sup>th</sup> .
September	R=7/11	Present throughout, 15+ on the 10 <sup>th</sup> .
October	R=9/12	Recorded throughout, 14 on the 3 <sup>rd</sup> .
November	R=9/10	Recorded throughout, 12 on the 1 <sup>st</sup> .
December	R=7/12	Present throughout, 8 on the 4 <sup>th</sup> .

---

### Willow Warbler *Phylloscopus trochilus*

April	R=7/9	1 singing on the 11 <sup>th</sup> , 1 on 14 <sup>th</sup> & 16 <sup>th</sup> , 3 on the 18 <sup>th</sup> , 7 on the 21 <sup>st</sup> , 4 on the 28 <sup>th</sup> , 1 on the 29 <sup>th</sup> .
May	R=11/15	Recorded throughout, 4 N lake & 1 S lake on the 3 <sup>rd</sup> , 3 N lake & 1 S lake on the 5 <sup>th</sup> & 7 <sup>th</sup> .
June	R=9/13	1 on the 4 <sup>th</sup> , 6 <sup>th</sup> , 9 <sup>th</sup> , 11 <sup>th</sup> , 13 <sup>th</sup> , 16 <sup>th</sup> , 19 <sup>th</sup> , 21 <sup>st</sup> & 25 <sup>th</sup> .
July	R=3/10	2 on the 23 <sup>rd</sup> , 1 on the 25 <sup>th</sup> & 2 on the 30 <sup>th</sup> .
August	R=3/8	1 on the 1 <sup>st</sup> , 2 on the 11 <sup>th</sup> , 1 on the 19 <sup>th</sup> .
September	R=2/11	1 on the 12 <sup>th</sup> & 22 <sup>nd</sup> .

---

### Chiffchaff *Phylloscopus collybita*

March	R=3/12	1 on the 26 <sup>th</sup> , 1 singing on the 28 <sup>th</sup> , 3 on the 31 <sup>st</sup> .
April	R=9/9	Recorded throughout, 9 singing S lake & 1 N lake on the 3 <sup>rd</sup> , 10 S lake & 9 N lake on the 16 <sup>th</sup> .
May	R=13/15	Recorded throughout, 12 on the 13 <sup>th</sup> .
June	R=10/13	Recorded throughout.
July	R=9/10	Recorded throughout, 7 on the 30 <sup>th</sup> .
August	R=8/8	Present throughout, 11 on the 25 <sup>th</sup> & 28 <sup>th</sup> .
September	R=16/16	Present throughout, 9 on the 12 <sup>th</sup> , 5 on the 27 <sup>th</sup> .
October	R=6/12	2 on the 2 <sup>nd</sup> , 4 on the 4 <sup>th</sup> , 2 on the 6 <sup>th</sup> , 1 on the 8 <sup>th</sup> , 14 <sup>th</sup> & 17 <sup>th</sup> .

---

### Sedge Warbler *Acrocephalus schoenobaenus*

May	R=1/15	1 on the 3 <sup>rd</sup> .
June	R=1/13	1 on the 23 <sup>rd</sup> .

---

### Reed Warbler *Acrocephalus scirpaceus*

April	R=1/9	1 singing on the 29 <sup>th</sup> .
-------	-------	-------------------------------------

May	R=6/15	1 singing on the 5 <sup>th</sup> & 18 <sup>th</sup> , pair in reeds (1 singing) on the 19 <sup>th</sup> to 29 <sup>th</sup> .
June	R=11/13	Recorded throughout, pair in phragmites from the 3 <sup>rd</sup> , 1 singing on the 14 <sup>th</sup> , 2 birds singing on the 24 <sup>th</sup> & 30 <sup>th</sup> .
July	R=10/10	Recorded throughout, carrying food on the 13 <sup>th</sup> , feeding at least 2 young on birds on the 17 <sup>th</sup> , seen with young on the 21 <sup>st</sup> .
August	R=8/8	Recorded throughout, 3 on the 11 <sup>th</sup> , carrying food on the 12 <sup>th</sup> , 2 on the 28 <sup>th</sup> .
September	R=5/11	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 6 <sup>th</sup> , 8 <sup>th</sup> & 22 <sup>nd</sup> .

---

### Blackcap *Sylvia atricapilla*

April	R=7/9	1 on the 14 <sup>th</sup> , 15 <sup>th</sup> & 16 <sup>th</sup> , 2 on the 18 <sup>th</sup> , 1 on the 21 <sup>st</sup> , 4 on 28 <sup>th</sup> & 1 on 29 <sup>th</sup> .
May	R=14/15	Present throughout, 3 N lake & 5 S lake on the 5 <sup>th</sup> , total 12 on the 13 <sup>th</sup> .
June	R=13/13	Recorded throughout, family party on the 6 <sup>th</sup> .
July	R=9/10	Recorded throughout, 3 on the 21 <sup>st</sup> , 25 <sup>th</sup> & 30 <sup>th</sup> .
August	R=8/8	Recorded throughout, 4 on the 30 <sup>th</sup> .
September	R=8/11	3 on the 1 <sup>st</sup> , 4 on the 3 <sup>rd</sup> & 6 <sup>th</sup> , 3 on 8 <sup>th</sup> & 10 <sup>th</sup> , 1 on 12 <sup>th</sup> & 15 <sup>th</sup> , 4 on 22 <sup>nd</sup> .
October	R=1/12	1 on the 20 <sup>th</sup> .

---

### Garden Warbler *Sylvia borin*

April	R=1/9	1 on the 29 <sup>th</sup> .
May	R=11/15	Recorded throughout, 3 on the 5 <sup>th</sup> & 7 <sup>th</sup> , 5 on the 12 <sup>th</sup> , 8 on the 13 <sup>th</sup> .
June	R=13/13	Present throughout, 2 family parties on the 6 <sup>th</sup> .
July	R=4/10	1 on the 8 <sup>th</sup> , 19 <sup>th</sup> , 21 <sup>st</sup> & 23 <sup>rd</sup> .

---

### Lesser Whitethroat *Sylvia curruca*

April	R=2/9	1 on the 21 <sup>st</sup> & 22 <sup>nd</sup> .
May	R=2/15	1 on the 5 <sup>th</sup> & 24 <sup>th</sup> .
June	R=3/13	1 singing on the 16 <sup>th</sup> , 21 <sup>st</sup> & 25 <sup>th</sup> .
July	R=3/10	1 on the 17 <sup>th</sup> , 19 <sup>th</sup> & 21 <sup>st</sup> .

---

### Whitethroat *Sylvia communis*

May	R=8/15	1 on the 12 <sup>th</sup> , 13 <sup>th</sup> , 15 <sup>th</sup> , 17 <sup>th</sup> , 19 <sup>th</sup> , 22 <sup>nd</sup> , 24 <sup>th</sup> & 16 <sup>th</sup> .
June	R=5/13	Family party on the 13 <sup>th</sup> , 4 adults & 3 juveniles on the 16 <sup>th</sup> , family parties on the 19 <sup>th</sup> , 21 <sup>st</sup> & 25 <sup>th</sup> .
July	R=1/10	1 on the 19 <sup>th</sup> .
September	R=2/11	1 on the 3 <sup>rd</sup> & 8 <sup>th</sup> .

---

### Goldcrest *Regulus regulus*

February	R=1/13	2 on the 3 <sup>rd</sup> .
March	R=1/12	1 on the 31 <sup>st</sup> .
September	R=2/11	2 on the 10 <sup>th</sup> , 1 on the 22 <sup>nd</sup> .
October	R=2/12	1 on the 20 <sup>th</sup> & 30 <sup>th</sup> .
November	R=2/10	1 on the 13 <sup>th</sup> & 19 <sup>th</sup> .

---

## Wren *Troglodytes troglodytes*

January	R=10/14	Present throughout.
February	R=12/13	Present throughout.
March	R=9/12	Recorded throughout.
April	R=9/9	Recorded throughout.
May	R=14/15	Present throughout, 16 on the 13 <sup>th</sup> .
June	R=12/13	Recorded throughout.
July	R=7/10	Recorded throughout.
August	R=6/6	Recorded throughout.
September	R=9/11	Present throughout.
October	R=9/12	Present throughout.
November	R=10/10	Present throughout.
December	R=10/12	Present throughout.

---

## Nuthatch *Sitta europaea*

January	R=8/14	1 recorded on 8 scattered dates throughout.
February	R=10/13	Present throughout.
March	R=8/12	1 on the 3 <sup>rd</sup> , 7 <sup>th</sup> , 10 <sup>th</sup> , 17 <sup>th</sup> , 19 <sup>th</sup> , 21 <sup>st</sup> , 24 <sup>th</sup> & 31 <sup>st</sup> .
April	R=4/9	1 on the 3 <sup>rd</sup> , 14 <sup>th</sup> , 21 <sup>st</sup> & 28 <sup>th</sup> .
May	R=2/15	1 N lake on the 1 <sup>st</sup> , 2 N lake on the 3 <sup>rd</sup> .
July	R=1/10	1 on the 25 <sup>th</sup> .
August	R=2/8	2 on the 1 <sup>st</sup> , 1 on the 30 <sup>th</sup> .
September	R=3/11	1 on the 1 <sup>st</sup> , 4 on the 10 <sup>th</sup> , 1 on the 12 <sup>th</sup> .
October	R=1/12	1 on the 30 <sup>th</sup> .

---

## Treecreeper *Certhia familiaris*

January	R=7/14	3 on the 5 <sup>th</sup> , 1 on the 6 <sup>th</sup> & 13 <sup>th</sup> , 2 on the 16 <sup>th</sup> , 1 on the 23 <sup>rd</sup> , 25 <sup>th</sup> & 27 <sup>th</sup> .
February	R=4/14	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 17 <sup>th</sup> & 21 <sup>st</sup> .
March	R=4/12	1 on the 14 <sup>th</sup> & 19 <sup>th</sup> , 2 on the 24 <sup>th</sup> , 1 on the 28 <sup>th</sup> .
May	R=1/15	1 on the 13 <sup>th</sup> .
July	R=2/10	1 on the 14 <sup>th</sup> & 28 <sup>th</sup> .
August	R=1/8	1 on the 19 <sup>th</sup> .
September	R=1/11	1 on the 22 <sup>nd</sup> .
October	R=2/12	1 on the 17 <sup>th</sup> & 30 <sup>th</sup> .
November	R=1/10	1 on the 1 <sup>st</sup> .
December	R=2/12	1 on the 1 <sup>st</sup> & 19 <sup>th</sup> .

---

## Starling *Sturnus vulgaris*

January	R=4/14	8 on the 12 <sup>th</sup> , 1 on the 19 <sup>th</sup> , 20 <sup>th</sup> & 27 <sup>th</sup> .
February	R=2/13	6 on the 3 <sup>rd</sup> , 7 flew over on the 27 <sup>th</sup> .
April	R=1/9	1 on the 3 <sup>rd</sup> .
May	R=2/15	2 on the 17 <sup>th</sup> , 8 on the 22 <sup>nd</sup> .
June	R=2/13	3 on the 4 <sup>th</sup> & 1 on the 13 <sup>th</sup> .
July	R=10/10	Recorded throughout, c50 on the 21 <sup>st</sup> & 28 <sup>th</sup> .
August	R=8/8	Recorded throughout, c100 on the 25 <sup>th</sup> & 28 <sup>th</sup> .

September	R=6/11	Recorded throughout, 7 on the 15 <sup>th</sup> .
October	R=4/12	20 on the 4 <sup>th</sup> , 1 on the 13 <sup>th</sup> , c500 on the 28 <sup>th</sup> , c150 on the 29 <sup>th</sup> .
November	R=4/10	12 on the 1 <sup>st</sup> , 100+ on the 3 <sup>rd</sup> , 1 on the 19 <sup>th</sup> & 24 <sup>th</sup> .
December	R=1/12	7 on the 22 <sup>nd</sup> .

---

### Blackbird *Turdus merula*

January	R=11/14	Present throughout.
February	R=12/13	Present throughout.
March	R=11/12	Present throughout.
April	R=9/9	Present throughout.
May	R=15/15	Present throughout, 17 on the 13 <sup>th</sup> .
June	R=13/13	Present throughout.
July	R=10/10	Present throughout.
August	R=8/8	Present throughout.
September	R=11/11	Present throughout, 4 on the 8 <sup>th</sup> .
October	R=10/12	Present throughout, 4 on the 6 <sup>th</sup> .
November	R=9/10	Present throughout.
December	R=12/12	Present throughout, 20+ on the 19 <sup>th</sup> .

---

### Fieldfare *Turdus pilaris*

January	R=5/14	6 on the 2 <sup>nd</sup> , 4 on the 5 <sup>th</sup> , 200+ flew over S in flocks of c20 on the 19 <sup>th</sup> , C30 + 30 over on the 20 <sup>th</sup> , 14 on the 21 <sup>st</sup> .
March	R=2/12	24 flew E on the 11 <sup>th</sup> , c50 on the 18 <sup>th</sup> .
October	R=4/12	7 on the 17 <sup>th</sup> , 40 on the 20 <sup>th</sup> , 1 on the 27 <sup>th</sup> , c50 on the 28 <sup>th</sup> .
November	R=8/10	Recorded throughout, c200 on the 3 <sup>rd</sup> .
December	R=8/12	Recorded throughout 40 on the 11 <sup>th</sup> .

---

### Redwing *Turdus iliacus*

January	R=6/14	c25 on the 1 <sup>st</sup> , 1 on the 2 <sup>nd</sup> , 12 on the 16 <sup>th</sup> , 1 on the 19 <sup>th</sup> & 20 <sup>th</sup> , 50 on 25 <sup>th</sup> .
March	R=5/12	5 on the 3 <sup>rd</sup> , 1 on the 7 <sup>th</sup> , 10 flew E on the 19 <sup>th</sup> , 1 on the 24 <sup>th</sup> & 31 <sup>st</sup> .
April	R=1/9	1 on the 1 <sup>st</sup> .
October	R=10/12	Recorded throughout, c200 + 110 flew E on the 17 <sup>th</sup> , c250 on the 28 <sup>th</sup> .
November	R=10/10	Recorded throughout, maximum 80+ on the 29 <sup>th</sup> .
December	R=11/12	Recorded throughout, maximum 80+ on the 1 <sup>st</sup> , c60 on the 25 <sup>th</sup> .

---

### Song Thrush *Turdus philomelos*

January	R=4/14	1 on the 2 <sup>nd</sup> , 1 on the 20 <sup>th</sup> , 3 on the 22 <sup>nd</sup> , 1 on the 25 <sup>th</sup> .
February	R=9/13	1 singing on the 3 <sup>rd</sup> , 1 on the 8 <sup>th</sup> & 10 <sup>th</sup> , 2 on the 12 <sup>th</sup> , 1 on the 17 <sup>th</sup> & 19 <sup>th</sup> , 3 on the 21 <sup>st</sup> , 1 on the 26 <sup>th</sup> , 2 on the 27 <sup>th</sup> .
March	R=10/12	Recorded throughout, 4 singing on the 7 <sup>th</sup> .
April	R=9/9	Recorded throughout, 7 singing on the 3 <sup>rd</sup> .
May	R=14/15	Recorded throughout, 3 on the 13 <sup>th</sup> .
June	R=11/13	Recorded throughout.
July	R=9/10	Recorded throughout.
August	R=2/8	1 on the 1 <sup>st</sup> & 25 <sup>th</sup> .

September	R=5/11	1 on the 6 <sup>th</sup> , 2 on the 8 <sup>th</sup> , 6 on the 22 <sup>nd</sup> , 3 on the 27 <sup>th</sup> , 1 on the 29 <sup>th</sup> .
October	R=5/12	2 on the 2 <sup>nd</sup> , 1 on the 4 <sup>th</sup> & 6 <sup>th</sup> , 2 on the 17 <sup>th</sup> , 1 on the 20 <sup>th</sup> .
November	R=1/10	1 on the 24 <sup>th</sup> .

---

### Mistle Thrush *Turdus viscivorus*

January	R=2/14	3 on the 8 <sup>th</sup> , 2 on the 23 <sup>rd</sup> .
February	R=3/13	2 on 3 <sup>rd</sup> , 10 <sup>th</sup> & 14 <sup>th</sup> .
March	R=1/12	2 on the 5 <sup>th</sup> .
June	R=1/13	1 on the 9 <sup>th</sup> .
July	R=1/10	13 on the 17 <sup>th</sup> .
September	R=1/11	1 on the 22 <sup>nd</sup> .
October	R=2/12	1 on the 17 <sup>th</sup> & 30 <sup>th</sup> .
November	R=4/10	4 on the 19 <sup>th</sup> , 1 on the 24 <sup>th</sup> , 4 on the 26 <sup>th</sup> & 1 on the 29 <sup>th</sup> .
December	R=7/12	2 on the 4 <sup>th</sup> , 1 on the 6 <sup>th</sup> , 3 on the 13 <sup>th</sup> , 1 on the 15 <sup>th</sup> , 2 on the 19 <sup>th</sup> & 22 <sup>nd</sup> & 1 on the 25 <sup>th</sup> .

---

### Spotted Flycatcher *Muscicapa striata*

August	R=1/8	5 on the 19 <sup>th</sup> .
--------	-------	-----------------------------

---

### Robin *Erithacus rubecula*

January	R=14/14	Present throughout.
February	R=13/13	Present throughout.
March	R=11/12	Present throughout.
April	R=9/9	Present throughout.
May	R=14/15	Present throughout, 19 on the 13 <sup>th</sup> .
June	R=11/13	Recorded throughout.
July	R=7/10	Recorded throughout.
August	R=4/8	Present throughout.
September	R=11/11	Present throughout.
October	R=11/12	Present throughout.
November	R=9/10	Present throughout.
December	R=12/12	Present throughout.

---

### Redstart *Phoenicurus phoenicurus*

April	R=1/9	A male on the 21 <sup>st</sup> .
-------	-------	----------------------------------

---

### House Sparrow *Passer domesticus*

March	R=1/12	1 on the 4 <sup>th</sup> .
-------	--------	----------------------------

---

### Tree Sparrow *Passer montanus*

January	R=14/14	Present throughout.
February	R=13/13	Recorded throughout, c20 on the 10 <sup>th</sup> .
March	R=12/12	Recorded throughout, 11 on the 17 <sup>th</sup> .

April	R=9/9	Recorded throughout.
May	R=4/15	1 on the 1 <sup>st</sup> , 3 <sup>rd</sup> , 7 <sup>th</sup> & 13 <sup>th</sup> .
June	R=6/13	Family party on the 6 <sup>th</sup> , 1 on the 9 <sup>th</sup> , 11 <sup>th</sup> , 13 <sup>th</sup> , 16 <sup>th</sup> & 19 <sup>th</sup> .
September	R=1/11	2 on the 3 <sup>rd</sup> .

---

### Dunnock *Prunella modularis*

January	R=13/14	Present throughout.
February	R=13/13	Present throughout.
March	R=12/12	Present throughout.
April	R=9/9	Present throughout.
May	R=15/15	Present throughout, 9 on the 13 <sup>th</sup> .
June	R=12/13	Present throughout.
July	R=9/10	Present throughout, pair on the 8 <sup>th</sup> .
August	R=5/8	Present throughout.
September	R=9/11	Present throughout.
October	R=12/12	Present throughout.
November	R=8/10	Present throughout.
December	R=12/12	Present throughout.

---

### Yellow Wagtail *Motacilla flava*

May	R=1/15	2 females on the 26 <sup>th</sup> .
-----	--------	-------------------------------------

---

### Grey Wagtail *Motacilla cinerea*

June	R=4/13	1 juvenile on the 13 <sup>th</sup> , 16 <sup>th</sup> , 19 <sup>th</sup> & 25 <sup>th</sup> .
July	R=7/10	2 on the 16 <sup>th</sup> & 17 <sup>th</sup> , 1 on the 19 <sup>th</sup> , 21 <sup>st</sup> , 25 <sup>th</sup> & 28 <sup>th</sup> , 2 on the 30 <sup>th</sup> .
November	R=2/10	1 on 19 <sup>th</sup> & 21 <sup>st</sup> .
December	R=3/12	1 on the 15 <sup>th</sup> , 17 <sup>th</sup> & 19 <sup>th</sup> .

---

### Pied Wagtail *Motacilla alba*

January	R=4/14	1 on the 2 <sup>nd</sup> , 8 <sup>th</sup> , 19 <sup>th</sup> & 25 <sup>th</sup> .
February	R=1/13	1 on the 1 <sup>st</sup> .
March	R=2/12	1 on the 21 <sup>st</sup> & 31 <sup>st</sup> .
April	R=2/9	2 on the 5 <sup>th</sup> & 1 on the 16 <sup>th</sup> .
May	R=2/15	1 on the 17 <sup>th</sup> & 22 <sup>nd</sup> .
June	R=4/13	1 on the 2 <sup>nd</sup> , 2 on the 13 <sup>th</sup> , 1 on the 16 <sup>th</sup> & 19 <sup>th</sup> .
July	R=9/10	Recorded throughout, 2 on the 8 <sup>th</sup> & 19 <sup>th</sup> .
August	R=6/8	Present throughout, 2 on the 18 <sup>th</sup> .
September	R=7/11	Present throughout, 6 on the 26 <sup>th</sup> .
October	R=8/12	Present throughout, 12 on the 3 <sup>rd</sup> .
November	R=9/10	Present throughout, 2 on the 1 <sup>st</sup> .
December	R=9/12	Present throughout 19 on the 28 <sup>th</sup> .

---

### Meadow Pipit *Anthus pratensis*

January	R=6/14	8 on the 5 <sup>th</sup> , 9 on the 10 <sup>th</sup> , 8 on the 19 <sup>th</sup> , 0 on the 20 <sup>th</sup> , 1 on 23 <sup>rd</sup> , 13 on 27 <sup>th</sup> .
---------	--------	---



February	R=4/13	24 on the 34rd, c20 on the 8 <sup>th</sup> , 8 on the 10 <sup>th</sup> , 2 on the 24 <sup>th</sup> .
March	R=4/12	30+ on the 15 <sup>th</sup> , 1 on the 17 <sup>th</sup> & 19 <sup>th</sup> , c30 on the 31 <sup>st</sup> .
April	R=1/9	12 on the 7 <sup>th</sup> .
October	R=1/12	1 on the 2 <sup>nd</sup> .
November	R=3/10	5 on the 19 <sup>th</sup> & 21 <sup>st</sup> , 7 on the 25 <sup>th</sup> .
December	R=4/12	8 on the 2 <sup>nd</sup> , 4 on the 6 <sup>th</sup> , 2 on the 8 <sup>th</sup> , 1 on the 11 <sup>th</sup> .

---

### Rock Pipit *Anthus petrosus*

November	R=2/10	1 on island 5 on the 20 <sup>th</sup> (J.EA.), 1 on island 5 on the 29 <sup>th</sup> (I.D.W.).
----------	--------	--

---

### Chaffinch *Fringilla coelebs*

January	R=13/14	Present throughout.
February	R=13/13	Present throughout, 19 on the 27 <sup>th</sup> .
March	R=12/12	Present throughout.
April	R=9/9	Present throughout.
May	R=15/15	Present throughout, 9 on the 13 <sup>th</sup> .
June	R=11/13	Present throughout.
July	R=8/10	Recorded throughout.
August	R=4/8	Recorded throughout.
September	R=10/11	Present throughout.
October	R=10/12	Present throughout.
November	R=8/10	Present throughout.
December	R=11/12	Present throughout.

---

### Bullfinch *Pyrrhula pyrrhula*

January	R=14/14	Recorded throughout, maximum 4 on the 27 <sup>th</sup> .
February	R=11/13	Recorded throughout, 12 on the 17 <sup>th</sup> .
March	R=8/12	Recorded throughout.
April	R=6/9	Recorded throughout.
May	R=14/15	Recorded throughout, 6 on the 13 <sup>th</sup> .
June	R=9/13	Recorded throughout.
July	R=8/10	Recorded throughout, 2 on the 11 <sup>th</sup> .
August	R=5/8	Recorded throughout, 2 on the 11 <sup>th</sup> .
September	R=8/11	Recorded throughout.
October	R=10/12	Recorded throughout, 10 on the 22 <sup>nd</sup> .
November	R=8/10	Recorded throughout, 10 on the 21 <sup>st</sup> .
December	R=12/12	Recorded throughout, maximum 9 on the 11 <sup>th</sup> .

---

### Greenfinch *Chloris chloris*

March	R=1/12	1 on the 18 <sup>th</sup> .
April	R=1/9	1 on the 16 <sup>th</sup> .
May	R=1/15	1 singing on the 24 <sup>th</sup> .
June	R=2/13	1 on the 9 <sup>th</sup> & 16 <sup>th</sup> .
August	R=1/8	1 on the 4 <sup>th</sup> .
September	R=1/11	1 on the 15 <sup>th</sup> .

October R=1/12 1 on the 8<sup>th</sup>.

---

### Linnet *Linaria cannabina*

August R=1/8 1 on the 17<sup>th</sup>.  
October R=1/12 8 on the 3<sup>rd</sup>.  
December R=1/12 1 on the 19<sup>th</sup>.

---

### Lesser Redpoll *Acanthis caberet*

January R=1/14 c15 on the 23<sup>rd</sup>.  
February R=1/13 6 on the 14<sup>th</sup>.  
March R=4/12 3 on the 3<sup>rd</sup>, 2 on the 7<sup>th</sup>, 5 on the 10<sup>th</sup>, 2 on the 24<sup>th</sup>.  
April R=2/9 4 on the 3<sup>rd</sup> & 7<sup>th</sup>.  
October R=4/12 20 on the 17<sup>th</sup>, 16 on the 20<sup>th</sup>, 5 on the 28<sup>th</sup>, 2 on the 29<sup>th</sup>.  
November R=1/10 1 on the 29<sup>th</sup>.  
December R=1/12 5 on the 22<sup>nd</sup>.

---

### Goldfinch *Carduelis carduelis*

January R=14/14 Recorded throughout, 40 on the 19<sup>th</sup>.  
February R=13/13 Recorded throughout, 5 on the 27<sup>th</sup>.  
March R=12/12 Recorded throughout, c30 on the 10<sup>th</sup>.  
April R=9/9 Recorded throughout, 3 on the 28<sup>th</sup>.  
May R=8/15 Recorded throughout, 4 on the 13<sup>th</sup>.  
June R=10/13 Recorded throughout.  
July R=9/10 Recorded throughout, c50 on the 21<sup>st</sup>, 23 & 30<sup>th</sup>.  
August R=8/8 Present throughout, maximum c40 on the 27<sup>th</sup> & 30<sup>th</sup>.  
September R=10/11 Present throughout.  
October R=12/12 Recorded throughout, maximum c50 on the 4<sup>th</sup>.  
November R=8/10 Recorded throughout, maximum 12 on the 29<sup>th</sup>.  
December R=10/12 Recorded throughout, 35 on the 19<sup>th</sup>.

---

### Siskin *Spinus spinus*

January R=3/14 8 flew over on the 20<sup>th</sup>, c40 on the 23<sup>rd</sup>, 1 male on the 25<sup>th</sup>.  
February R=4/13 8 on the 7<sup>th</sup>, 16 on the 14<sup>th</sup>, 2 on the 19<sup>th</sup>, 6 on the 21<sup>st</sup>.  
March R=4/12 6 on the 7<sup>th</sup>, 7 on the 10<sup>th</sup>, 2 on the 19<sup>th</sup>, 3 on the 24<sup>th</sup>.  
August R=1/8 1 on the 19<sup>th</sup>.  
October R=1/12 40 on the 30<sup>th</sup>.  
November R=4/10 c20 on the 3<sup>rd</sup>, 8 on the 19<sup>th</sup>, 12 on the 21<sup>st</sup> & 8 on the 29<sup>th</sup>.  
December R=8/12 Recorded on 8 dates throughout, 40+ on the 19<sup>th</sup>.

---

### Yellowhammer *Emberiza citrinella*

January R=11/14 Recorded throughout, maximum 4 on the 6<sup>th</sup> & 25<sup>th</sup>.  
February R=11/19 Recorded throughout, maximum 5 on the 27<sup>th</sup>.  
March R=8/12 Recorded throughout, maximum 3 on the 10<sup>th</sup>.  
April R=5/9 2 on the 3<sup>rd</sup>, 5<sup>th</sup> & 7<sup>th</sup>, 1 on the 14<sup>th</sup> & 16<sup>th</sup>.

October R=1/12 1 on the 29<sup>th</sup>.

---

### Reed Bunting *Emberiza schoeniclus*

January	R=12/14	Present throughout, 2 on the 13 <sup>th</sup> .
February	R=12/13	Present throughout, 3 on the 27 <sup>th</sup> .
March	R=12/12	Present throughout, 3 males on the 17 <sup>th</sup> .
April	R=9/9	Present throughout, pair on the 5 <sup>th</sup> .
May	R=14/15	Present throughout, 3 on the 13 <sup>th</sup> .
June	R=13/13	Present throughout, pair in phragmites on the 2 <sup>nd</sup> & 3 <sup>rd</sup> .
July	R=8/10	Present throughout, pair in phragmites on the 8 <sup>th</sup> .
September	R=1/11	1 on the 22 <sup>nd</sup> .
October	R=4/12	1 on the 2 <sup>nd</sup> , 3 on the 4 <sup>th</sup> , 1 on the 6 <sup>th</sup> & 20 <sup>th</sup> .
November	R=2/10	2 on the 1 <sup>st</sup> & 1 on the 11 <sup>th</sup> .
December	R=1/12	1 on the 1 <sup>st</sup> .

### Cage Birds & Escapes

---

#### South African / Cape Shelduck *Tadorna cana*

February R=1/13 1 on the 3<sup>rd</sup>.

---

#### Bar-headed Goose *Anser indicus*

June R=1/13 1 on the 11<sup>th</sup>.

## Farnham Monthly Statistics

Month	Day Coverage	Species	Records	Cum. Records
January 2018	14 / 31 = 45.2%	76	646	646
February	13 / 28 = 46.4%	69	628	1274
March	12 / 31 = 38.7%	77	596	1870
April	9 / 30 = 30.0%	83	459	2329
May	15 / 31 = 48.4%	71	642	2971
June	13 / 30 = 43.3%	67	563	3534
July	10 / 31 = 32.3%	72	461	3995
August	8 / 31 = 25.8%	71	367	4362
September	11 / 30 = 36.7%	73	475	4837
October	12 / 31 = 38.7%	77	523	5360
November	10 / 30 = 33.3%	67	452	5812
December	12 / 31 = 38.7%	66	521	6333
Year 2018	139 / 365 = 38.1%			

Onsite observations were made on 350 Days

**Total Number of Species for the Year 2018 = 119**