

# Farnham Summary Log 2021

## Systematic List

Note: R = Number of days species recorded / Number of recording days in month.

---

### Red-legged Partridge *Alectoris rufa*

March	R=2/12	4 on the 17 <sup>th</sup> , 2 on the 29 <sup>th</sup> .
April	R=8/14	Recorded on 8 dates throughout, 6 on the 8 <sup>th</sup> .
May	R=3/10	2 on the 6 <sup>th</sup> , 1 on the 9 <sup>th</sup> , 2 on the 11 <sup>th</sup> .
October	R=1/12	2 on the 14 <sup>th</sup> .

---

### Pheasant *Phasianus colchicus*

January	R=3/4	Present 1 <sup>st</sup> , 23 <sup>rd</sup> & 30 <sup>th</sup> . Open for only 4 days in month due to Covid.
February	R=8/8	Recorded throughout.
March	R=12/12	Recorded throughout.
April	R=14/14	Recorded throughout.
May	R=9/10	Recorded throughout.
June	R=7/8	Present throughout..
July	R=5/6	Recorded on the 10 <sup>th</sup> , 14 <sup>th</sup> , 17 <sup>th</sup> , 24 <sup>th</sup> & 31 <sup>st</sup> .
August	R=6/10	Present on the 4 <sup>th</sup> , 7 <sup>th</sup> , 11 <sup>th</sup> , 18 <sup>th</sup> , 26 <sup>th</sup> & 28 <sup>th</sup> .
September	R=8/8	Present throughout.
October	R=11/12	Present throughout.
November	R=8/9	Recorded throughout.
December	R=7/9	Recorded throughout.

---

### Brent Goose *Branta bernicla*

November	R=8/9	1 on the 27 <sup>th</sup> .
----------	-------	-----------------------------

---

### Canada Goose *Branta canadensis*

January	R=3/4	Present 1 <sup>st</sup> , 23 <sup>rd</sup> , 33 on 30 <sup>th</sup> . Open for only 4 days in month due to Covid.
February	R=8/8	Present throughout, maximum 51 on the 19 <sup>th</sup> .
March	R=12/12	Present throughout, maximum 87 on the 22 <sup>nd</sup> .
April	R=14/14	Present throughout, 62 on the 20 <sup>th</sup> .
May	R=10/10	Present throughout, 6 goslings on the 1 <sup>st</sup> , 46 adults + 17 goslings on the 9 <sup>th</sup> , 62 total on the 27 <sup>th</sup> .
June	R=8/8	Present throughout, maximum 70 on the 14 <sup>th</sup> .
July	R=6/6	Present throughout, maximum 78 on the 3 <sup>rd</sup> .
August	R=10/10	Present throughout, maximum 130 on the 26 <sup>th</sup> .
September	R=8/8	Present throughout, 300 on the 21 <sup>st</sup> .
October	R=11/12	Present throughout.
November	R=8/9	Present throughout, maximum 91 on the 24 <sup>th</sup> .
December	R=8/9	Present throughout, maximum 127 on the 9 <sup>th</sup> .

---

## Barnacle Goose *Branta leucopsis*

April R=1/14 1 on the 20<sup>th</sup>.

---

## Snow Goose *Anser caerulescens*

March R=1/12 1 on the 29<sup>th</sup>.

April R=7/14 1 on the 21<sup>st</sup>, 22<sup>nd</sup>, 23<sup>rd</sup>, 24<sup>th</sup>, 25<sup>th</sup>, 29<sup>th</sup> & 30<sup>th</sup>.

---

## Greylag Goose *Anser anser*

January R=3/4 Present on the 1<sup>st</sup>, 23<sup>rd</sup> & 30<sup>th</sup>. Open for only 4 days in month due to Covid.

February R=5/8 Present throughout, maximum 47 on the 25<sup>th</sup>.

March R=12/12 Present throughout, maximum 58 on the 22<sup>nd</sup>.

April R=14/14 Present throughout, goslings on the 15<sup>th</sup>, 6 goslings on the 16<sup>th</sup>, 45 adults +14 goslings on the 20<sup>th</sup>.

May R=10/10 Present throughout, 66 adults + 28 goslings on 9<sup>th</sup>, 59 adults, 20 juvs on 27<sup>th</sup>.

June R=8/8 Present throughout, maximum 215 on the 18<sup>th</sup>.

July R=6/6 Present throughout, maximum 187 on the 3<sup>rd</sup>.

August R=10/10 Present throughout, maximum 750 on the 28<sup>th</sup>.

September R=8/8 Present throughout, maximum 750 on the 8<sup>th</sup>.

October R=11/12 Present throughout.

November R=4/9 Present on the 6<sup>th</sup>, 20<sup>th</sup>, 30 on the 24<sup>th</sup> & present on the 27<sup>th</sup>.

December R=6/9 Present throughout, maximum 237 on the 9<sup>th</sup>.

---

## Taiga Bean Goose *Anser fabalis*

February R=1/8 1 with Greylags on N lake on the 1<sup>st</sup>, was similar to 2019 bird with more black on bill (J.E.A / M.S.).

---

## Pink-footed Goose *Anser brachyrhynchus*

January R=1/4 c120 flew over W on the 24<sup>th</sup> (J.E.A.).

September R=1/8 59 flew over S on the 24<sup>th</sup>.

October R=1/12 c100 flew S on the 9<sup>th</sup>.

November R=1/9 200+ flew over W on the 2<sup>nd</sup>.

December R=1/9 4 on the 9<sup>th</sup>.

---

## Mute Swan *Cygnus olor*

January R=4/4 Present 1<sup>st</sup>, 6 adults + 2 juvs on the 18<sup>th</sup>, 4 adults + 2 juvs on the 23<sup>rd</sup> & 30<sup>th</sup>.

February R=8/8 2 adults + 2 juveniles recorded throughout.

March R=12/12 Recorded throughout, maximum 6 adults & 2 juveniles on the 27<sup>th</sup>.

April R=14/14 Pair S lake and pair N lake throughout, 2 juveniles on the 3<sup>rd</sup> & 6<sup>th</sup>, 1 juvenile 8<sup>th</sup> & 10<sup>th</sup> then non present for rest of month.

May R=10/10 Present throughout, pair with nest S Lake & pair on N lake on the 1<sup>st</sup>, male with Yellow Darvik ring Y136 on the 27<sup>th</sup>, was ringed by Yorkshire Swan Rescue at Farham G.P. 19/05/21, reported by angler with hook & line attached to neck. Pair S lake & pair with 4 cygnets N lake on the 27<sup>th</sup> & 29<sup>th</sup>.

June	R=10/10	Present throughout, pair + 4 cygnets N lake & pair on nest S lake on the 5 <sup>th</sup> , pair + 5 cygnets on S lake & pair + 4 cygnets N lake on the 8 <sup>th</sup> , pair + 5 cygnets + 1 adult & pair + 1 cygnet N lake on the 19 <sup>th</sup> , only 3 cygnets S lake on the 26 <sup>th</sup> .
July	R=6/6	Present throughout, pair + 3 cygnets S lake on the 3 <sup>rd</sup> only 1 cygnet on the 8 <sup>th</sup> , Pair with 1 cygnet S lake & pair with 1 cygnet N lake on the 14 <sup>th</sup> , pair S lake with no cygnets & pair N lake with 1 cygnet on the 31 <sup>st</sup> .
August	R=10/10	Pair S lake & 2 adults + 1 juvenile N lake throughout, 5 + 1 juv on the 18 <sup>th</sup> .
September	R=8/8	Pair + 1 juvenile present N lake & pair S lake throughout.
October	R=11/11	Pair + 1 juvenile present S lake & 2 adults N lake throughout, 6 adults + 1 juvenile on the 18 <sup>th</sup> .
November	R=9/9	Present throughout, maximum 8 adults + 1 juvenile on the 4 <sup>th</sup> & 6 <sup>th</sup> .
December	R=9/9	Present throughout, max 6 adults + 1 juvenile on 7 <sup>th</sup> , 9 <sup>th</sup> , 14 <sup>th</sup> , 16 <sup>th</sup> & 21 <sup>st</sup> .

---

### Egyptian Goose *Alopochen aegyptiacus*

August	R=1/10	1 on the 7 <sup>th</sup> (J.E.A.).
September	R=3/8	1 on the 8 <sup>th</sup> , 13 <sup>th</sup> , & 26 <sup>th</sup> .
October	R=1/12	1 on the 6 <sup>th</sup> .

---

### Shelduck *Tadorna tadorna*

February	R=1/8	2 on the 19 <sup>th</sup> .
March	R=1/12	2 flew over on the 29 <sup>th</sup> .
May	R=1/10	1 flew over on the 19 <sup>th</sup> .
November	R=1/9	1 on the 27 <sup>th</sup> .

---

### Mandarin Duck *Aix galericulata*

August	R=1/10	1 eclipse male on the 22 <sup>nd</sup> .
--------	--------	--

---

### Garganey *Spatula querquedula*

April	R=1/14	A male on the 4 <sup>th</sup> (J.E.A.).
-------	--------	---

---

### Shoveler *Spatula clypeata*

January	R=2/4	5 on the 1 <sup>st</sup> & 18 <sup>th</sup> .
April	R=1/14	A male & female on the 15 <sup>th</sup> .
May	R=1/10	2 flew on the over 2 <sup>nd</sup> .
July	R=1/6	1 on the 3 <sup>rd</sup> .
August	R=1/10	1 flew over on the 24 <sup>th</sup> .
September	R=5/8	3 on the 19 <sup>th</sup> , 1 on the 23 <sup>rd</sup> , 3 on the 27 <sup>th</sup> & 28 <sup>th</sup> , 4 on the 29 <sup>th</sup> .
October	R=7/12	2 on the 2 <sup>nd</sup> , 3 on the 18 <sup>th</sup> , 4 on the 21 <sup>st</sup> , 23 <sup>rd</sup> , 25 <sup>th</sup> , 27 <sup>th</sup> & 30 <sup>th</sup> .
November	R=7/9	Present throughout 7 on the 13 <sup>th</sup> .
December	R=8/9	3 on the 4 <sup>th</sup> , 4 on the 7 <sup>th</sup> & 9 <sup>th</sup> , 1 on the 11 <sup>th</sup> , 4 on the 21 <sup>st</sup> & 25 <sup>th</sup> , 5 on the 28 <sup>th</sup> , 6 on the 30 <sup>th</sup> .

---

## Gadwall *Mareca strepera*

January	R=4/4	9 on the 1 <sup>st</sup> , 2 on the 18 <sup>th</sup> & 23 <sup>rd</sup> , 4 on the 30 <sup>th</sup> .
February	R=8/8	Present throughout, maximum 4 on the 11 <sup>th</sup> , 6 flew over on the 23 <sup>rd</sup> .
March	R=3/12	1 on the 9 <sup>th</sup> , 2 on the 20 <sup>th</sup> & 28 <sup>th</sup> .
April	R=14/14	Present throughout, 7 on the 27 <sup>th</sup> .
May	R=9/10	Present throughout, maximum 4 on the 9 <sup>th</sup> .
June	R=6/8	4 on the 1 <sup>st</sup> , 2 on the 5 <sup>th</sup> , 4 on the 8 <sup>th</sup> , 2 on the 12 <sup>th</sup> , 1 on the 14 <sup>th</sup> & 16 <sup>th</sup> .
August	R=2/10	1 on the 24 <sup>th</sup> & 26 <sup>th</sup> .
September	R=5/8	2 on the 4 <sup>th</sup> & 8 <sup>th</sup> , 1 on the 21 <sup>st</sup> , 23 <sup>rd</sup> & 29 <sup>th</sup> .
October	R=3/12	3 on the 4 <sup>th</sup> , 2 on the 25 <sup>th</sup> & 28 <sup>th</sup> .
November	R=5/9	2 on the 7 <sup>th</sup> , 4 on the 20 <sup>th</sup> , 3 on the 24 <sup>th</sup> , 1 on the 27 <sup>th</sup> & 30 <sup>th</sup> .
December	R=9/9	Present throughout, maximum 21 on the 31 <sup>st</sup> .

---

## Wigeon *Mareca penelope*

January	R=4/4	Present on all 4 days, maximum 52 on the 26 <sup>th</sup> .
February	R=7/8	Present throughout, maximum 53 on the 13 <sup>th</sup> .
March	R=3/12	6 on the 4 <sup>th</sup> , 4 on the 9 <sup>th</sup> , c40 flew over on the 20 <sup>th</sup> .
April	R=1/14	A male and female on the 4 <sup>th</sup> .
June	R=1/8	A male on the 12 <sup>th</sup> .
August	R=3/10	3 on the 29 <sup>th</sup> .
September	R=5/8	1 on the 4 <sup>th</sup> & 18 <sup>th</sup> , 3 on the 21 <sup>st</sup> , 8 on the 23 <sup>rd</sup> , 7 on the 29 <sup>th</sup> .
October	R=12/12	Present throughout, maximum 17 on the 16 <sup>th</sup> .
November	R=9/9	Present throughout, maximum 17 on the 9 <sup>th</sup> .
December	R=9/9	Present throughout, maximum c100 on the 31 <sup>st</sup> .

---

## Mallard *Anas platyrhynchos*

January	R=4/4	Present on all 4 days, maximum 44 on the 18 <sup>th</sup> .
February	R=7/8	Present throughout, maximum 58 on the 11 <sup>th</sup> .
March	R=12/12	Present throughout, maximum 17 on the 2 <sup>nd</sup> .
April	R=14/14	Present throughout, 11 on the 1 <sup>st</sup> , 7 ducklings on 22 <sup>nd</sup> & 10 on the 25 <sup>th</sup> .
May	R=10/10	Present throughout, 8 adults + 10 young on 1 <sup>st</sup> , 10 adults + 5 young on 15 <sup>th</sup> .
June	R=8/8	Present throughout, maximum 16 on the 14 <sup>th</sup> .
July	R=6/6	Present throughout, 19 + 5 ducklings on the 3 <sup>rd</sup> , maximum 47 on the 14 <sup>th</sup> .
August	R=10/10	Present throughout, maximum 17 on the 18 <sup>th</sup> .
September	R=8/8	Present throughout, maximum 23 on the 15 <sup>th</sup> .
October	R=12/12	Present throughout, maximum 19 on the 14 <sup>th</sup> .
November	R=9/9	Present throughout, maximum 32 on the 4 <sup>th</sup> .
December	R=8/9	Present throughout, maximum 34 on the 4 <sup>th</sup> .

---

## Pintail *Anas acuta*

September	R=1/8	A female on the 17 <sup>th</sup> .
-----------	-------	------------------------------------

---

## Teal *Anas crecca*

January	R=4/4	Present on all 4 days, maximum 86 on the 18 <sup>th</sup> & 23 <sup>rd</sup> .
---------	-------	--

February	R=8/8	Present throughout, maximum 97 on the 1 <sup>st</sup> .
March	R=1/12	1 on the 4 <sup>th</sup> .
April	R=2/14	4 on the 6 <sup>th</sup> & 15 flew over on the 16 <sup>th</sup> .
May	R=1/10	1 on the 11 <sup>th</sup> .
July	R=1/6	1 on the 13 <sup>th</sup> .
August	R=1/10	1 on the 21 <sup>st</sup> .
September	R=8/8	Recorded throughout, maximum 16 on the 6 <sup>th</sup> .
October	R=12/12	Present throughout, maximum 20 on the 6 <sup>th</sup> .
November	R=9/9	Present throughout, maximum 22 on the 16 <sup>th</sup> .
December	R=9/9	Present throughout, maximum 54 on the 30 <sup>th</sup> .

---

### Pochard *Aythya ferina*

January	R=4/4	Present on all 4 days, maximum 17 on the 23 <sup>rd</sup> .
February	R=6/8	Present throughout, maximum 9 on the 13 <sup>th</sup> .
March	R=2/12	2 on the 2 <sup>nd</sup> & 4 <sup>th</sup> .
September	R=5/8	1 on the 18 <sup>th</sup> & 21 <sup>st</sup> , 2 on the 22 <sup>nd</sup> , 23 <sup>rd</sup> & 29 <sup>th</sup> .
October	R=3/12	2 on the 2 <sup>nd</sup> , 3 on the 9 <sup>th</sup> & 2 on the 16 <sup>th</sup> .
November	R=7/9	Present throughout, maximum 6 on the 27 <sup>th</sup> .
December	R=5/9	6 on the 4 <sup>th</sup> , 2 on the 9 <sup>th</sup> , 4 on the 11 <sup>th</sup> , 1 on the 14 <sup>th</sup> , 2 on the 21 <sup>st</sup> .

---

### Tufted Duck *Aythya fuligula*

January	R=4/4	Present on all 4 days, maximum 144 on the 18 <sup>th</sup> .
February	R=8/8	Present throughout, maximum 300 on the 11 <sup>th</sup> .
March	R=12/12	Present throughout, maximum 48 on the 2 <sup>nd</sup> .
April	R=14/14	Present throughout, maximum 42 on the 1 <sup>st</sup> .
May	R=10/10	Present throughout, maximum 30 on the 9 <sup>th</sup> .
June	R=8/8	Present throughout, maximum 30 on the 14 <sup>th</sup> .
July	R=6/6	Present throughout, 4 + 16 ducklings on the 14 <sup>th</sup> , 4 new ducklings on the 19 <sup>th</sup> , female + 4 young, female + 1 young & female + 4 young on the 31 <sup>st</sup> .
August	R=10/10	Present throughout, 6 + 6 juveniles on the 1 <sup>st</sup> , 10 on the 18 <sup>th</sup> .
September	R=8/8	Present throughout, 6 on the 15 <sup>th</sup> .
October	R=12/12	Present throughout, maximum 47 on the 14 <sup>th</sup> .
November	R=9/9	Present throughout, maximum 113 on the 4 <sup>th</sup> .
December	R=9/9	Present throughout, maximum 121 on the 4 <sup>th</sup> .

---

### Scaup *Aythya fuligula*

February	R=5/8	A female on the 1 <sup>st</sup> , 7 <sup>th</sup> , 11 <sup>th</sup> , 16 <sup>th</sup> & 20 <sup>th</sup> (J.E.A. / I.D.W.).
September	R=1/8	A female on the 12 <sup>th</sup> .

---

### Goldeneye *Bucephala clangula*

January	R=4/4	Present on all 4 days, maximum 48 on the 23 <sup>rd</sup> .
February	R=8/8	Present throughout, maximum 43 on the 13 <sup>th</sup> .
March	R=9/12	Present throughout, maximum 24 on the 2 <sup>nd</sup> .
April	R=1/14	1 on the 1 <sup>st</sup> .
October	R=3/12	1 on the 16 <sup>th</sup> , 4 on the 18 <sup>th</sup> & 1 on the 21 <sup>st</sup> .

November	R=8/9	Present throughout, maximum 15 on the 27 <sup>th</sup> .
December	R=9/9	Present throughout, maximum 24 on the 4 <sup>th</sup> , 14 <sup>th</sup> & 21 <sup>st</sup> .

### Goosander *Mergus merganser*

January	R=2/4	2 on the 23 <sup>rd</sup> & 30 <sup>th</sup> .
February	R=5/8	3 on the 1 <sup>st</sup> , 1 on the 5 <sup>th</sup> , 2 on the 18 <sup>th</sup> , 3 on the 23 <sup>rd</sup> , 6 on the 24 <sup>th</sup> .
March	R=1/12	1 on the 13 <sup>th</sup> .
April	R=1/14	2 on the 3 <sup>rd</sup> .
October	R=1/11	1 on the 31 <sup>st</sup> .
November	R=1/9	1 on the 20 <sup>th</sup> .
December	R=1/0	1 flew over on the 11 <sup>th</sup> .

### Swift *Apus apus*

May	R=4/10	1 on the 4 <sup>th</sup> , 4 on the 9 <sup>th</sup> , 2 on the 27 <sup>th</sup> & 29 <sup>th</sup> .
June	R=8/8	Present throughout, c30 flew over on the 22 <sup>nd</sup> , 15 on the 20 <sup>th</sup> .
July	R=6/6	Present throughout, 12 on the 31 <sup>st</sup> .
August	R=5/10	4 on the 1 <sup>st</sup> , 2 on the 7 <sup>th</sup> , 1 on the 16 <sup>th</sup> , 2 on the 24 <sup>th</sup> , 1 on the 29 <sup>th</sup> .

### Cuckoo *Cuculus canorus*

July	R=1/6	On the 30 <sup>th</sup> a secondary feather found on the path by copse, was sent to Dr. John Mather and identified by him as belonging to a juvenile female (Hepatic) Cuckoo (J.E.A.).
------	-------	--

### Stock Dove *Columba oenas*

April	R=1/14	1 on the 6 <sup>th</sup> .
May	R=1/10	1 on the 9 <sup>th</sup> .
August	R=2/10	2 on the 26 <sup>th</sup> , 1 on the 30 <sup>th</sup> .
October	R=1/12	1 on the 6 <sup>th</sup> .

### Wood Pigeon *Columba palumbus*

January	R=4/4	Present all 4 dates
February	R=8/8	Present throughout.
March	R=12/12	Present throughout.
April	R=14/14	Present throughout.
May	R=9/10	Present throughout.
June	R=8/8	Present throughout.
July	R=6/6	Present throughout.
August	R=9/10	Present throughout.
September	R=8/8	Present throughout.
October	R=12/12	Present throughout.
November	R=9/9	Present throughout.
December	R=9/9	Present throughout.

---

## Collared Dove *Streptopelia decaocto*

February	R=1/8	1 on the 19 <sup>th</sup> .
March	R=1/12	1 on the 17 <sup>th</sup> .
April	R=1/14	1 on the 3 <sup>rd</sup> .
June	R=1/8	1 on the 8 <sup>th</sup> .
July	R=1/6	2 on the 17 <sup>th</sup> .
August	R=1/10	2 on the 24 <sup>th</sup> .
October	R=1/12	2 on the 23 <sup>rd</sup> .

---

## Moorhen *Gallinula chloropus*

January	R=4/4	Present all 4 dates
February	R=8/8	Present throughout month, maximum 9 on the 11 <sup>th</sup> .
March	R=12/12	Present throughout, 9 on the 2 <sup>nd</sup> .
April	R=13/14	Present throughout.
May	R=10/10	Present throughout, 4 on the 9 <sup>th</sup> .
June	R=8/8	Present throughout, 6 on the 14 <sup>th</sup> , pair + 2 chicks on the 26 <sup>th</sup> .
July	R=6/6	Present throughout, 2 new chicks on the 10 <sup>th</sup> , maximum 11 on the 14 <sup>th</sup> .
August	R=10/10	Present throughout, 10 on the 18 <sup>th</sup> .
September	R=8/8	Present throughout, 14 on the 15 <sup>th</sup> .
October	R=12/12	Present throughout, 12 on the 14 <sup>th</sup> .
November	R=9/9	Present throughout, 9 on the 4 <sup>th</sup> .
December	R=9/9	Present throughout, 10 on the 4 <sup>th</sup> .

---

## Coot *Fulica atra*

January	R=4/4	Present all 4 dates, maximum 380 on the 18 <sup>th</sup> .
February	R=8/8	Present throughout, maximum 294 on the 11 <sup>th</sup> .
March	R=12/12	Present throughout, 53 on the 2 <sup>nd</sup> .
April	R=13/14	Present throughout, 33 on the 1 <sup>st</sup> , 2 young on the 22 <sup>nd</sup> , 5 young on the 24 <sup>th</sup> .
May	R=10/10	Present throughout, 2 S lake & 19 + 15 young N lake on the 1 <sup>st</sup> , 25 adults + 12 young on the 8 <sup>th</sup> .
June	R=7/8	Present throughout, 41 on the 14 <sup>th</sup> .
July	R=6/6	Present throughout, 40 on the 14 <sup>th</sup> .
August	R=10/10	Present throughout, 44 on the 18 <sup>th</sup> .
September	R=8/8	Present throughout, 86 on the 15 <sup>th</sup> .
October	R=11/12	Present throughout, 192 on the 14 <sup>th</sup> .
November	R=8/9	Present throughout, 219 on the 4 <sup>th</sup> .
December	R=9/9	Present throughout, 302 on the 4 <sup>th</sup> .

---

## Crane *Grus grus*

October	R=1/12	3 from the N, flew S at 2.20 p.m. on the 9 <sup>th</sup> (J.E.A.).
---------	--------	--

---

## Little Grebe *Tachybaptus rufficollis*

January	R=4/4	Present all 4 dates, maximum 4 on the 1 <sup>st</sup> .
February	R=8/8	Present throughout, maximum 11 on the 11 <sup>th</sup> .

March	R=4/12	2 on the 2 <sup>nd</sup> , 1 on the 6 <sup>th</sup> , 2 on the 9 <sup>th</sup> , 1 on the 13 <sup>th</sup> .
June	R=8/8	1 calling on the 5 <sup>th</sup> 7 <sup>th</sup> , & 8 <sup>th</sup> , 3 adults on the 10 <sup>th</sup> , pair nest building on the 12 <sup>th</sup> , 1 on the 14 <sup>th</sup> , 3 on the 16 <sup>th</sup> , 1 on the 19 <sup>th</sup> , 3 on the 26 <sup>th</sup> .
July	R=6/6	Present throughout, female + 1 chick on the 24 <sup>th</sup> , 3 pair + 1 chick & 1 bird on nest on the 31 <sup>st</sup> .
August	R=10/10	Present throughout, 4 + 2 juvs & 1 still on nest on the 21 <sup>st</sup> , 3 young on nest on the 22 <sup>nd</sup> , 1 adult feeding 3 young & 1 adult with well grown young on 30 <sup>th</sup> .
September	R=8/8	Present throughout, adult feeding 1 young & adult feeding 2 young on the 11 <sup>th</sup> , 3 adults + 2 juveniles on the 18 <sup>th</sup> .
October	R=12/12	Present throughout, maximum 7 on the 23 <sup>rd</sup> .
November	R=9/9	Present throughout, 5 on the 10 <sup>th</sup> & 13 <sup>th</sup> .
December	R=9/9	Present throughout, maximum 5 on the 16 <sup>th</sup>

---

### Great Crested Grebe *Podiceps cristatus*

January	R=4/4	Present all 4 dates, 11 on the 23 <sup>rd</sup> .
February	R=8/8	Present throughout, maximum 10 on the 7 <sup>th</sup> , 11 <sup>th</sup> & 13 <sup>th</sup> .
March	R=12/12	Present throughout, maximum 10 on the 9 <sup>th</sup> & 20 <sup>th</sup> when there was 1 on nest.
April	R=14/14	Present throughout, 8 on the 1 <sup>st</sup> , 2 at nest on the 13 <sup>th</sup> , pair S lake & 4 adults + 1 pair with young N lake on the 20 <sup>th</sup> , 22 <sup>nd</sup> , 24 <sup>th</sup> 27 <sup>th</sup> , & 29 <sup>th</sup> .
May	R=10/10	Present throughout, pair on S lake & 3 pair (1 with 3 young) on N lake on the 1 <sup>st</sup> , 4 <sup>th</sup> , 6 <sup>th</sup> & 9 <sup>th</sup> , 2 broods hatched N lake 11 <sup>th</sup> , pair making nest in tyre on S lake on the 15 <sup>th</sup> , pair with nest in tyre S lake & 2 pair + 3 young N lake on the 29 <sup>th</sup> .
June	R=10/10	Present throughout, 2 pair + 3 young N lake & pair on nest S lake on the 5 <sup>th</sup> , 8 adults + 5 young N lake & pair S lake with nest on the 12 <sup>th</sup> , 14 <sup>th</sup> , & 16 <sup>th</sup> , Pair still on nest on S Lake (2 eggs seen) on the 26 <sup>th</sup> , no chicks seen on 27 <sup>th</sup> .
July	R=6/6	Present throughout, 6 adults + 5 juveniles on the 10 <sup>th</sup> , 7 adults + 8 juveniles on the 17 <sup>th</sup> , 4 adults + 7 juveniles N lake on the 24 <sup>th</sup> .
August	R=8/10	Present throughout, 6 adults + 7 juveniles on the 28 <sup>th</sup> & 30 <sup>th</sup> .
September	R=7/8	Recorded throughout, 6 adults + 6 juvs on the 11 <sup>th</sup> , 15 <sup>th</sup> & 18 <sup>th</sup> , 6 adults + 5 juvs on the 23 <sup>rd</sup> & 29 <sup>th</sup> .
October	R=10/12	Present throughout, 10 on the 6 <sup>th</sup> .
November	R=9/9	Present throughout, 7 on the 6 <sup>th</sup> , 13 <sup>th</sup> , 15 <sup>th</sup> & 24 <sup>th</sup> .
December	R=7/9	Present throughout, 6 on the 4 <sup>th</sup> , 9 <sup>th</sup> & 11 <sup>th</sup> .

---

### Oystercatcher *Haematopus ostralegus*

January	R=1/4	1 on the 30 <sup>th</sup> .
February	R=8/8	Recorded throughout, 21 on the 25 <sup>th</sup> .
March	R=12/12	Recorded throughout, maximum 13 on the 29 <sup>th</sup> .
April	R=14/14	Present throughout, 8 on the 3 <sup>rd</sup> , 8 <sup>th</sup> , 10 <sup>th</sup> , 13 <sup>th</sup> & 24 <sup>th</sup> .
May	R=10/10	Present throughout, 6 on the 1 <sup>st</sup> , 4 + pair with nest on the 15 <sup>th</sup> , evidence of young hatched 19 <sup>th</sup> & 21 <sup>st</sup> but missing on 22 <sup>nd</sup> , 8 adults on the 24 <sup>th</sup> , pair with nest with 2 eggs on the 27 <sup>th</sup> & 29 <sup>th</sup> .
June	R=8/8	Present throughout, 6 on the 5 <sup>th</sup> , 2 chicks hatched on the 30 <sup>th</sup> .



July	R=6/6	Present throughout, 2 chicks not seen after the 1 <sup>st</sup> , 6 on 3 <sup>rd</sup> , 10 <sup>th</sup> , 24 <sup>th</sup> & 31 <sup>st</sup> .
August	R=3/10	2 on the 3 <sup>rd</sup> , 1 on the 4 <sup>th</sup> & 7 <sup>th</sup> .
November	R=1/9	1 on the 21 <sup>st</sup> .
December	R=1/9	1 on the 4 <sup>th</sup> .

---

### Lapwing *Vanellus vanellus*

January	R=3/4	3 on the 1 <sup>st</sup> , 35 on the 18 <sup>th</sup> , 3 on the 23 <sup>rd</sup> .
February	R=2/8	c30 on the 16 <sup>th</sup> , 40 flew over on the 20 <sup>th</sup> .
March	R=4/12	1 on the 6 <sup>th</sup> , 13 <sup>th</sup> , 27 <sup>th</sup> & 30 <sup>th</sup> .
April	R=6/14	1 on the 3 <sup>rd</sup> & 10 <sup>th</sup> , 2 on the 13 <sup>th</sup> & 16, 3 on the 17 <sup>th</sup> , 1 flew over on the 24 <sup>th</sup> .
May	R=2/10	1 on the 15 <sup>th</sup> & 19 <sup>th</sup> .
June	R=8/8	Present throughout, maximum 6 on the 10 <sup>th</sup> , 19 <sup>th</sup> & 26 <sup>th</sup> .
July	R=6/6	Present throughout, maximum 75 on the 24 <sup>th</sup> .
August	R=10/10	Present throughout, maximum 420 on the 24 <sup>th</sup> .
September	R=8/8	Present throughout, 280 on the 8 <sup>th</sup> .
October	R=11/12	Present throughout, maximum 190 on the 2 <sup>nd</sup> .
November	R=2/9	3 on the 15 <sup>th</sup> , 1 on the 20 <sup>th</sup> .
December	R=8/9	Present throughout, c200 on the 28 <sup>th</sup> .

---

### Ringed Plover *Charadrius hiaticula*

October	R=1/12	A juvenile on the 30 <sup>th</sup> (J.E.A.).
---------	--------	--

---

### Little Ringed Plover *Charadrius dubius*

June	R=1/8	1 flew over calling on the 10 <sup>th</sup> (J.E.A.).
------	-------	---

---

### Curlew *Numenius arquata*

March	R=2/12	1 flew over on the 21 <sup>st</sup> & 24 <sup>th</sup> .
April	R=2/14	1 flew over on the 20 <sup>th</sup> , 2 on the 25 <sup>th</sup> .
May	R=1/10	1 flew over on the 15 <sup>th</sup> .

---

### Black-tailed Godwit *Limosa limosa*

April	R=1/14	1 on the 10 <sup>th</sup> (J.E.A.).
July	R=1/6	3 in summer plumage on the 4 <sup>th</sup> (J.E.A.)
August	R=1/10	1 on the 14 <sup>th</sup> .

---

### Ruff *Calidris pugnax*

August	R=1/10	1 juvenile on the 9 <sup>th</sup> .
September	R=1/8	1 on the 21 <sup>st</sup> .

---

### Dunlin *Calidris alpina*

October	R=1/12	2 on the 11 <sup>th</sup> .
---------	--------	-----------------------------

---

### Snipe *Gallinago gallinago*

January	R=1/44	5 on the 4 <sup>th</sup> .
February	R=2/8	1 on the 21 <sup>st</sup> & 27 <sup>th</sup> .
August	R=1/10	1 on the 21 <sup>st</sup> .
September	R=8/8	Recorded throughout, 7 on the 12 <sup>th</sup> .
October	R=4/12	1 on the 2 <sup>nd</sup> & 6 <sup>th</sup> , 2 on the 9 <sup>th</sup> , 1 on the 23 <sup>rd</sup> .
November	R=6/9	1 on the 12 <sup>th</sup> , 2 on the 15 <sup>th</sup> , 3 on the 16 <sup>th</sup> , 2 on the 20 <sup>th</sup> & 22 <sup>nd</sup> , 1 on the 24 <sup>th</sup> .
December	R=2/9	3 on the 11 <sup>th</sup> , 2 on the 30 <sup>th</sup> .

---

### Common Sandpiper *Actitis hypoleucos*

April	R=1/14	1 on the 22 <sup>nd</sup> .
May	R=2/10	1 on the 4 <sup>th</sup> & 9 <sup>th</sup> .
July	R=6/6	1 on the 17 <sup>th</sup> , 18 <sup>th</sup> , 23 <sup>rd</sup> , 24 <sup>th</sup> , 25 <sup>th</sup> , 26 <sup>th</sup> , 18 <sup>th</sup> , 30 <sup>th</sup> & 31 <sup>st</sup> .
August	R=6/10	1 on the 1 <sup>st</sup> & 7 <sup>th</sup> , 2 on the 8 <sup>th</sup> , 1 on the 15 <sup>th</sup> , 2 on the 21 <sup>st</sup> & 1 on the 22 <sup>nd</sup> .
October	R=1/12	1 on the 6 <sup>th</sup> .

---

### Green Sandpiper *Tringa ochropus*

August	R=3/10	2 on the 15 <sup>th</sup> , 1 calling on the 26 <sup>th</sup> , 1 on the 30 <sup>th</sup> .
September	R=2/8	1 on the 4 <sup>th</sup> & 11 <sup>th</sup> .
October	R=1/12	1 on the 9 <sup>th</sup> .
December	R=1/9	1 on the 12 <sup>th</sup> (J.E.A. / M.S.).

---

### Redshank *Tringa totanus*

July	R=1/6	2 on the 18 <sup>th</sup> .
August	R=2/10	1 on the 10 <sup>th</sup> , 2 on the 21 <sup>st</sup> .

---

### Black-headed Gull *Chroicocephalus ridibundus*

January	R=4/4	Present all 4 dates, 38 on the 23 <sup>rd</sup> .
February	R=8/8	Present throughout, maximum 110 on the 25 <sup>th</sup> .
March	R=12/12	Present throughout.
April	R=14/14	Present throughout.
May	R=10/10	Present throughout, 72 on the 9 <sup>th</sup> , 4 young on the 19 <sup>th</sup> not seen on the 21 <sup>st</sup> .
June	R=8/8	Present throughout.
July	R=6/6	Present throughout, 6 on the 10 <sup>th</sup> .
August	R=9/10	Present throughout, 45 on the 30 <sup>th</sup> .
September	R=8/8	Present throughout, maximum 240 on the 11 <sup>th</sup> .
October	R=12/12	Present throughout, 21 on the 30 <sup>th</sup> .
November	R=9/9	Present throughout, 140 on the 20 <sup>th</sup> .
December	R=8/9	Present throughout, 550 on the 21 <sup>st</sup> .

---

### Mediterranean Gull *Ichthyaeetus melanocephalus*

April	R=2/14	2 adults on the 18 <sup>th</sup> (J.E.A.).
-------	--------	--

---

## Common Gull *Larus canus*

January	R=3/4	5 on the 18 <sup>th</sup> , 7 on the 23 <sup>rd</sup> & 30 <sup>th</sup> .
February	R=6/8	6 on the 1 <sup>st</sup> & 7 <sup>th</sup> , 3 on the 11 <sup>th</sup> , 4 on the 13 <sup>th</sup> , 2 on the 16 <sup>th</sup> , 1 on the 25 <sup>th</sup> .
March	R=8/12	Recorded throughout, 15 on th 20 <sup>th</sup> .
April	R=2/14	1 on the 3 <sup>rd</sup> & 2 on the 6 <sup>th</sup> .
August	R=3/15	3 on the 1 <sup>st</sup> , 1 on the 4 <sup>th</sup> & 7 <sup>th</sup> .
September	R=4/8	1 on the 4 <sup>th</sup> , 11 <sup>th</sup> & 15 <sup>th</sup> , 3 on the 29 <sup>th</sup> .
October	R=10/12	Recorded throughout, 4 on the 12 <sup>th</sup> & 25 <sup>th</sup> .
November	R=7/9	Recorded throughout, 5 on the 15 <sup>th</sup> .
December	R=6/9	Recorded throughout, 5 on the 4 <sup>th</sup> , 16 <sup>th</sup> & 21 <sup>st</sup> .

---

## Great Black-backed Gull *Larus marinus*

February	R=1/8	1 on the 19 <sup>th</sup> .
March	R=1/12	1 on the 13 <sup>th</sup> .
May	R=1/10	2 on the 1 <sup>st</sup> ,
November	R=1/9	1 on the 4 <sup>th</sup> .

---

## Herring Gull *Larus argentatus*

January	R=2/4	1 on the 1 <sup>st</sup> , 3 on the 30 <sup>th</sup> .
February	R=5/8	Recorded throughout, 3 on the 13 <sup>th</sup> .
March	R=4/12	1 on the 2 <sup>nd</sup> , 4 on the 13 <sup>th</sup> , 3 on the 27 <sup>th</sup> & 29 <sup>th</sup> .
April	R=7/14	3 on the 6 <sup>th</sup> , 2 on the 13 <sup>th</sup> , 15 <sup>th</sup> , 18 <sup>th</sup> , 24 <sup>th</sup> , 25 <sup>th</sup> & 26 <sup>th</sup> .
May	R=1/10	50 flew over on the 9 <sup>th</sup> .
June	R=1/8	1 on the 8 <sup>th</sup> .
August	R=2/10	1 on the 7 <sup>th</sup> & 24 <sup>th</sup> .
September	R=2/8	1 on the 11 <sup>th</sup> & 23 <sup>rd</sup> .
October	R=3/12	1 on the 2 <sup>nd</sup> , 12 <sup>th</sup> & 21 <sup>st</sup> .
November	R=5/9	1 on the 4 <sup>th</sup> , 6 on the 13 <sup>th</sup> , 1 on the 15 <sup>th</sup> , 3 on the 20 <sup>th</sup> , 1 on the 27 <sup>th</sup> .
December	R=3/9	1 on the 11 <sup>th</sup> , 3 on the 14 <sup>th</sup> & 21 <sup>st</sup> .

---

## Lesser Black-backed Gull *Larus fuscus*

April	R=4/14	1 adult 9 <sup>th</sup> , 2 adults 16 <sup>th</sup> , 1 adult 17 <sup>th</sup> & 2 adults 24 <sup>th</sup> .
May	R=3/10	8 on the 9 <sup>th</sup> , 1 on the 11 <sup>th</sup> & 15 <sup>th</sup> .
June	R=2/8	4 immature on the 1 <sup>st</sup> , 1 immature on the 5 <sup>th</sup> .
July	R=3/6	1 on the 10 <sup>th</sup> , 25 <sup>th</sup> & 29 <sup>th</sup> .
September	R=2/8	1 on the 23 <sup>rd</sup> & 4 adults + 2 juvs on the 28 <sup>th</sup> .
October	R=3/12	1 on the 16 <sup>th</sup> , 18 <sup>th</sup> & 23 <sup>rd</sup> .
November	R=1/9	1 on the 13 <sup>th</sup> .

---

## Common Tern *Sterna hirundo*

April	R=1/14	2 on the 26 <sup>th</sup> .
May	R=6/9	3 on the 1 <sup>st</sup> , 2 on the 6 <sup>th</sup> , 9 <sup>th</sup> & 15 <sup>th</sup> , 1 on the 23 <sup>rd</sup> , pair on platform on the 24 <sup>th</sup> , 27 <sup>th</sup> & 29 <sup>th</sup> .
June	R=8/8	Pair present throughout, 2 chicks reported on the 26 <sup>th</sup> , no chicks on the 30 <sup>th</sup> .

July	R=6/6	Present throughout, 3 on the 10 <sup>th</sup> & 24 <sup>th</sup> .
August	R=5/10	1 on the 1 <sup>st</sup> , a male found dead on the car park on the 3 <sup>rd</sup> , had a broken wing but otherwise was in good condition (J.R.M.), 1 on the 11 <sup>th</sup> , 2 adults + 1 juvenile on the 14 <sup>th</sup> , 1 on the 18 <sup>th</sup> .

---

### Cormorant *Phalacrocorax carbo*

January	R=4/4	1 on the 1 <sup>st</sup> . 8 on the 18 <sup>th</sup> & 23 <sup>rd</sup> , 14 including 2 race <i>P.c.sinensis</i> on the 30 <sup>th</sup> .
February	R=8/8	Present throughout, 14 on the 1 <sup>st</sup> , 10 including 1 race <i>P.c.sinensis</i> on the 7 <sup>th</sup> , 7 including 2 race <i>P.c.sinensis</i> on the 25 <sup>th</sup> .
March	R=12/12	Present throughout, maximum 12 including 3 race <i>P.c.sinensis</i> on the 2 <sup>nd</sup> .
April	R=11/14	Present throughout, 3 on the 3 <sup>rd</sup> , 8 <sup>th</sup> & 13 <sup>th</sup> .
May	R=8/10	1 on the 1 <sup>st</sup> , 3 on the 4 <sup>th</sup> , 2 on the 6 <sup>th</sup> , 1 on the 9 <sup>th</sup> , 11 <sup>th</sup> , 15 <sup>th</sup> , 19 <sup>th</sup> & 24 <sup>th</sup> .
June	R=5/8	1 on the 8 <sup>th</sup> , 12 <sup>th</sup> , 14 <sup>th</sup> , 19 <sup>th</sup> & 26 <sup>th</sup> .
July	R=6/6	Present throughout, 3 on the 14 <sup>th</sup> .
August	R=10/10	Present throughout, maximum 8 on the 24 <sup>th</sup> & 26 <sup>th</sup> .
September	R=8/8	Present throughout, maximum 6 on the 15 <sup>th</sup> & 23 <sup>rd</sup> .
October	R=12/12	Present throughout, maximum 16 on the 2 <sup>nd</sup> .
November	R=9/9	Present throughout, maximum 14 on the 20 <sup>th</sup> .
December	R=9/9	Present throughout, maximum 16 on the 7 <sup>th</sup> .

---

### Grey Heron *Ardea cinerea*

January	R=3/4	1 on the 1 <sup>st</sup> , 3 on the 23 <sup>rd</sup> , 1 on the 30 <sup>th</sup> .
February	R=2/8	1 on the 13 <sup>th</sup> & 2 on the 27 <sup>th</sup> .
March	R=7/12	1 to 2 birds throughout, 5 on the 13 <sup>th</sup> .
April	R=4/14	1 on the 15 <sup>th</sup> & 22 <sup>nd</sup> , 2 on the 27 <sup>th</sup> , 1 on the 29 <sup>th</sup> .
May	R=7/9	1 to 2 birds present throughout.
June	R=5/8	Present throughout, 3 on the 26 <sup>th</sup> .
July	R=6/6	Present throughout, 4 on the 24 <sup>th</sup> .
August	R=10/10	Present throughout, 4 on the 8 <sup>th</sup> , 26 <sup>th</sup> & 28 <sup>th</sup> .
September	R=8/8	Recorded throughout, 5 on the 18 <sup>th</sup> .
October	R=12/12	1 to 2 birds throughout.
November	R=8/9	Recorded throughout, 3 on the 13 <sup>th</sup> .
December	R=5/9	1 on the 4 <sup>th</sup> , 11 <sup>th</sup> & 14 <sup>th</sup> , 2 on the 21 <sup>st</sup> , 1 on the 29 <sup>th</sup> .

---

### Great White Egret *Ardea alba*

October	R=1/12	1 flew over S at 10.15 a.m. on the 16 <sup>th</sup> (I.D.W. / J.E.A.).
---------	--------	--

---

### Little Egret *Egretta garzetta*

July	R=1/11	1 on the 23 <sup>rd</sup> .
August	R=1/10	1 on the 19 <sup>th</sup> .
October	R=1/12	1 on the 2 <sup>nd</sup> .
November	R=3/9	1 on the 27 <sup>th</sup> , 29 <sup>th</sup> & 30 <sup>th</sup> .
December	R=1/9	1 on the 31 <sup>st</sup> .

---

## Osprey *Pandion haliaetus*

April	R=1/14	1 on the 9 <sup>th</sup> (J.E.A.).
August	R=1/10	1 over S lake then flew to N lake (J.E.A.) on the 21 <sup>st</sup> .

---

## Sparrowhawk *Accipiter nisus*

January	R=4/4	1 on the 1 <sup>st</sup> , 18 <sup>th</sup> , 23 <sup>rd</sup> & 30 <sup>th</sup> .
February	R=2/8	1 on the 13 <sup>th</sup> & 20 <sup>th</sup> .
March	R=4/12	1 on the 9 <sup>th</sup> & 13 <sup>th</sup> , 1 displaying on the 21 <sup>st</sup> , 1 on the 29 <sup>th</sup> .
May	R=3/10	1 on the 2 <sup>nd</sup> , 9 <sup>th</sup> & 24 <sup>th</sup> .
July	R=1/6	1 on the 24 <sup>th</sup> .
August	R=3/10	1 on the 7 <sup>th</sup> & 11 <sup>th</sup> , 1 flew over on the 28 <sup>th</sup> .
September	R=2/8	1 on the 11 <sup>th</sup> & 18 <sup>th</sup> .
October	R=4/12	1 on the 9 <sup>th</sup> , 16 <sup>th</sup> , 23 <sup>rd</sup> & 30 <sup>th</sup> .
November	R=2/9	1 on the 6 <sup>th</sup> & 9 <sup>th</sup> .
December	R=1/9	1 on the 14 <sup>th</sup> .

---

## Red Kite *Milvus milvus*

January	R=4/4	1 on the 1 <sup>st</sup> , 2 on the 18 <sup>th</sup> , 23 <sup>rd</sup> & 30 <sup>th</sup> .
February	R=7/8	1 on the 7 <sup>th</sup> , 2 on the 11 <sup>th</sup> , 13 <sup>th</sup> & 16 <sup>th</sup> , 1 on the 20 <sup>th</sup> & 25 <sup>th</sup> , 3 on the 27 <sup>th</sup> .
March	R=8/12	Recorded on 12 dates throughout, 4 on the 29 <sup>th</sup> .
April	R=10/14	Recorded throughout, 3 on the 1 <sup>st</sup> & 16 <sup>th</sup> .
May	R=4/10	2 on the 1 <sup>st</sup> , 9 <sup>th</sup> , 11 <sup>th</sup> & 29 <sup>th</sup> .
June	R=5/8	2 on the 5 <sup>th</sup> , 1 on the 14 <sup>th</sup> , 2 on the 16 <sup>th</sup> , 1 on the 19 <sup>th</sup> & 26 <sup>th</sup> .
July	R=1/6	3 on the 17 <sup>th</sup> .
August	R=4/15	1 on the 1 adult + 1 juvenile on the 3 <sup>rd</sup> , 2 on the 7 <sup>th</sup> , 1 on the 18 <sup>th</sup> , 2 on 28 <sup>th</sup> .
September	R=5/8	2 on the 4 <sup>th</sup> , 1 on the 8 <sup>th</sup> , 4 on the 11 <sup>th</sup> , 2 on the 18 <sup>th</sup> , 3 on the 21 <sup>st</sup> .
October	R=11/12	Recorded throughout, 5 on the 25 <sup>th</sup> & 30 <sup>th</sup> .
November	R=6/9	1 on the 4 <sup>th</sup> , 2 on the 6 <sup>th</sup> , 1 on the 13 <sup>th</sup> , 15 <sup>th</sup> , 20 <sup>th</sup> & 24 <sup>th</sup> .
December	R=3/9	1 on the 11 <sup>th</sup> , 14 <sup>th</sup> & 29 <sup>th</sup> .

---

## Buzzard *Buteo buteo*

January	R=4/4	2 on the 1 <sup>st</sup> & 18 <sup>th</sup> , 4 on the 23 <sup>rd</sup> , 3 on the 30 <sup>th</sup> .
February	R=8/8	Recorded throughout 7 on the 11 <sup>th</sup> .
March	R=12/12	Recorded throughout, 5 on the 20 <sup>th</sup> .
April	R=12/14	Recorded throughout, 4 on the 1 <sup>st</sup> , 3 <sup>rd</sup> & 29 <sup>th</sup> .
May	R=10/10	Recorded throughout, 4 on the 1 <sup>st</sup> & 9 <sup>th</sup> .
June	R=5/8	1 on the 5 <sup>th</sup> , 2 on the 12 <sup>th</sup> , 14 <sup>th</sup> , 19 <sup>th</sup> & 26 <sup>th</sup> .
July	R=6/6	Recorded throughout, 4 on the 17 <sup>th</sup> .
August	R=8/10	Recorded throughout, 2 juveniles on 3 <sup>rd</sup> , 2 + 1 juvenile on 7 <sup>th</sup> , 4 on 28 <sup>th</sup> .
September	R=6/8	Recorded throughout, 6 on the 11 <sup>th</sup> .
October	R=11/12	Recorded throughout, 4 on the 15 <sup>th</sup> & 30 <sup>th</sup> .
November	R=6/9	4 on the 6 <sup>th</sup> , 1 on the 9 <sup>th</sup> & 13 <sup>th</sup> , 2 on the 20 <sup>th</sup> , 1 on the 24 <sup>th</sup> , 2 on the 30 <sup>th</sup> .
December	R=2/9	3 on the 25 <sup>th</sup> , 1 on the 29 <sup>th</sup> .

---

## Tawny Owl *Strix aluco*

March	R=1/12	1 calling on the 20 <sup>th</sup> .
September	R=1/8	1 calling on the 20 <sup>th</sup> .
October	R=1/12	1 calling on the 9 <sup>th</sup> .

---

## Kingfisher *Alcedo atthis*

August	R=3/10	1 on the 18 <sup>th</sup> , 22 <sup>nd</sup> & 28 <sup>th</sup> .
October	R=2/12	1 on the 16 <sup>th</sup> & 2 on the 23 <sup>rd</sup> .
December	R=1/9	1 on the 11 <sup>th</sup> .

---

## Great Spotted Woodpecker *Dendrocopos major*

January	R=1/4	1 on the 30 <sup>th</sup> .
February	R=2/8	1 on the 11 <sup>th</sup> & 27 <sup>th</sup> .
March	R=6/12	1 on the 4 <sup>th</sup> , 2 on the 6 <sup>th</sup> , 1 on the 9 <sup>th</sup> , 17 <sup>th</sup> , 20 <sup>th</sup> & 30 <sup>th</sup> .
April	R=8/14	2 on the 13 <sup>th</sup> , 17 <sup>th</sup> , 2 on the 19 <sup>th</sup> , 20 <sup>th</sup> , 22 <sup>nd</sup> , 24 <sup>th</sup> , & 27 <sup>th</sup> , 1 on the 29 <sup>th</sup> .
May	R=6/10	1 on the 9 <sup>th</sup> , 15 <sup>th</sup> , 19 <sup>th</sup> , 24 <sup>th</sup> , 27 <sup>th</sup> & 29 <sup>th</sup> .
June	R=5/8	1 on the 1 <sup>st</sup> , 5 <sup>th</sup> & 12 <sup>th</sup> , family party on the 14 <sup>th</sup> , 1 on the 26 <sup>th</sup> .
July	R=3/6	1 on the 10 <sup>th</sup> , 2 on the 14 <sup>th</sup> & 24 <sup>th</sup> .
August	R=3/10	1 on the 1 <sup>st</sup> , 4 <sup>th</sup> & 30 <sup>th</sup> .
September	R=4/8	1 on the 4 <sup>th</sup> , 2 on the 8 <sup>th</sup> , 1 on the 21 <sup>st</sup> , 4 on the 23 <sup>rd</sup> .
October	R=6/12	2 on the 6 <sup>th</sup> , 1 on the 9 <sup>th</sup> , 12 <sup>th</sup> , 15 <sup>th</sup> , 18 <sup>th</sup> & 25 <sup>th</sup> .
November	R=5/9	2 on the 13 <sup>th</sup> , 1 on the 15 <sup>th</sup> , 24 <sup>th</sup> , 27 <sup>th</sup> & 30 <sup>th</sup> .
December	R=6/9	1 on the 7 <sup>th</sup> , 9 <sup>th</sup> , 11 <sup>th</sup> , 16 <sup>th</sup> , 21 <sup>st</sup> & 28 <sup>th</sup> .

---

## Green Woodpecker *Picus viridis*

February	R=2/8	1 on the 14 <sup>th</sup> & 20 <sup>th</sup> .
March	R=2/12	1 on the 4 <sup>th</sup> & 20 <sup>th</sup> .
April	R=2/14	1 on the 19 <sup>th</sup> & 22 <sup>nd</sup> .
May	R=5/10	1 on the 1 <sup>st</sup> , 9 <sup>th</sup> , 19 <sup>th</sup> , 24 <sup>th</sup> & 29 <sup>th</sup> .
June	R=5/8	1 on the 1 <sup>st</sup> , 5 <sup>th</sup> , 8 <sup>th</sup> , 14 <sup>th</sup> & 26 <sup>th</sup> .
July	R=3/6	1 on the 10 <sup>th</sup> , 24 <sup>th</sup> & 31 <sup>st</sup> .
August	R=7/10	1 on the 1 <sup>st</sup> , 2 on the 4 <sup>th</sup> , 1 on the 7 <sup>th</sup> , 11 <sup>th</sup> , 18 <sup>th</sup> , 26 <sup>th</sup> & 28 <sup>th</sup> .
September	R=2/8	1 on the 8 <sup>th</sup> & 15 <sup>th</sup> .
October	R=4/12	1 on the 9 <sup>th</sup> , 18 <sup>th</sup> , 25 <sup>th</sup> & 30 <sup>th</sup> .
December	R=1/9	1 on the 21 <sup>st</sup> .

---

## Kestrel *Falco tinnunculus*

January	R=1/4	1 on the 23 <sup>rd</sup> .
February	R=3/8	1 on the 10 <sup>th</sup> , 13 <sup>th</sup> & 20 <sup>th</sup> .
May	R=1/10	1 on the 9 <sup>th</sup> .
June	R=1/8	1 on the 12 <sup>th</sup> .
July	R=1/6	1 on the 31 <sup>st</sup> .
September	R=1/8	1 on the 8 <sup>th</sup> .
October	R=4/12	1 on the 2 <sup>nd</sup> , 14 <sup>th</sup> , 16 <sup>th</sup> & 30 <sup>th</sup> .

November	R=6/9	1 on the 4 <sup>th</sup> , 6 <sup>th</sup> , 9 <sup>th</sup> , 24 <sup>th</sup> , 27 <sup>th</sup> & 30 <sup>th</sup> .
December	R=2/9	1 on the 4 <sup>th</sup> & 11 <sup>th</sup> .

---

### Hobby *Falco subbuteo*

June	R=1/8	1 catching dragonflies on the 16 <sup>th</sup> (J.E.A.).
August	R=1/10	2 sightings of 1 on the 1 <sup>st</sup> (J.E.A.).

---

### Peregrine *Falco peregrinus*

February	R=1/12	1 juvenile on the 18 <sup>th</sup> (J.E.A.).
March	R=2/12	1 on the 2 <sup>nd</sup> , 1 flew over on the 6 <sup>th</sup> .
November	R=2/9	1 perched on Pylon with prey item and second appeared on the 3 <sup>rd</sup> (J.E.A. / M.S.), 1 on the 11 <sup>th</sup> .
December	R=1/9	1 on the 12 <sup>th</sup> (J.E.A. / M.S.).

---

### Jay *Garrulus glandarius*

January	R=4/4	1 on the 1 <sup>st</sup> , 18 <sup>th</sup> , 23 <sup>rd</sup> & 30 <sup>th</sup> .
February	R=6/8	2 on the 7 <sup>th</sup> & 11 <sup>th</sup> , 1 on the 16 <sup>th</sup> , 20 <sup>th</sup> , 25 <sup>th</sup> & 27 <sup>th</sup> .
March	R=2/12	2 on the 13 <sup>th</sup> & 27 <sup>th</sup> .
April	R=2/14	1 on the 8 <sup>th</sup> & 10 <sup>th</sup> .
June	R=2/8	1 on the 14 <sup>th</sup> & 26 <sup>th</sup> .
July	R=2/6	1 on the 10 <sup>th</sup> , 2 on the 24 <sup>th</sup> .
August	R=3/10	1 on the 18 <sup>th</sup> & 28 <sup>th</sup> , 3 on the 30 <sup>th</sup> .
September	R=7/8	Recorded throughout, 3 on the 29 <sup>th</sup> .
October	R=7/12	1 to 2 birds on 7 scattered dates throughout.
November	R=4/9	1 on the 6 <sup>th</sup> , 13 <sup>th</sup> , 15 <sup>th</sup> & 20 <sup>th</sup> .

---

### Magpie *Pica pica*

January	R=4/4	Present on the 1 <sup>st</sup> , 18 <sup>th</sup> , 23 <sup>rd</sup> & 30 <sup>th</sup> .
February	R=8/8	Present throughout.
March	R=12/12	Present throughout.
April	R=14/14	Present throughout.
May	R=10/10	Present throughout.
June	R=8/8	Present throughout.
July	R=6/6	Present throughout.
August	R=10/10	Present throughout.
September	R=8/8	Present throughout.
October	R=11/12	Present throughout.
November	R=8/8	Present throughout.
December	R=9/9	Present throughout.

---

### Jackdaw *Coloeus monedula*

January	R=4/4	Present on the 1 <sup>st</sup> , 18 <sup>th</sup> , 23 <sup>rd</sup> & 30 <sup>th</sup> .
February	R=8/8	Recorded throughout.
March	R=12/12	Recorded throughout.

April	R=14/14	Recorded throughout.
May	R=10/10	Recorded throughout.
June	R=8/8	Recorded throughout.
July	R=6/6	Recorded throughout.
August	R=10/10	Recorded throughout.
September	R=8/8	Recorded throughout.
October	R=11/12	Recorded throughout, 5 on the 15 <sup>th</sup> .
November	R=9/9	Present throughout.
December	R=9/9	Recorded throughout.

---

### Rook *Corvus frugilegus*

March	R=1/12	2 flew over on the 6 <sup>th</sup> .
-------	--------	--------------------------------------

---

### Carrion Crow *Corvus corone*

January	R=4/4	Present on the 1 <sup>st</sup> , 18 <sup>th</sup> , 23 <sup>rd</sup> & 30 <sup>th</sup> .
February	R=8/8	Present throughout.
March	R=12/12	Present throughout.
April	R=14/14	Present throughout.
May	R=10/10	Present throughout.
June	R=8/8	Present throughout.
July	R=6/6	Present throughout.
August	R=10/10	Present throughout.
September	R=8/8	Present throughout.
October	R=12/12	Present throughout.
November	R=9/9	Present throughout.
December	R=8/8	Present throughout.

---

### Coal Tit *Periparus ater*

February	R=1/8	1 on the 1 <sup>st</sup> .
March	R=3/3	1 on the 4 <sup>th</sup> , 17 <sup>th</sup> & 30 <sup>th</sup> .
April	R=3/14	2 on the 13 <sup>th</sup> , 1 on the 19 <sup>th</sup> & 24 <sup>th</sup> .
May	R=1/10	2 on the 9 <sup>th</sup> .
July	R=2/6	1 on the 10 <sup>th</sup> & 17 <sup>th</sup> .
October	R=2/12	2 on the 2 <sup>nd</sup> , 1 on the 18 <sup>th</sup> .
November	R=3/9	2 on the 15 <sup>th</sup> & 24 <sup>th</sup> , 1 on the 30 <sup>th</sup> .
December	R=8/9	Present throughout, 3 on the 14 <sup>th</sup> .

---

### Marsh Tit *Poecile palustris*

January	R=3/4	1 on the 18 <sup>th</sup> , 23 <sup>rd</sup> & 30 <sup>th</sup> .
February	R=1/8	2 on the 27 <sup>th</sup> .
March	R=7/12	1 on the 2 <sup>nd</sup> , 4 <sup>th</sup> , 6 <sup>th</sup> , 17 <sup>th</sup> , 20 <sup>th</sup> , 27 <sup>th</sup> & 29 <sup>th</sup> .
April	R=1/14	1 on the 8 <sup>th</sup> .
July	R=1/6	3 on the 24 <sup>th</sup> .
August	R=4/10	1 on the 11 <sup>th</sup> & 26 <sup>th</sup> , 3 on the 28 <sup>th</sup> & 30 <sup>th</sup> .
September	R=6/8	1 on the 4 <sup>th</sup> , 8 <sup>th</sup> & 11 <sup>th</sup> , 3 on the 18 <sup>th</sup> & 21 <sup>st</sup> , 1 on the 23 <sup>rd</sup> .



October	R=6/12	2 on the 1 <sup>st</sup> , 1 on the 2 <sup>nd</sup> & 9 <sup>th</sup> , 3 on the 12 <sup>th</sup> , 2 on the 16 <sup>th</sup> & 18 <sup>th</sup> .
November	R=3/9	1 on the 4 <sup>th</sup> , 2 on the 24 <sup>th</sup> & 30 <sup>th</sup> .
December	R=9/9	Present throughout, 2 on the 9 <sup>th</sup> , 11 <sup>th</sup> & 14 <sup>th</sup> .

---

### Blue Tit *Cyanistes caeruleus*

January	R=4/4	Present on the 1 <sup>st</sup> , 18 <sup>th</sup> , 23 <sup>rd</sup> & 30 <sup>th</sup> .
February	R=8/8	Present throughout.
March	R=12/12	Present throughout.
April	R=14/14	Present throughout.
May	R=10/10	Present throughout, 15 on the 9 <sup>th</sup> .
June	R=8/8	Recorded throughout.
July	R=5/6	Recorded throughout.
August	R=10/10	Present throughout.
September	R=8/8	Present throughout.
October	R=12/12	Present throughout.
November	R=9/9	Present throughout.
December	R=9/9	Present throughout.

---

### Great Tit *Parus major*

January	R=3/4	Present on the 1 <sup>st</sup> , 18 <sup>th</sup> & 23 <sup>rd</sup> .
February	R=8/8	Present throughout.
March	R=12/12	Present throughout.
April	R=14/14	Present throughout.
May	R=10/10	Present throughout, 20 on the 9 <sup>th</sup> .
June	R=8/8	Recorded throughout.
July	R=5/6	Recorded throughout.
August	R=10/10	Present throughout.
September	R=8/8	Present throughout.
October	R=12/12	Present throughout.
November	R=9/9	Present throughout.
December	R=9/9	Present throughout.

---

### Skylark *Alauda arvensis*

October	R=2/12	3 flew over N on the 23 <sup>rd</sup> , 1 flew over on the 25 <sup>th</sup> .
---------	--------	---

---

### Sand Martin *Riparia riparia*

March	R=3/12	8 at wall on the 28 <sup>th</sup> , 16 on the 29 <sup>th</sup> , 20+ on the 30 <sup>th</sup> .
April	R=14/14	Present throughout, 24 on the 1 <sup>st</sup> , c70 on the 3 <sup>rd</sup> .
May	R=10/10	Present throughout, 50+ on the 9 <sup>th</sup> .
June	R=8/8	Present throughout.
July	R=6/6	Present throughout, 20 occupied holes 2 <sup>nd</sup> brood on the 31 <sup>st</sup> .
August	R=10/10	Present throughout. last record 30 <sup>th</sup> .

---

### Swallow *Hirundo rustica*

April	R=5/14	2 on the 3rd, 1 on the 6 <sup>th</sup> , 8 <sup>th</sup> & 10 <sup>th</sup> , 5 on the 29 <sup>th</sup> .
May	R=3/10	6 on the 1 <sup>st</sup> , c30 on the 4 <sup>th</sup> , 1 on the 9 <sup>th</sup> .
June	R=1/8	1 on the 19 <sup>th</sup> .
July	R=2/6	1 on the 10 <sup>th</sup> , 2 on the 17 <sup>th</sup> .
August	R=3/10	2 on the 4 <sup>th</sup> , 3 on the 18 <sup>th</sup> , 1 on the 21 <sup>st</sup> .
September	R=3/8	1 on the 4 <sup>th</sup> , 9 on the 8 <sup>th</sup> & 1 on the 11 <sup>th</sup> .
October	R=2/12	4 on the 2 <sup>nd</sup> , 10 on the 13 <sup>th</sup> .

---

### House Martin *Delichon urbica*

May	R=1/10	1 on the 8 <sup>th</sup> .
-----	--------	----------------------------

---

### Long-tailed Tit *Aegithalos caudatus*

January	R=3/4	Present on the 1 <sup>st</sup> , 23 <sup>rd</sup> & 30 <sup>th</sup> .
February	R=3/8	1 on the 7 <sup>th</sup> , 20 <sup>th</sup> & 27 <sup>th</sup> .
March	R=8/12	Present throughout, 3 on the 13 <sup>th</sup> .
April	R=12/14	Present throughout, 2 on the 6 <sup>th</sup> .
May	R=7/10	Present throughout, 4 on the 9 <sup>th</sup> .
June	R=1/8	1 on the 1 <sup>st</sup> .
July	R=1/6	1 on the 24 <sup>th</sup> .
August	R=7/10	38 flew past hide on the 3 <sup>rd</sup> , recorded on the 4 <sup>th</sup> , 7 <sup>th</sup> , 11 <sup>th</sup> , 18 <sup>th</sup> , 21 <sup>st</sup> & 24 <sup>th</sup> .
September	R=5/8	Recorded throughout, 12 on the 21 <sup>st</sup> .
October	R=9/12	Recorded throughout, 20 on the 2 <sup>nd</sup> .
November	R=2/9	1 on the 15 <sup>th</sup> , 18 on the 24 <sup>th</sup> .;
December	R=6/9	Present throughout, 12+ on the 11 <sup>th</sup> , 10 on the 21 <sup>st</sup> .

---

### Willow Warbler *Phylloscopus trochilus*

April	R=12/14	1 on the 3 <sup>rd</sup> , 4 <sup>th</sup> , 6 <sup>th</sup> & 8 <sup>th</sup> , 2 on the 15 <sup>th</sup> & 17 <sup>th</sup> , 1 on the 19 <sup>th</sup> & 20 <sup>th</sup> , 2 on the 23 <sup>rd</sup> , 3 on the 24 <sup>th</sup> , 27 <sup>th</sup> & 29 <sup>th</sup> .
May	R=10/10	Present throughout, 3 on the 1 <sup>st</sup> , 6 <sup>th</sup> & 9 <sup>th</sup> .
June	R=8/8	Recorded throughout.
July	R=2/6	1 on the 14 <sup>th</sup> & 17 <sup>th</sup> .
August	R=3/10	2 on the 18 <sup>th</sup> , 1 on the 24 <sup>th</sup> & 28 <sup>th</sup> .
September	R=2/8	1 on the 12 <sup>th</sup> & 23 <sup>rd</sup> .

---

### Chiffchaff *Phylloscopus collybita*

March	R=9/12	1 on the 6 <sup>th</sup> , 1 singing on the 17 <sup>th</sup> , 4 on the 20 <sup>th</sup> , 1 singing on the 20 <sup>th</sup> , 4 on the 22 <sup>nd</sup> , 8 on the 24 <sup>th</sup> , 10 on the 27 <sup>th</sup> , 12 on the 29 <sup>th</sup> & 30 <sup>th</sup> .
April	R=13/14	Present throughout, 17 singing on the 1 <sup>st</sup> , 19 singing on the 13 <sup>th</sup> .
May	R=10/10	Present throughout, 23 on the 9 <sup>th</sup> .
June	R=8/8	Recorded throughout.
July	R=5/6	1 on the 10 <sup>th</sup> , 14 <sup>th</sup> , 17 <sup>th</sup> , 24 <sup>th</sup> & 31 <sup>st</sup> .
August	R=10/10	Present throughout, 10+ on the 18 <sup>th</sup> , 8 on the 28 <sup>th</sup> , 5 on the 30 <sup>th</sup> ,
September	R=8/8	Present throughout, 8 on the 15 <sup>th</sup> & 23 <sup>rd</sup> , 7 on the 29 <sup>th</sup> .

October R=3/12 8 on the 2<sup>nd</sup>, 1 on the 6<sup>th</sup>, 2 on the 16<sup>th</sup>.

---

### Sedge Warbler *Acrocephalus schoenobaenus*

May R=6/10 1 heard & seen on the 2<sup>nd</sup>, 1 on the 15<sup>th</sup>, 19<sup>th</sup>, 24<sup>th</sup> & 27<sup>th</sup>, 2 singing on the 29<sup>th</sup>.  
June R=6/8 1 on the 1<sup>st</sup>, 5<sup>th</sup>, 8<sup>th</sup> (singing), 12<sup>th</sup> & 16<sup>th</sup>.  
July R=2/6 1 singing on the 10<sup>th</sup>, family party on the 14<sup>th</sup>. All Records were from North Lake

---

### Reed Warbler *Acrocephalus scirpaceus*

April R=2/14 1 singing on the 27<sup>th</sup>, 1 on the 29<sup>th</sup>.  
May R=10/10 Recorded throughout 1 singing by hide & 1 N lake on the 1<sup>st</sup>, pair N lake & 1 in phragmites S lake on the 19<sup>th</sup> & 22<sup>nd</sup>. 2 on the 29<sup>th</sup> (1 singing).  
June R=8/8 Recorded throughout, 1 singing N lake & 1 singing S lake on the 5<sup>th</sup>, 1 N lake & 1 S lake on the 8<sup>th</sup>, 12<sup>th</sup>, & 16<sup>th</sup>, 1 sang briefly on the 26<sup>th</sup>.  
July R=6/6 Recorded throughout, 1 singing N lake & 1 singing S lake on the 10<sup>th</sup>. family party N lake on the 17<sup>th</sup>.  
August R=8/10 Recorded throughout, adult feeding large young on S lake on the 11<sup>th</sup>, 2 juvs heard on the 15<sup>th</sup>, 1 on the 18<sup>th</sup>, 3 on the 21<sup>st</sup>, 1 on the 24<sup>th</sup> & 30<sup>th</sup>.

---

### Blackcap *Sylvia atricapilla*

March R=1/12 1 singing on the 31<sup>st</sup>.  
April R=13/14 Recorded throughout, 1 singing on the 1<sup>st</sup>, 8 singing on the 22<sup>nd</sup>,  
May R=10/10 Recorded throughout, 16 on the 9<sup>th</sup>.  
June R=8/8 Recorded throughout.  
July R=5/6 1 on the 3<sup>rd</sup>, 10<sup>th</sup>, 14<sup>th</sup>, 17<sup>th</sup> & 24<sup>th</sup>.  
August R=6/10 1 on the 7<sup>th</sup>, 2 on the 21<sup>st</sup> & 24<sup>th</sup>, 1 on the 26<sup>th</sup>, 2 on the 28<sup>th</sup>, 1 on the 30<sup>th</sup>.  
September R=2/8 4 on the 11<sup>th</sup>, 1 on the 15<sup>th</sup>.

---

### Garden Warbler *Sylvia borin*

April R=2/14 1 on the 27<sup>th</sup>, 2 on the 29<sup>th</sup>.  
May R=6/10 1 on the 6<sup>th</sup>, 7 on the 9<sup>th</sup>, 1 on the 11<sup>th</sup>, 19<sup>th</sup>, 24<sup>th</sup> & 29<sup>th</sup>.  
June R=7/8 Present throughout.  
July R=4/6 1 on the 3<sup>rd</sup>, 10<sup>th</sup>, 14<sup>th</sup> & 17<sup>th</sup>.

---

### Lesser Whitethroat *Curruca curruca*

May R=7/10 1 on the 6<sup>th</sup>, 4 on the 9<sup>th</sup>, 1 on the 11<sup>th</sup>, 2 on the 15<sup>th</sup> (1 singing), 1 singing on the 19<sup>th</sup>, 23<sup>rd</sup> & 29<sup>th</sup>.  
June R=1/8 1 singing on the 8<sup>th</sup>.  
August R=3/10 1 on the 11<sup>th</sup>, 1 juvenile in stick pile on the 14<sup>th</sup>, 3 in stick pile on the 21<sup>st</sup>.

---

### Whitethroat *Curruca communis*

April R=2/14 1 in Bramble patch below hide on the 21<sup>st</sup>, 1 on the 29<sup>th</sup>.

May	R=7/10	1 singing on the 6 <sup>th</sup> , 2 on the 9 <sup>th</sup> , 3 (2 singing) on the 11 <sup>th</sup> , 1 on the 15 <sup>th</sup> , 19 <sup>th</sup> , 27 <sup>th</sup> & 29 <sup>th</sup> .
June	R=2/8	1 on the 1 <sup>st</sup> & 12 <sup>th</sup> .

---

### Goldcrest *Regulus regulus*

March	R=1/12	2 on the 13 <sup>th</sup> .
September	R=1/8	2 on the 23 <sup>rd</sup> .
October	R=2/12	1 on the 10 <sup>th</sup> & 18 <sup>th</sup> .
November	R=2/9	1 on the 4 <sup>th</sup> & 7 <sup>th</sup> .
December	R=2/9	1 on the 4 <sup>th</sup> & 14 <sup>th</sup> .

---

### Wren *Troglodytes troglodytes*

January	R=3/4	Present on the 18 <sup>th</sup> , 23 <sup>rd</sup> & 30 <sup>th</sup> .
February	R=8/8	Present throughout.
March	R=12/12	Recorded throughout.
April	R=14/14	Present throughout.
May	R=10/10	Present throughout, 18 on the 9 <sup>th</sup> .
June	R=7/8	Recorded throughout.
July	R=6/6	Recorded throughout.
August	R=9/10	Recorded throughout.
September	R=8/8	Present throughout.
October	R=11/12	Present throughout.
November	R=8/9	Present throughout.
December	R=7/9	Present throughout.

---

### Nuthatch *Sitta europaea*

February	R=2/8	2 on the 25 <sup>th</sup> , 1 on the 27 <sup>th</sup> .
March	R=1/10	3 on the 17 <sup>th</sup> .
April	R=5/14	1 on the 6 <sup>th</sup> , 10 <sup>th</sup> , 15 <sup>th</sup> & 19 <sup>th</sup> , pair at nest hole on the 22 <sup>nd</sup> .
May	R=4/9	1 on the 9 <sup>th</sup> , 1 with food at nest hole on the 19 <sup>th</sup> , 2 at nest hole on the 27 <sup>th</sup> , 1 on the 29 <sup>th</sup> .
August	R=2/10	2 on the 28 <sup>th</sup> , 1 on the 30 <sup>th</sup> .
September	R=2/8	1 calling on the 11 <sup>th</sup> , 1 on the 25 <sup>th</sup> .
October	R=3/12	1 on the 2 <sup>nd</sup> , 12 <sup>th</sup> & 16 <sup>th</sup> .
December	R=1/9	1 on the 4 <sup>th</sup> .

---

### Treecreeper *Certhia familiaris*

January	R=1/4	1 on the 26 <sup>th</sup> .
March	R=4/12	1 on the 17 <sup>th</sup> , 2 on the 20 <sup>th</sup> , 1 on the 27 <sup>th</sup> & 29 <sup>th</sup> .
April	R=1/14	1 on the 13 <sup>th</sup> .
June	R=1/8	1 on the 1 <sup>st</sup> .
September	R=1/8	1 on the 15 <sup>th</sup> .
December	R=1/9	1 on the 4 <sup>th</sup> .

---

## Starling *Sturnus vulgaris*

January	R=2/4	12 on the 18 <sup>th</sup> & 1 on the 30 <sup>th</sup> .
February	R=1/8	c30 flew over on the 20 <sup>th</sup> .
July	R=4/6	4 on the 14 <sup>th</sup> , 6 on the 17 <sup>th</sup> , 1 on the 24 <sup>th</sup> , 10 on the 31 <sup>st</sup> .
August	R=9/10	Recorded throughout, 45 on the 26 <sup>th</sup> .
September	R=7/8	Recorded throughout, c50 on the 4 <sup>th</sup> .
October	R=2/12	Recorded on the 9 <sup>th</sup> & 30 <sup>th</sup> .
November	R=1/9	3 on the 13 <sup>th</sup> .
December	R=2/9	Recorded on the 11 <sup>th</sup> & 14 <sup>th</sup> .

---

## Blackbird *Turdus merula*

January	R=4/4	Present on the 1 <sup>st</sup> , 18 <sup>th</sup> , 23 <sup>rd</sup> & 30 <sup>th</sup> .
February	R=8/8	Present throughout.
March	R=12/12	Present throughout.
April	R=14/14	Present throughout.
May	R=10/10	Present throughout, 18 on the 9 <sup>th</sup> .
June	R=8/8	Present throughout.
July	R=3/6	Present 14 <sup>th</sup> , 24 <sup>th</sup> & 31 <sup>st</sup> .
August	R=9/10	Present throughout.
September	R=8/8	Present throughout.
October	R=12/12	Present throughout.
November	R=9/9	Present throughout.
December	R=9/9	Present throughout.

---

## Fieldfare *Turdus pilaris*

December	R=1/9	22 flew over on the 7 <sup>th</sup> .
----------	-------	---------------------------------------

---

## Redwing *Turdus iliacus*

January	R=1/4	3 on the 1 <sup>st</sup> .
February	R=4/8	7 on the 9 <sup>th</sup> , 1 on the 13 <sup>th</sup> & 16 <sup>th</sup> , 3 on the 20 <sup>th</sup> .
March	R=2/12	1 on the 17 <sup>th</sup> , 4 on the 20 <sup>th</sup> .
October	R=3/12	3 on the 9 <sup>th</sup> , 6 on the 16 <sup>th</sup> & a few on the 30 <sup>th</sup> .
November	R=5/9	c200 on the 4 <sup>th</sup> , 1 on the 6 <sup>th</sup> , 30+ on the 13 <sup>th</sup> , 1 on the 20 <sup>th</sup> , 15 on the 27 <sup>th</sup> .
December	R=2/9	6 on th 4 <sup>th</sup> , 1 on the 11 <sup>th</sup> .

---

## Song Thrush *Turdus philomelos*

February	R=3/8	1 on the 20 <sup>th</sup> & 25 <sup>th</sup> , 2 on the 27 <sup>th</sup> .
March	R=11/12	1 to 2 birds throughout.
April	R=11/14	Recorded throughout. 2 on the 27 <sup>th</sup> .
May	R=8/10	Recorded throughout, 6 on the 9 <sup>th</sup> , 4 singing on the 11 <sup>th</sup> , 5 on the 19 <sup>th</sup> .
June	R=6/8	Recorded throughout.
July	R=4/6	Recorded 3 <sup>rd</sup> , 10 <sup>th</sup> , 14 <sup>th</sup> & 17 <sup>th</sup> ..
August	R=1/10	1 on the 26 <sup>th</sup> .
October	R=1/12	1 on the 23 <sup>rd</sup> .

December R=1/9 1 on the 9<sup>th</sup>.

---

### Mistle Thrush *Turdus viscivorus*

January R=1/4 3 on the 1<sup>st</sup>.  
February R=2/8 1 on the 20<sup>th</sup> & 21<sup>st</sup>.  
March R=1/12 2 on the 27<sup>th</sup>.  
July R=1/6 6 on the 24<sup>th</sup>.

---

### Robin *Erithacus rubecula*

January R=4/4 3 on the 1<sup>st</sup> present on the 18<sup>th</sup>, 23<sup>rd</sup> & 30<sup>th</sup>.  
February R=8/8 Present throughout.  
March R=12/12 Present throughout.  
April R=14/14 Present throughout.  
May R=10/19 Present throughout, 7 on the 9<sup>th</sup>.  
June R=8/8 Recorded throughout.  
July R=5/6 Recorded throughout.  
August R=9/10 Present throughout.  
September R=8/8 Present throughout.  
October R=11/12 Present throughout.  
November R=9/9 Present throughout.  
December R=9/9 Present throughout.

---

### Dunnock *Prunella modularis*

January R=4/4 Present on the 1<sup>st</sup>, 18<sup>th</sup>, 23<sup>rd</sup> & 30<sup>th</sup>.  
February R=8/8 Present throughout.  
March R=12/12 Present throughout.  
April R=14/14 Present throughout.  
May R=10/10 Present throughout, 5 on the 9<sup>th</sup>.  
June R=8/8 Present throughout.  
July R=5/6 Present throughout.  
August R=10/10 Present throughout.  
September R=7/8 Present throughout.  
October R=11/12 Present throughout.  
November R=8/9 Present throughout.  
December R=7/9 Present throughout.

---

### Yellow Wagtail *Motacilla flava*

May R=1/10 1 on the 9<sup>th</sup> (J.E.A / M.S. / I.D.W.).

---

### Grey Wagtail *Motacilla cinerea*

June R=1/8 2 on the 8<sup>th</sup>.  
October R=4/12 1 on the 2<sup>nd</sup>, 9<sup>th</sup>, 12<sup>th</sup> & 23<sup>rd</sup>.  
November R=2/9 1 on the 4<sup>th</sup> & 20<sup>th</sup>.  
December R=1/9 1 on the 25<sup>th</sup>.

---

### Pied Wagtail *Motacilla alba*

April	R=2/14	2 on the 1 <sup>st</sup> , 1 on the 27 <sup>th</sup> .
May	R=4/10	1 on the 6 <sup>th</sup> , 9 <sup>th</sup> , 19 <sup>th</sup> & 24 <sup>th</sup> .
June	R=2/8	1 on the 1 <sup>st</sup> & 14 <sup>th</sup> .
July	R=3/6	1 on the 3 <sup>rd</sup> , 1 juvenile on the 10 <sup>th</sup> , 1 on the 31 <sup>st</sup> .
October	R=10/12	1 on the 6 <sup>th</sup> & 9 <sup>th</sup> , 2 on the 12 <sup>th</sup> , 1 on the 14 <sup>th</sup> , 15 <sup>th</sup> & 16 <sup>th</sup> , 3 on the 21 <sup>st</sup> , 1 on the 23 <sup>rd</sup> & 25 <sup>th</sup> , 3 on the 30 <sup>th</sup> .
November	R=4/9	1 on the 6 <sup>th</sup> , 2 on the 9 <sup>th</sup> , 1 on the 13 <sup>th</sup> & 20 <sup>th</sup> .
December	R=6/9	1 on the 4 <sup>th</sup> , 7 <sup>th</sup> , 9 <sup>th</sup> , 11 <sup>th</sup> , 14 <sup>th</sup> & 21 <sup>st</sup> .

---

### Meadow Pipit *Anthus pratensis*

March	R=1/12	1 on the 20 <sup>th</sup> .
-------	--------	-----------------------------

---

### Chaffinch *Fringilla coelebs*

January	R=2/4	Present on the 18 <sup>th</sup> & 30 <sup>th</sup> .
February	R=8/8	Present throughout.
March	R=12/12	Present throughout.
April	R=14/14	Present throughout.
May	R=10/10	Present throughout, 4 on the 9 <sup>th</sup> ..
June	R=6/8	Present throughout.
July	R=5/610	Recorded throughout.
August	R=9/10	Recorded throughout.
September	R=7/8	Recorded throughout.
October	R=5/11	Recorded 2 <sup>nd</sup> , 6 <sup>th</sup> , 9 <sup>th</sup> , 16 <sup>th</sup> & 23 <sup>rd</sup> .
November	R=6/9	Present throughout, 7 on the 30 <sup>th</sup> ,
December	R=8/9	Present throughout, 14 on the 14 <sup>th</sup> .

---

### Bullfinch *Pyrrhula pyrrhula*

January	R=4/4	5 on the 1 <sup>st</sup> , 1 on the 18 <sup>th</sup> , 23 <sup>rd</sup> & 30 <sup>th</sup> .
February	R=8/8	Recorded throughout.
March	R=12/12	Recorded throughout.
April	R=14/14	Present throughout.
May	R=10/10	Present throughout, 2 pair on the 9 <sup>th</sup> .
June	R=7/8	Recorded throughout.
July	R=4/6	Recorded on the 10 <sup>th</sup> , 14 <sup>th</sup> , 17 <sup>th</sup> & 24 <sup>th</sup> .
August	R=6/10	Recorded throughout, 12 on the 30 <sup>th</sup> .
September	R=7/8	Recorded throughout.
October	R=9/12	Recorded throughout.
November	R=7/9	Recorded throughout.
December	R=6/9	Recorded throughout.

---

### Greenfinch *Chloris chloris*

May	R=1/10	1 on the 9 <sup>th</sup> .
June	R=1/8	1 on the 8 <sup>th</sup> .

November R=1/9 2 on the 27<sup>th</sup>.

---

### Lesser Redpoll *Acanthis caberet*

March R=4/12 12 on the 2<sup>nd</sup>, 8 on the 4<sup>th</sup>, 3 on the 4<sup>th</sup>, 2 on the 24<sup>th</sup>.  
October R=1/12 10 on the 16<sup>th</sup>.  
November R=1/9 2 on the 15<sup>th</sup>.  
December R=3/9 1 on the 4<sup>th</sup>, c20 on the 9<sup>th</sup>, 8 on the 11<sup>th</sup>.

---

### Goldfinch *Carduelis carduelis*

January R=1/4 12 on the 30<sup>th</sup>.  
February R=2/8 Recorded on the 11<sup>th</sup> & 27<sup>th</sup>.  
March R=5/12 1 on the 4<sup>th</sup> & 6<sup>th</sup>, 3 on the 13<sup>th</sup>, 1 on the 20<sup>th</sup>, 2 on the 27<sup>th</sup>.  
April R=11/14 Recorded throughout..  
May R=7/10 Recorded throughout, 4 on the 9<sup>th</sup>.  
July R=4/6 Recorded throughout.  
August R=8/10 Present throughout, 15 on the 30<sup>th</sup>.  
September R=5/8 Present throughout, c30 on the 11<sup>th</sup>.  
October R=8/12 Recorded throughout, 8 on the 16<sup>th</sup>.  
November R=3/9 15 on the 15<sup>th</sup>, 1 on the 20<sup>th</sup> & 30<sup>th</sup>.  
December R=5/9 Recorded throughout, 6 on the 21<sup>st</sup>.

---

### Siskin *Spinus spinus*

February R=1/8 1 on the 7<sup>th</sup>.  
March R=5/12 2 on the 2<sup>nd</sup>, 3 on the 4<sup>th</sup>, 6 on the 6<sup>th</sup>, 3 on the 17<sup>th</sup>, 1 on the 22<sup>nd</sup>.  
November R=1/9 3 on the 15<sup>th</sup>.  
December R=2/9 2 on the 11<sup>th</sup>, 12 on the 14<sup>th</sup>.

---

### Reed Bunting *Emberiza schoeniclus*

January R=1/4 1 on the 27<sup>th</sup>.  
February R=3/12 1 on the 16<sup>th</sup>, 20<sup>th</sup> & 27<sup>th</sup>.  
March R=10/12 Present throughout, 2 singing on the 17<sup>th</sup> & 22<sup>nd</sup>, 3 on the 29<sup>th</sup>.  
April R=13/14 Present throughout, 4 on the 13<sup>th</sup> & 27<sup>th</sup>.  
May R=10/10 Present throughout, 5 on the 6<sup>th</sup>.  
June R=8/8 Present throughout, 2 on the 26<sup>th</sup>.  
July R=5/6 Present throughout, 3 on the 14<sup>th</sup>.  
August R=1/10 1 on the 21<sup>st</sup>.  
October R=1/12 2 on the 12<sup>th</sup>.  
November R=1/9 1 on the 15<sup>th</sup>.  
December R=1/9 1 on the 28<sup>th</sup>.

### Cage Birds and Escapes

---

#### Bar-headed Goose *Anser indicus*

February R=1/8 1 on the 22<sup>nd</sup>.



## Farnham Monthly Statistics

Month	Day Coverage	Species	Records	Cum. Records
January 2021	4 / 31 = 12.9%	53	159	159
February	8 / 28 = 28.6%	60	317	476
March	12 / 31 = 38.7%	66	455	931
April	14 / 30 = 46.7%	69	552	1483
May	10 / 31 = 32.3%	65	433	1916
June	8 / 30 = 26.7%	60	333	2249
July	6 / 31 = 19.4%	62	253	2502
August	10 / 31 = 32.3%	69	393	2895
September	8 / 30 = 26.7%	60	320	3215
October	12 / 31 = 38.7%	74	468	3683
November	9 / 30 = 30.0%	63	343	4026
December	9 / 31 = 29.0%	64	342	4368
Year 2021	110 / 365 = 30.1%			

Onsite observations were made on 344 Days

**Total Number of Species for the Year 2021 = 114**